EMERGENCY MEDICINE

1992

YEAR-END INDEX

L

4

92

MI

Key to issues and dates in Volume 24

In entries, **boldface** *numbers refer to issue and* lightface *to pages in that issue.*

Issue No.	Date		
1	JANUARY 15	**9**	JUNE 30
2	FEBRUARY 15	**10**	JULY 15
3	FEBRUARY 28	**11**	AUGUST 15
4	MARCH 15	**12**	SEPTEMBER 15
5	APRIL 15	**13**	SEPTEMBER 30
6	APRIL 30	**14**	OCTOBER 15
7	MAY 15	**15**	NOVEMBER 15
8	JUNE 15	**16**	DECEMBER 15

L

4

92

11

A

Abdomen
Acute, pancreatitis as cause of, **5**:55
Distention of
  In appendicitis in elderly, **4**:342
  In femoral hernia, **5**:198
  In spinal shock, **15**:207
Examination of
  Spine injury ruled out by, **4**:188
  Unreliable in intoxicated patient, **13**:48
Exercise program for strengthening, in
    spondylolysis and spondylolisthesis, **10**:36
Increased girth of, in ascites, **14**:78
Mass in
  In appendix rupture, **4**:342
  In intussusception, **4**:107
Pain in
  In appendicitis
    During pregnancy, **9**:129
    In elderly, **4**:334
  From button battery ingestion, **13**:51
  Chronic, in cancer, **10**:131
  In diabetes, new-onset, misdiagnosed as
    gastroenteritis, **3**:147
  Hernia as cause of, misdiagnosed, **4**:306
  In legionnaires' disease, **5**:231
  In *M. avium* complex infection, **13**:89
  In malabsorption, **6**:124
  From metastatic infiltration of hollow viscus,
    10:118
  Midepigastric, from acute fatty liver,
    postpartum, **7**:296
  From pancreatitis, **6**:124; **14**:159
  As pelvic exam indicator, **1**:49
  From small bowel necrosis as cause of,
    11:176
  From tuboovarian abscess, **15**:163
Trauma to
  Blunt
    Exploration vs observation for, **9**:111
    Hematoma from, **15**:191
  In child abuse, **4**:284
  Occult, base deficit for prediction of, **2**:91
  Penetrating, multiple-organ failure caused by,
    5:216
X-ray of
  In appendicitis, **4**:343
  In *C. difficile* colitis, **4**:83
  For colon perforation after sigmoidoscopy,
    12:81
  For gastric perforation, **5**:195
  Iron toxicity ruled in but not out by, **14**:100

Abruptio placentae
In eclampsia, **8**:99

Abscess
Antibiotics for, **4**:238
After appendectomy, **4**:344
Appendicitis misdiagnosed as, **4**:343
Brain
  In bacterial meningitis, risk for, **5**:36
  Treatment delay as cause of, **1**:35
Deep pelvic
  Penetrating wound as cause of, **15**:95, 105
  Transvaginal and transrectal drainage of,
    12:95
Drainage of
  Percutaneous, as alternative to surgery, **12**:85
  Trick for, **3**:157

L

4

92

11

Epidural, back pain caused by, **13**:78
Fingertip, trick for lancing, **3**:164
Hepatic amebic, **5**:95
  Drainage of, **12**:96
Intrarenal, in pyelonephritis **6**:147
Muscle, streptococcal, **13**:110
Pancreatic, **12**:88, 91
Parapharyngeal, emergency drainage of, **6**:46
Peritonsillar, management of, **2**:141; **6**:45
Retropharyngeal
  Dysphagia caused by, **5**:186
  Treatment of, **6**:46
Splenic, drainage of, **12**:92
Tuboovarian
  Drainage of, **12**:95
  Management of, **1**:58
  After menopause, **15**:163

Abuse
See *Alcohol abuse; Child abuse; Drug abuse; Sexual abuse*

ACE inhibitor
See *Angiotensin-converting-enzyme inhibitor*

Acetaminophen
For cancer pain, **10**:123
For fever
  In burned child, **11**:217
  In varicella, **16**:92
For lumbosacral ligament sprain, **10**:57
For osteoarthritis of the knee, **1**:104
Overdose, **2**:208

Acetazolamide
In central retinal artery occlusion, **8**:118
For sleep apnea, **6**:87

Acetonitrile
Poisoning with, **10**:141

Acetylcholine
Accumulation of, in organophosphate poisoning, **3**:65

Acetylcholinesterase inhibitor
Pharmacologic bronchoconstriction caused by, **4**:216

Acetylcystine
For acetaminophen overdose, **2**:208

Achalasia
Gastroesophageal syndromes in, **7**:197
Progressive, dysphagia caused by, **5**:192
Scleroderma differentiated from, **5**:192
Secondary, carcinoma as cause of, **5**:193

Acid ingestion
Ipecac and lavage contraindicated after, **10**:214, 221

Acidosis
In acetonitrile ingestion, **10**:141
In alcohol intoxication, **15**:83
In asthma, cardiotoxicity from, **9**:108
In electrical burn, **8**:167
In iron overdose, **14**:99
Metabolic
  Lactic
    In exertional heatstroke, **7**:322
    In organ failure, **5**:225
  O_2 lack as cause of, **7**:244
  And respiratory, in cardiac arrest, **7**:223
In methanol poisoning, **8**:120

Acinetobacter
In nosocomial pneumonia, **10**:91

L

4

92

11

Acne
Pseudofolliculitis barbae differentiated from, **15**:143

Acquired immune deficiency syndrome
See *AIDS*

Acrodermatitis chronica atrophicans
In Lyme disease, **11**:41

Acromegaly
Sleep apnea caused by, **6**:85

Acropustulosis
Differential diagnosis of, **7**:132

Activated charcoal
For anaphylaxis from antigen ingestion, **12**:144
For anticoagulant poisoning, **3**:70
For body packer, **12**:207
Contraindicated
  In acetaminophen overdose, **2**:208
  In button battery ingestion, **13**:52
For digoxin toxicity, **11**:123
For gamma-hydroxybutyrate overdose, **12**:203
In gastric decontamination, **10**:214, 221
For herbal overdose, **4**:281
For iron overdose, **14**:105
For isoniazid overdose, **10**:142
Kool-Aid with, for child, **10**:94
Multiple doses of, **10**:221
  In meprobamate overdose, **10**:142
For oil of wintergreen ingestion, by nasogastric tube, **8**:176
Recommended dosage of, **10**:222
Sedation for administration of, **5**:13 (letter)
For suicide attempt, error in not giving early, **7**:69
Trick for remembering when not to use, **4**:191

Acupuncture
And acupressure, for myofascial pain, **5**:171

Acute respiratory distress syndrome
In neuroleptic malignant syndrome, **9**:54
In sepsis syndrome, **2**:187
Ventilatory support for, **5**:225

Acute retroviral syndrome
Symptoms of, **9**:127

Acyclovir
For herpes
  On finger, **15**:105
  Simplex, contraindications to, **10**:81
  For varicella, **16**:92
    Vaccine rash, **14**:124
  Zoster in ear, **5**:140

Addison's disease
Treatment protocol for travel with, **9**:83

Adenitis
Cervical
  Branchial cyst differentiated from, **13**:80
  Staphylococcal, **6**:46

Adenocarcinoma
Invasive, cone biopsy of, **7**:96
In smoker with solitary pulmonary nodule, **9**:93

Adenoid
Hypertrophy of, in sleep apnea, **6**:84, 87

Adenopathy
Cervical, adenoviral, **14**:282

L

4

92

11

Adenosine
For supraventricular tachycardia, **2**:139; **8**:107
Triphosphate
  In cystic fibrosis, **13**:46
  Uncoupling of, in malignant hyperthermia, **7**:324

Adenovirus
Conjunctival, differential diagnosis of, **14**:282

Adnexa
Mass in, as sign of ectopic pregnancy, **1**:94
Tenderness and enlargement of, as signs of PID, **10**:101

Adolescent
Arthritis in, from STD, **7**:229
Cryptorchidism in, **8**:137
Depression in, suicide caused by, **12**:156
GI symptoms in, related to unreported sexual abuse, **6**:169
"Growing pains" in, **3**:180
Headache in, **15**:69
  Migraine, **15**:70
Hematocolpos in, **4**:323
Hepatitis B vaccine recommended for, **14**:116
High-tension wire accidents in thrill-seeking, **8**:157
HIV testing in, reasons for, **10**:174
Impetigo contagiosa in, **3**:88
Juvenile RA in, **3**:178
Limping, common causes of, **3**:179
PCP in, **10**:180
Pelvic exam of, **3**:103
Rape of
  Counseling techniques for, **3**:98
  Prevention of pregnancy and STD from, **3**:103
Slipped capital femoral epiphysis in, **3**:180
Spondylolisthesis coinciding with growth spurt in, **10**:28
Suicide attempt in
  By alkaline corrosive ingestion, **14**:94
  By potassium ingestion, **14**:125
  Risk of, **2**:202
  Warning signs of, **12**:155
Vertebral osteomyelitis in, **3**:180
See also *Child abuse; Children*

Adrenal insufficiency
Management of during travel, **9**:83
Shock in TB or histoplasmosis associated with, **4**:273

Adrenal suppression
Steroid for asthma as cause of, **13**:25

Adult respiratory distress syndrome
Causes of
  Alveolar injury from toxic inhalation, **7**:252
  Endotoxin in shock, **1**:55
  O_2 toxicity, treatment for, **12**:229
Management of, **7**:252; **12**:126, 229

Aeromonas hydrophila
Diarrhea from, **5**:92
Treatment for, **5**:115

AIDS
From blood transfusion, **5**:59
In children, **7**:137; **10**:173
CNS infections associated with, **9**:128
Cryptococcal meningitis in, **9**:128; **12**:195
Diarrhea in
  From Cryptosporidium in, **5**:95
  In gay men, **5**:96
  Morphine for, **3**:158
Dual prophylaxis for, **1**:217

L

4

92

11

GI bleeding in, **16**:60
Health-care worker's legal rights in treating patients with, **3**:118
High-risk groups and screening questions for, **7**:138
Histoplasmosis with, **4**:271
M. avium complex infection in, **13**:89
Pneumonia associated with, **9**:127
In women and their children, **7**:137
See also HIV; Pneumonia, P. carinii

Air stirrup
For ankle sprain, **11**:167

Airway
Artificial, for acute epiglottitis, **14**:54
ED management of, **5**:13 (letter)
Endotracheal intubation of, in blunt trauma, **12**:73
Hyperreactivity of
  In asthma
    Occupational, **4**:227
    Symptoms caused by, **12**:32
  In cystic fibrosis, **13**:42
Injury to, in toxic inhalation, **7**:248, 251
Obstruction
  In asthma, **12**:47; **13**:26
  Asthma differentiated from, **16**:91
  From beta agonist overuse, **13**:21
  In cystic fibrosis, **13**:42
  In diphtheria, **6**:41
  In epiglottitis
    In adult, **14**:56
    In child, **14**:56
  Inflammatory, **6**:42
  Mechanical, anaphylaxis differentiated from, **12**:145
  By neck edema, from improper treatment of parotitis, **14**:175
  In nonsmoker, **7**:197
  Relief of, **13**:22, 26
  By septal hematoma as cause of, **6**:34
  In sleep apnea, **6**:84, 87
  In smoker with solitary pulmonary nodule, **9**:91
  Sore throat and lymphadenopathy accompanying, **6**:41
Protection of
  In croup and epiglottitis, **6**:43
  Before gastric lavage, **10**:221

Alanine transaminase
Elevation of, in hepatitis C, **12**:231

Albuterol
In anaphylaxis, for bronchoconstriction, **12**:148
For asthma
  Acute **13**:26
    In infant, **6**:143
  In child, **9**:108
  Morbidity and mortality increased by overuse of, **7**:166
  In pregnancy, **13**:39
For COPD, **3**:36, 48; **11**:62
For nonsmoker with chronic cough, **7**:192

Alcohol
Blood level
  In abuse, **7**:72
  Routine screening for, in trauma, **13**:47
Frostbite associated with, **2**:121
Infusion, for necrotic tumor shrinkage, **12**:92
Nonabsorption of, by activated charcoal, **10**:221
Pancreatitis associated with, **14**:159
  Serum lipase in, **10**:171
Prep, as substitute for burner, **10**:94
Rub, contraindicated for heatstroke, **7**:324

L

4

92

11

Alcohol abuse
Bacterial meningitis with, increased risk for, **5**:41
Diagnosis in early stages of, **7**:71
CAGE questionnaire for, **7**:72
Drug interactions with, **12**:116
Esophageal carcinoma with, increased risk for, **5**:191
Heat disorder in, **7**:318
Impulse control removed by, **7**:162
Methanol intoxication in, **15**:83
Pancreatitis with, increased risk for, **5**:55
Serum phosphorus reduced with, **5**:234
As suicide risk, **2**:201
Trauma as sign of, **12**:65; **13**:47
Types of, **15**:84
Withdrawal in
Management of, **8**:169, 174
Opioid or sedative hypnotic withdrawal differentiated from, **8**:170
Organic brain syndrome and DTs caused by, **7**:163
Status epilepticus caused by, **8**:181
Violence in, **7**:161

Aldosterone
Reduction of, by ACE inhibitor, **10**:61

Alkali
Eye burns of caused by, **4**:257
Ingestion
Ipecac contraindicated in, **10**:214
Lavage contraindicated in, **10**:221
In suicide attempt, **5**:194

Alkaline phosphatase
In alcohol abuse, **7**:75
Hepatitis A, **15**:116
In legionnaires' disease, **5**:234

Alkalosis
Metabolic, in self-induced vomiting, **7**:309
Respiratory, in exertional heatstroke, **7**:322

Allen's test
For arterial blood flow, **15**:95

Allergy
Allergen challenge for diagnosis of, **12**:50
In asthma
Occupational, **4**:216, 221; **13**:31
Respiratory tract inflammation caused by, **12**:47
Treatment failure caused by, **13**:29
Contact, topical medication as cause of, **7**:35
Eye symptoms of, **7**:35
RAST for prediction of, **12**:154
Rhinorrhea from, **6**:31
Serous otitis media from, **5**:146
See also *Anaphylaxis; Sting;* specific allergens

Alopecia
Areata, differential diagnosis of, **7**:132
Interferon as cause of, **15**:130
Methotrexate as cause of, **12**:194
Selenium megadose as cause of, **4**:277
Tinea capitis as cause of, **7**:185

Alpha blocker
For benign prostatic hyperplasia, **10**:147
See also specific agents

Alpha-fetoprotein
Determination, in hepatitis B, **15**:124

Alpha-interferon
For hepatitis C, **12**:232

Alpha$_1$-antitrypsin

L

4

92

1

MI

In cystic fibrosis, **13**:46

Alpha$_2$ macroglobulin
For pancreatitis prognosis, **14**:166

Alprazolam
For panic disorder, **14**:110

Alteplase
For MI, **7**:121
For unstable angina, **9**:104

Altitude sickness
Signs of, **9**:78

Alveolar-arterial gradient
In smoke inhalation, **15**:55

Alzheimer's disease
Memory loss in, loss in vitamin B_{12} deficiency
differentiated from, **10**:200
Seizure activity related to, **13**:75

Amantadine
In neuroleptic malignant syndrome, **9**:56

Amebicide
See specific agents

Amenorrhea
Nutritional deficiency as cause of, **6**:127

Amikacin
For neutropenia, **10**:83
For *M. avium* complex infection in AIDS, **13**:90
For nosocomial pneumonia, **16**:108
P. aeruginosa, **10**:91
Potency and toxicity of, **7**:303

Amiloride
For cystic fibrosis, **13**:45

Amino acid consumption test
For pancreatitis, **14**:169

Aminoglycosides
In cystic fibrosis, for *P. aeruginosa*, **13**:41, 42
Distinguishing features of, **7**:300
For endocarditis, **7**:307; **15**:156
Enterococci resistant to, **10**:93
For neutropenia, **10**:82
For nosocomial pneumonia, **10**:91
Prophylactic, **16**:102
For sepsis, **4**:153
Before surgery for ruptured eye globe, **4**:259
For pyelonephritis, **3**:29
Toxicity of, **7**:304
For UTI, **6**:148; **7**:299
See also specific agents

Aminophylline
In anaphylaxis, for bronchoconstriction, **12**:148
For asthma
Cardiotoxicity of, **9**:108
In infant, **6**:144
In pregnancy, **13**:39
Dipyridamole counteracted by, **6**:54

Aminotransferase
For alcohol abuse diagnosis, **7**:75
In hepatitis B or C, **15**:130

Amiodarone
Hypo- and hyperthyroidism caused by, **5**:68
For ventricular arrhythmia, **5**:127

Amitriptyline
In cancer, for pain and neuralgia, **10**:124

L

4

92

MI

For depression in suicide attempt, **14**:224
For headache, as alternative to other agents, **16**:134
For migraine
With depression, **3**:54
Posttraumatic, **1**:108
Prophylaxis, **15**:80
Overdose, **11**:136

Ammonium lactate
For ichthyosis vulgaris, **6**:108

Amnesia
CT scanning for, **13**:112
Gamma-hydroxybutyrate as cause of, **12**:203

Amniocentesis
For chorioamnionitis, **1**:178

Amniotic fluid
Leak, DIC caused by, **5**:226
Low glucose levels in, in intra-amniotic infection, **1**:178

Amoxicillin
For bacteremia, **16**:70
For bite wound, human, **15**:102
For cystitis, **4**:44
For *H. influenzae*, **7**:192
For Lyme disease, **11**:41
For otitis media
In adult, **2**:67
In child, **2**:70
For sinusitis, **6**:32
For suppurative otitis media, **5**:134
For UTI, **2**:45; **6**:148

Amphetamine
In cancer, for the vegetative effects of opioids, **10**:131

Amphotericin B
For cryptococcal meningitis, **9**:128
Vs oral fluconazole, **12**:195, 196
For disseminated histoplasmosis in HIV, **4**:272
For neutropenia, risk of adding aminoglycoside, **10**:82
For nosocomial pneumonia prophylaxis, **16**:

Ampicillin
For appendix rupture, **1**:200
For bacterial meningitis
In alcoholism, **5**:47
In elderly, **5**:48
In neonate, **5**:48; **8**:217
For endocarditis, **15**:156
For epiglottitis, **14**:64
Enterococcal resistance to, **10**:93
For intraluminal bacterial overgrowth, **6**:135
For pyelonephritis, **3**:29
Recovery of ingested, activated charcoal vs emesis and lavage for, **10**:221
For urosepsis, **7**:299

Amputation
Care of parts for reattachment, **15**:102
For high-pressure injection injury, **14**:179, 183

Amyl nitrite
For cyanide poisoning, **7**:260

Amyloidosis
Dilated cardiomyopathy with, **8**:41
Orthostatic hypotension in, **15**:153
Palpable spleen in, **8**:81

Analgesics
For black widow spider bite, **14**:229

L

4

92

11

For bullous myringitis, **5**:140
In cancer, dosage limitation as cause of ineffectiveness, **10**:123
For headache, overuse of, **16**:129, 132
For lumbosacral ligament sprain, **10**:57
For myofascial pain, **5**:171
For nose packing, **6**:28
For osteoarthritis of the knee, **1**:104
See also specific agents

Anaphylaxis
Clinical manifestations of, **12**:146
From Hymenoptera sting, **7**:172; **11**:230; **12**:142
IgE- and non-IgE-mediated causes of, **12**:142, 145
In occupational asthma, **4**:210
Treatment and prevention of, **12**:153

Anatomic snuffbox
Tenderness of, in navicular fracture, **15**:101

Anemia
Asphyxiation in, quick effect of, **7**:244
With AZT, **7**:144
Hemolytic
  Acquired autoimmune, **8**:77
  Congenital **8**:77
In 6GPD deficiency, **7**:153, 258
In infants with HIV, **10**:179
Iron and folate deficiency, in malabsorption, **6**:124
Macrocytic, from chronic alcohol abuse, **7**:72
Megaloblastic, in malabsorption, **6**:124
Methotrexate interaction as cause of, in asthma, **11**:236
Normocytic, in temporal arteritis, **4**:320
Normo- or hypovolemic, rapid development of, **5**:59
Orthostatic hypotension in, **15**:153
Pernicious, intraluminal bacterial overgrowth in, **6**:130
Red cell transfusion for, **5**:62
Unexplained, as possible sign of HIV, **7**:138
Unstable angina due to, **9**:101
Vitamin B_{12} deficiency without, **10**:201
See also *Sickle cell disease*

Anesthesia
For cardiac puncture surgery, **8**:72
Digital block
  Ice to diminish pain of, **7**:265
  For toenail surgery, **15**:45, 46
Epidural, neck pain after, **8**:152
Ethyl chloride spray before, for hemorrhoid excision, **10**:94
Eye, cocaine for, **11**:78
Finger, for paronychia, **15**:105
Gamma-hydroxybutyrate as adjunct to, in Europe, **12**:203
General
  Arterial oxygenation monitoring during, **12**:216
  For control of refractory seizures, **8**:213
  For incarcerated hernia, **5**:198
  Malignant hyperthermia caused by, **7**:324
  For status epilepticus nonresponders to phenobarbital, **8**:185
For knee injury examination, **4**:331
Local
  Allergy to, **12**:154
  For enucleation of fibroadenoma, **8**:227
  For hemorrhoid excision, **10**:208
  For hernia, **5**:198
  For myofascial pain, **5**:171
  For myringotomy, **15**:169
  For stapedectomy, **15**:173
  For wound exploration, **15**:101

L

4

92

11

For nose fracture, **4**:236
For pinna laceration, **5**:148,
For removal of ground-in dirt, **10**:94
Stage 3, error in using ethyl chloride as cause of, **4**:293
Topical
For ear wick insertion, **3**:162
Before eye irrigation, **4**:249, 257
TAC, for child, **2**:20 (letter)
See also specific agents

Aneurysm
Splenic artery, hypersplenism caused by, **8**:81
Subarachnoid hemorrhage secondary to, **13**:75
Vascular, benign solitary nodule diagnosed as, **9**:91
See also *Aorta*

Angina
Atrial fibrillation with, **14**:214
"Cervical," ankylosing spondylosis as cause of, **8**:155
Characteristics of, **9**:100
Crescendo, effect of, on MI therapy, **7**:110
And driving stress, **9**:75
Interventional therapy, criteria and options for, **1**:237
MI signaled by, **7**:110
With migraine, **3**:54
Rapid CK-MB assay for, **8**:61
Recurrent, cath lab studies for, **7**:128
Risk of flying with, **9**:75
Thyroid replacement in, adverse effect on treatment of, **5**:73
Typical, CAD severity predicted by, **11**:151
Unstable
Assessing need for future intervention in, **5**:77
Classification and causes of, **9**:99
Diagnosis and treatment of, **4**:115, 127
Referred cervical pain caused by, **8**:155
Risks posed by, **1**:238
Silent ischemia associated with, **2**:170; **9**:102
Treatment for, **9**:102
Vincent's, throat pain caused by, **6**:41

Angiocath
Adequacy of, **15**:8 (letter)

Angioedema
Anaphylaxis commonly signaled by, **12**:142
Hereditary, anaphylaxis differentiated from, **12**:145

Angiography
In aortic occlusion, limited need for, **14**:72
In coronary stenosis, **6**:53
As criterion for revascularization, **1**:238
Chest pain in, caused by panic disorder, **14**:108
Clinical indications for, **11**:151
For coronary and left-ventricular failure, **7**:127
In congestive heart failure, **1**:230
For embolization of bleeding fractures, **15**:194
Exercise radionuclide, in CAD, **14**:271
For high-risk cardiac patients before hospital discharge, **5**:77
For intractable epistaxis, **5**:80
For ischemia and chest pain, **8**:54
MI differentiated from viral myocarditis by, **14**:190
Pulmonary, for embolism, **14**:150
In unstable angina, **4**:127; **9**:102

Angiopathy
Amyloid, seizure activity caused by, **13**:75

Angioplasty
Criteria and options for, **1**:237
For ischemia, **5**:77; **6**:53

L

4

92

MI

Silent, **2**:177
For stenosis, **7**:127; **8**:59
For unstable angina, **9**:104

Angioscopy
In unstable angina, **9**:101, 102

Angiotensin-converting-enzyme inhibitor
For congestive heart failure, **10**:61
For diastolic dysfunction, **1**:231
Diuretic interaction with, **1**:32
Potential inhibition of protooncogenic effects of angiotensin II with, **10**:61

Anistreplase
For MI, **7**:121

Ankle
Achilles tendon rupture in, **9**:120, 121
Differentiated from tennis leg, **11**:156
Adolescent arthritis in, caused by STD, **7**:229
Athletic injuries to, **11**:153
In skiing, **16**:74,75
Deep tendon reflexes near, assessment of, **4**:186
Jerk, diminished, as sign of neuropathy, **10**:200
Lichen simplex chronicus on, **10**:194
Ligament damage in, x-ray of, **9**:114
Pain in, referred, error in diagnosis of, **5**:210
Snake bite on, unexplained shock from, **10**:60
Splinting, posterior, trick for, **3**:164
Sprain, classification and management of, **11**:164
Synovial fluid aspiration in, **10**:71
X-ray, medial malleolus variation on, **11**:243

Anogenital region
Colposcopy of, for invasive cancer, **6**:115

Anorchia
Impalpable cryptorchidism differentiated from, **8**:139

Anorexia
In appendicitis in elderly, **4**:342
In athletes, **13**:82
In cystic fibrosis, **13**:41
In *M. avium* complex infection, **13**:89
Myocardial toxicity in, from ipecac, **10**:217
In sexual abuse, **6**:173

Antacids
Nosocomial pneumonia risk with, **16**:101
Prolonged use of, vitamin B_{12} deficiency caused by, **10**:198
Quinolone interactions with, **1**:32; **4**:54; **6**:156

Anterior cord syndrome
Diagnosis and prognosis, **15**:212

Antibiotics
Antienteroviral, HIV research as source of new, **7**:154
Beta-lactam, allergy to, **12**:154
Effectiveness of, before surgery, **14**:87
Iron interaction with, **1**:32
Meningitis presentation altered by, **11**:117
See also specific agents, diseases

Antibodies
Antigliadin, in mucosal disease, **6**:136
Antineutrophil cytoplasmic, for Wegener's granulomatosis, **2**:155
In celiac sprue, **6**:136
In hepatitis B vaccine, **15**:122
Humoral, in progression from myocarditis to cardiomyopathy, **8**:42
IgE
Production and cell component of, **12**:48
Substances inducing formation of, **12**:142, 145

L

4

92

MI

Tests for, **12**:50, 56, 154
In Lyme disease diagnosis, **11**:30
Monoclonal
Assay for, MI detection by, **8**:61
For bacteremia and shock, **5**:226
Cancer diagnosed and treated by, **5**:199
Against endotoxin, **1**:56
For myocarditis, **8**:51
For sepsis therapy, **4**:153
For septic shock, **2**:196
To Neisseria, lack of in infants, **15**:158
In occupational asthma caused by, **4**:210
Tests for
In HIV, **7**:138, 141
In hepatitis, **12**:231; **15**:115, 130
In herpes simplex, **10**:77
In UTI
To differentiate cystitis from pyelonephritis, **2**:44
To differentiate upper from lower, **11**:226

Anticholinergic
Activity, in tricyclic toxicity, **11**:126
For asthma, **13**:21
GI disturbances in elderly caused by, **1**:22
Glaucoma caused by, **13**:64
Heat regulation impaired by, **7**:318
Reaction, neuroleptic malignant syndrome differentiated from, **9**:54
See also specific agents

Anticoagulants
In atrial fibrillation, **14**:213
Low doses of, **14**:28
For stroke prophylaxis, **1**:167
Drug interactions with, **12**:116
In mitral valve disease, clinical indicators for, **1**:111
Monitoring of, **11**:69
For pulmonary embolism prophylaxis, **14**:150
Risk of bleeding with, reduction of, **14**:138
In rodenticides, poisoning with, **3**:70; **14**:125
See also specific agents

Anticonvulsants
For seizure control, **8**:212
For status epilepticus, **11**:183
For subarachnoid hemorrhage, **13**:75
See also specific agents

Antidepressants
Cyclic, toxicity from, **11**:119, 125, 184
Overdose of, **11**:184
Nontricyclic overdose differentiated from, **11**:126
In panic disorder, **14**:114
Psychiatric referral with, **12**:177
For suicidal patient, **2**:205
Adolescent, with monopolar depression, **12**:160, 169
Tricyclic
For childhood history of sexual abuse, **6**:175
For headache
As alternative to other agents, **16**:134
With depression and anxiety, **11**:215
See also specific agents

Antihistamines
For acropustulosis, **7**:132
For allergy with rhinorrhea, **6**:31
For anaphylaxis
Exercise-induced, **12**:154
H_1 and H_2, therapy with, **12**:148
Insect sting, **7**:172; **11**:230
For cancer pain, **10**:131
In eye drops, for itching and tearing, **7**:35
In sickle cell crisis, **1**:139
See also specific agents

L

4

92

MI

Antihypertensives
For aortic dissection, **12**:72
For aortic tear, presurgical, **11**:56
See also specific agents

Antipyretics
For high fever with burn, **11**:217
For neuroleptic malignant syndrome, **9**:56
See also specific agents

Antivenin
For black widow spider bite, **14**:229
  Allergy to, **14**:230
Lyophilized, trick for solubilizing, **15**:183
For snake bite, **10**:60

Anus
Cancer of, **5**:202
Cellulitis around, **14**:156
Periodic inspection of, in HIV, **7**:143
Sensation around, in spinal cord injury, **15**:211

Anxiety
Aortic dissection misdiagnosed as, **4**:309
In athletes, **13**:82
Cardiotoxicity in asthma influenced by, **9**:108
In chronic pain, **8**:196
Driving long distances as cause of, in CAD, **9**:75
Drug interactions as cause of, **12**:119
In headache disorder, **11**:215A
Panic disorder as form of, **14**:106
Sexual dysfunction caused by, in prostate cancer, **9**:26

Aorta
Aneurysm of
  Beck's triad in, **8**:40
  Chronic cancer pain caused by, **10**:121
  In MI, ruling out before therapy, **7**:110
  Ruling out by ultrasonography, **14**:72
  Surgery for, **4**:68; **12**:72; **14**:72
Bypass grafting of, **14**:72
Circulatory derangement in, broken valve implants as cause of, **8**:92
Dissection of
  MI differentiated from, **12**:67
  Misdiagnosed as anxiety and hyperventilation, **4**:309
  Treatment of, insufficiency or dilatation after, **12**:72
Emergency repair and valve replacement of, **4**:309
Grafted, endocarditis in, **15**:154
Occlusion of, infrarenal, **14**:70
Pressure in, reduced by bicarbonate, **7**:225
Shear injury to, **6**:165
Stenotic, S_3 in diagnosis of, **116**:53
Torn, **11**:56

Apnea
In electrical injury, **8**:161
In head injury, **8**:221, 222
Seizure therapy as cause of, **8**:212
Sleep
  Advance planning for travel with, **9**:77
  Diagnosis and management of, **6**:83; **11**:139
In subdural hematoma, error in recognition of, **11**:176

Apophysis
Left ischial, avulsion of, x-ray diagnosis for, **4**:358

Appendicitis
In elderly, **4**:333
Misdiagnosed as tuboovarian abscess, **1**:67
In pregnancy, surgery for, **9**:129
Tricks for uncovering, **3**:158; **7**:265; **14**:96

L

4

92

MI

Appendix
Perforated, high rate of in elderly, **4**:334
Ruptured
  Antibiotics for, **1**:200; **2**:142
  Lack of discharge instructions as cause of, **4**:298

Arachidonic acid
In multiple-organ failure, **5**:225

ARDS
See *Adult respiratory distress syndrome*

Arm
Abscess of, **12**:95
Compartment syndrome in, **9**:120, 122
Fracture of, plastic bowing, **2**:229
Heaviness or numbness in, in MI, **7**:110
Lichen simplex chronicus on, **10**:194
Pain in, referred,
  From hip, **10**:122
  Pericardial, **8**:36

Arrhythmia
Anaphylaxis differentiated from, **12**:145
In digoxin toxicity, **11**:120
In euthyroid sick syndrome, **5**:74
In hyperthyroidism, **5**:68
In MI, **7**:127
Paniclike symptoms caused by, **14**:110
During sleep apnea, **6**:85
Theophylline for asthma as cause of, **13**:22
Ventricular
  Electrophysiologic testing for, **4**:243
  Life-threatening, **5**:127
  Recurrent, **7**:128
  Suppression of, post-MI, **16**:57
See also specific arrhythmias

Arsenic
Poisoning, **3**:83

Arteriography
For infrarenal aortic occlusion, **14**:72
Lung scan vs. for pulmonary embolism, **14**:149

Arthralgia
Steroid withdrawal as cause of, **10**:121

Arthritis
Baker's cyst associated with, **6**:169
Cervical spine injury masked by, **11**:146
Differential diagnosis of, in adolescence, **7**:229
In hepatitis A, **15**:116
In Lyme disease, **11**:34
Monoarticular, diagnosis and treatment of, **10**:67
Nontraumatic, STD as cause of, in adolescence, **7**:229
Oligoarticular, in SLE, **14**:197
Osteogenic sarcoma misdiagnosed as, **4**:299
Rheumatoid
  Adolescent arthritis differentiated from, **7**:229
  Cervical spine subluxation caused by, **8**:155
  Corneal ulcer in elderly with, **7**:39
  Juvenile
    Disseminated gonococcal infection in, **10**:102
    Limp in child caused by, **3**:178
  Keratoconjunctivitis sicca with, **7**:35
  Long-standing, splenomegaly and pancytopenia caused by, **8**:81
  Monoarticular arthritis as first sign of, **10**:67
  Neck-shoulder-hand syndrome of pain associated with, in elderly, **8**:155
  NSAIDs for, gastropathy caused by, **2**:108
  Pericarditis related to, **8**:35
  Pulmonary manifestations of, **2**:147; **5**:117,

L

4

92

MI

121
Septic arthritis ruled out in, **10**:68
Shoulder pain caused by, **12**:139
Septic
From disseminated gonococcal infection, **10**:102
Misdiagnosis of, **14**:197
Hip, in infants, **3**:174
Limp in child caused by, **3**:174
Monoarticular arthritis as first sign of, **10**:67
In neonatal bullous impetigo, **7**:178
From occult bacteremia, **16**:67
Synovial fluid analysis for, **10**:68
TMJ, improper treatment of parotitis as cause of, **14**:175
Streptococcal, **13**:110
See also *Osteoarthritis; Rheumatoid arthritis*

Arthrocentesis
Contraindications to, **10**:71
In disseminated gonococcal infection, **14**:197
Knee, trick for minimizing pain of, **8**:131
In monoarticular arthritis, **10**:67

Arthrography
For aponeurosis interposition, **16**:82
For Baker's cyst, **6**:169
In humeral head dislocation, **12**:126
In rotator cuff tear, **12**:139

Ascites
Detection of, physical exam vs imaging, **14**:78
With hepatomegaly, from Russian comfrey overuse, **4**:281

Aspartate transaminase
Elevation of
In fatty liver of pregnancy, **7**:297
In hepatitis C, **12**:231

Aspergillosis
Allergic bronchopulmonary, in cystic fibrosis, **13**:42
Otomycosis caused by, **5**:139
Peripheral eosinophilia syndrome caused by, **1**:146

Asphyxiation
Cellular, cyanide and hydrogen sulfide poisoning as cause of, **7**:258
Hypoxic, toxic inhalation as cause of, **7**:244

Aspiration
Of activated charcoal, **10**:222
Of ascites fluid, paracentesis for, **14**:78
Bacterial, as cause of nosocomial pneumonia, **16**:97
Food, anaphylaxis differentiated from, **12**:145
Of foot ganglion, **15**:37
Gastroesophageal syndromes caused by, **7**:197
In GI bleeding in HIV, **16**:64
Hematoma drainage by, **6**:34
Hip, in infants and children, **3**:177
Needle
In augmented breast, **6**:100
In pericardial tamponade, **8**:40
For peritonsillar abscess, **2**:141
In pneumothorax, **4**:207
For suppurative parotitis, **14**:175
Pneumonia from, status epilepticus as cause of, **13**:76
Risk of, in gastric emptying, **10**:214
Synovial fluid
For Baker's cyst rupture, **6**:169
Uses of, **10**:68
Tracheal, for PCP diagnosis, **10**:180
Of vaginal-pool secretion, in rape victim, **7**:312

L

4

92

MI

Aspirin
Anticoagulant interactions with, **14**:138
Asthma triggered by, **12**:32
For cancer pain, **10**:123
Contraindicated
For atrial fibrillation, **1**:167; **14**:219
For heatstroke, **7**:324
For unstable angina due to GI bleeding and anemia, **9**:101
For diarrhea, **5**:112
Hearing loss caused by, **15**:166
For Kawasaki disease, **12**:213
Low-dose
For preeclampsia reduction, **8**:100
For TIAs, **14**:33
In MI
Mortality lowered by, **7**:122
For pain, **7**:116
For pericarditis, **8**:39
For plantar fasciitis, **15**:34
For stroke prevention, **13**:67; **14**:28
For TMJ syndrome, **5**:140
For unstable angina, **4**:126, 138; **9**:103
Warfarin interactions with, **1**:31

Asplenia
Pneumococcal vaccine for child with, **14**:120
Septic shock risk in, **2**:195

Asthma
Advance planning for travel with, **9**:77
Airway obstruction differentiated from, **16**:91
Antivenin for black widow spider bite in, cautious use of **14**:230
Assessing severity of, **13**:21
Beta agonist for, overuse of, **7**:166
Beta blockers contraindicated in, **4**:299
Bronchial
Cardiac differentiated from **12**:50
Evaluation of chronic cough in nonsmoker for, **7**:192
Bronchospasm in
Anaphylaxis differentiated from, **12**:145
From toxic inhalation, **7**:248
Cardiotoxicity in, **9**:107
In cystic fibrosis, **13**:40
Diagnosis of, **12**:32
Early and late, differentiation of, **12**:40
Exercise-induced, **13**:32
Inhaler spacers for, **3**:158; **6**:144
Methotrexate for steroid weaning in, **11**:235
Migraine in, verapamil for, **3**:54
Monitoring, **13**:20
New-onset, Chlamydia as cause of, **2**:93
Occupational
Causative agents in, **4**:216, 221; **13**:31
Diagnosis and treatment of, **4**:209; **13**:30
Reducing allergen exposure in, **13**:32
And pollen count, **12**:48
In pregnancy, **13**:32, 39
Rising prevalence of, **12**:31
Treatment of, **6**:143; **13**:19, 26
Error in, **7**:65
Failure of, causes of, **13**:29
O_2 in, **12**:215
Triggers of, **12**:31
Control of, **4**:231; **11**:99
Wheezing in, niacin megadoses linked to, **4**:277

Astigmatism
After glaucoma surgery, **7**:51

Asystole
Cough CPR for, **12**:171
Electrical injury as cause of, **8**:158

Atelectasis
Absorption, causes of, **12**:229

L

4

92

11

In elderly, surgical incision as cause of, **4**:344
Rounded, benign solitary nodule diagnosed as, **9**:91

Atenolol
In angina, heparin more effective than, **9**:103
BP reduction with, **14**:28
In MI, **16**:59

Atherosclerosis
Central retinal artery and occlusion caused by, **8**:117
In diabetes, foot lesions caused by, **1**:90
Peripheral, CAD signaled by, **4**:68
Plaque formation as beginning of infarction process, **7**:109
Vasospasm in brittle artery in, **9**:100
See also *Coronary artery disease*

Athletes
Anorexia in, **13**:82
Black heel in, **4**:50
Ear trauma in, from diving, **5**:147
External otitis in, from swimming, **5**:136
Fractures in
  Blowout, **5**:181
  Boxer's, **3**:129
  Stress, **4**:99
Knee injury in
  Overuse syndromes in, **3**:179
  Patellar tendon tear, **7**:214
  In skiers, **4**:324
Leg injuries in, **11**:153
Lumbosacral spine injuries in, **4**:169; **10**:27
Shoulder injuries in, **12**:122
Stress injury of symphysis pubis in, **12**:238
Thigh injury in, **5**:247

Athlete's foot
See *Tinea*, pedis

Atropine
Derivatives, in cystic fibrosis, for airway hyperreactivity, **13**:42
Before intubation
  For cyanotic infant, **8**:208
  For head injury in child, **8**:221
For organophosphate and carbamate poisoning, **3**:66
In spinal cord injury, for neurogenic shock, **15**:213
For suicide attempt with verapamil, **7**:69
Sulfate, for asthma, **13**:21

Audiometry
In otosclerosis, **15**:173

Auscultation
In asthma, poor air movement on, **9**:107
For congestive heart failure, **1**:230
For fractured femur, **1**:119
Pulmonary embolism signs on, **14**:149
Ventricular differentiated from supraventricular tachycardia by, **8**:111

Avulsion
Anterior cruciate ligament, **7**:208
Femoral or tibial, **7**:213
Fingertip, **15**:111
  Tricks for hemostasis after, **3**:164
Tibial, posterior cruciate ligament injury signaled by, **9**:121, 125

Axilla
Examination of, for enlarged lymph nodes, **6**:90
Xanthoma dissemination in, **12**:61

Azathioprine

L
4
92
MI

For myocarditis, **8**:51
Pancreatitis caused by, **14**:161

Azide
Sodium, poisoning with, **8**:176

Azithromycin
GI toxicity from, prevention of, **9**:52
For *M. avium* complex infection and bacteremia in AIDS, **13**:91
Single-dose, for Chlamydia with gonorrhea, **10**:108

Azotemia
As sign of sepsis syndrome, **1**:56

AZT
ddC with, **8**:82
Didanosine with, **7**:144
Dosage-toxicity correlation, **7**:144
Esophageal ulcers from, **3**:132
Guides to use of, **7**:133, 143
PCP prophylaxis with, AIDS retarded by, **1**:217
Thrombocytopenia caused by, **10**:182

Aztreonam
For nosocomial pneumonia, **16**:108
For sepsis, **2**:195
For UTI, **6**:155; **7**:299

B

Babinski's reflex
In infant, **8**:206

Bacitracin
For blepharitis, **7**:34
For fishhook wound, **5**:180
For nasal laceration, **6**:34

Back
Exercise program for, in spondylolysis and spondylolisthesis, **10**:36
Pain in
  In cancer, **4**:294; **10**:122
  Causes, diagnosis, and treatment of, **4**:169; **10**:27
  In elderly, **13**:77
  Inadequate management of, **8**:203
  In MI, **7**:110
  Nonmechanical, differential diagnosis of, **8**:203
  In parenteral drug abuser, **4**:318
  In pyelonephritis, **3**:29
  In upper UTI, **6**:146
Stiff, as sign of aseptic meningitis, **9**:127
See also *Spine*

Bacteremia
Ceftazidime effective against, **10**:83
Community-acquired
  In HIV, **9**:127
  UTI as cause of, **6**:146
In endocarditis
  Polymicrobial, **10**:93
  S. aureus, **3**:165; **9**:128
Enterobacter, antibiotics for, **1**:177
Gram-negative, shock associated with, **7**:299
Group A beta-hemolytic streptococcal, rising incidence of, **13**:110
Heat regulation impaired by, **7**:318
In infant, ruling out, **1**:124
M. avium complex, in AIDS, **13**:89
Monoclonal antibody for, **5**:226
In multiple-organ failure, **5**:225
Occult
  Management of, **16**:67
  As nosocomial pneumonia cause, **16**:97

L

4

92

MI

S. pneumoniae as cause of, **14**:119
Pneumococcal, in HIV, **9**:128
In pyelonephritis, **3**:25

Bacteriuria
Asymptomatic
In elderly, **6**:158
Serious effects from, **6**:146
"Low count," **6**:146

Balanitis
Candidal, **2**:52

Balloon
Angioplasty, criteria and prognosis for, **1**:240
Intra-aortic counterpulsation
High cardiovascular mortality from, **5**:239
Unstable angina temporarily treated by, **4**:141
Transurethral divulsion, in prostatic hyperplasia, **10**:147

Barbiturate
Coma, midazolam as alternative to, in status epilepticus, **11**:183
High-dose, for seizure control, **8**:213

Bartter's syndrome
Self-induced vomiting differentiated from, **7**:310

Battered child syndrome
See *Child abuse*

Battery
Button
In esophagus, **3**:135
Ingestion of, **13**:51
Gel-cell, for nebulizer used in travel, **9**:77
Lithium cell, ingestion of, **13**:52
Mercuric oxide cell, ingestion of, **13**:52

Beck's triad
In pericardial tamponade, **8**:40

Beclomethasone
For asthma in pregnancy, **13**:39
For chronic cough in nonsmoker, **7**:192
For rhinorrhea in allergic patient, **6**:31

Bee pollen
Allergy to, **4**:281
See also *Stings*

Belsey fundoplication
For reflux prevention, **5**:191

Bentiromide
As marker for pancreatitis, **14**:169

Benzocaine
For removal of dirt from wound, **10**:94

Benzodiazepines
For black widow spider bite, **14**:230
For cancer, cautious use of, **10**:131
Endotracheal route for, **8**:212
For hyperserotonin syndrome, **12**:204
For panic disorder, **14**:110
For seizure control, **8**:221
For status epilepticus, **8**:182; **11**:183
See also specific agents

Benzoyl peroxide
In shaving cream, for pseudofolliculitis barbae, **15**:147

Benztropine mesylate
For dystonic reaction, **16**:91

L

4

92

MI

Bepridil
For unstable angina, **4**:138

Beta agonist
In anaphylaxis, for bronchoconstriction, **12**:148
For asthma, **12**:56
  Before exercise, **13**:32
  In children, **9**:108
  In infants, **6**:143
  Methods of delivery, **13**:20
  Occupational, for prophylaxis, **4**:231
  Oral, uses of, **13**:21
  Overuse of, increased morbidity and mortality from **7**:166
  In pregnancy, **13**:39
    For ED and hospital treatment, **13**:39
    Long-acting, for nighttime symptoms, **13**:39
For COPD, **3**:36; **11**:62
For cystic fibrosis, airway hyperreactivity in, **13**:42
In PCP prophylaxis, **1**:213
See also specific agents

Beta blockers
Anaphylaxis treatment complicated by, **12**:153
For aortic tear before surgery, **11**:56
In asthma, contraindicated, **4**:299
For atrial fibrillation, **14**:214
BP reduction with, **14**:28
Confusion or encephalopathy in elderly caused by, **13**:70
In depression, precautions for use of, **12**:172
For diastolic dysfunction, **1**:231
For headache, as alternative to other agents, **16**:134
Heat disorders complicated by, **7**:318
For hyperthyroidism, apathetic, **5**:74
For idiopathic hypertrophic subaortic stenosis, **8**:41
Ingestion of, ipecac contraindicated for gastric emptying after, **10**:214
For MI, **7**:124; **16**:57
For migraine, **3**:53
For proptosis, **4**:260
For silent ischemia, **2**:171
For unstable angina, **4**:137
  Hypertension or tachycardia in, **9**:104
  Nifedipine with, **9**:103
For ventricular arrhythmia, recurrent, **7**:128
See also specific agents

Bethanechol
For sphincter contraction, **5**:193

Bicarbonate
In acetonitrile ingestion, **10**:141
In CPR, cardiac perfusion pressure reduced by, **7**:223
In electrical burn, for severe acidosis, **8**:167
In iron poisoning, of questionable benefit, **14**:105
Output reduced, in cystic fibrosis, **13**:45
For pancreatitis, **14**:171
In potassium overdose, **14**:126
For tricyclic antidepressant toxicity, **11**:131

Biceps
Rupture of, **9**:119, 121

Bile acid
Breath test, in malabsorption, **6**:135

Biliary tract
Disease
  Malabsorption caused by, **6**:123
  Pancreatitis caused by, **5**:55; **14**:165
Laparoscopic injury to, **2**:79
Obstruction, postpartum, **7**:296

L

4

92

MI

Stones, fatty liver of pregnancy differentiated from, **7**:297

Bilirubin
In hepatitis A, increased, **15**:116
New serum lipase tests not influenced by, **10**:171
In splenomegaly, **8**:77

Biloma
Communicating, leak associated with, **12**:92

Biopsy
Of annular border, in granuloma annulare, **3**:88
Bone, for osteomyelitis in diabetic foot lesion, **1**:77
Bone marrow
  Macrophages in, histoplasmosis confirmed by, **4**:273
  In splenomegaly evaluation, **8**:78, 81
Breast
  Mammographic indications for, **5**:202
  Open surgical
    In augmented, **6**:100
    For questionable cytologic diagnosis of malignancy, **8**:225
Cervical
  Cone, **7**:95
  Colposcopic
    For abnormal Pap smear, **7**:92
    Abnormal tissue identified by, **6**:115
Endometrial, for tuboovarian abscess, **15**:164
Endomyocardial, myocarditis diagnosed by, **14**:188
Intestinal, for celiac sprue, **6**:136
Liver
  In hepatitis, before interferon treatment, **15**:130
  Postpartum, CT guided, **7**:296
Lung
  Lymphoid interstitial pneumonitis diagnosed by, **10**:187
  For PCP diagnosis, **10**:180
  Transthoracic needle aspiration, for solitary pulmonary nodule, **9**:94
Prostate nodule, **9**:39
Protected brush, for *P. aeruginosa* nosocomial pneumonia, **10**:90
Temporal artery
  For abnormal sedimentation rate with unexplained headache, **13**:64
  For temporal arteritis, **8**:120
Transbronchial
  For eosinophilic pneumonia, **1**:145, 148
  Of *P. carinii* specimen, for definitive diagnosis, **9**:128

Birth weight
Low, in asymptomatic bacteriuria, **6**:146

Bismuth subsalicylate
For diarrhea, **5**:110, 115

Bite
Black widow spider, **14**:229
Cat, **4**:195, **15**:111
Dog, **15**:111
Fire ant
  Anaphylaxis from, **11**:233
  Silver nitrate for, **3**:159
Human, **15**:102, 105
Penile, ulcer caused by, **6**:111
Pit viper, unexplained shock caused by, **10**:60
See also *Sting*

Bladder
Carcinoma, cyclophosphamide as cause of, **12**:194

L

4

92

MI

Cystitis from bacterial infection in, **6**:146
Distention, misdiagnosis as cause of, **4**:306
Fibrosis, IV pulse cyclophosphamide as cause of, **12**:194
Infection, recurrent, **2**:34
Injury
  Diagnosis and treatment of, **4**:347
  Inability to void caused by, **4**:348
Neurogenic, UTI complicated by, **6**:147
Outlet obstruction of, **10**:147
Paralysis, after spinal shock, **15**:207
Sphincter abnormality in, from herniated disk, **13**:77
Teardrop, pelvic fracture as cause of, **4**:347
Training, for stress incontinence, **14**:49

Bleeding
Anticoagulant-related
  Prevention of, **14**:132
  In rodenticide poisoning, **3**:70
Arteriolar, causes of, **10**:203
Bladder trauma as cause of, **4**:351
In eclampsia, liver or brain, **8**:99
In ectopic pregnancy, covert, **1**:93
In electrical burn, delayed, **8**:158, 168
Esophageal, congestive splenomegaly associated with, **8**:81
Of fingertip avulsion, tricks for hemostasis after, **3**:164
GI
  In HIV, **16**:60
  Prophylaxis against, **5**:225
  Unstable angina caused by, **9**:101
From gunshot wound, compartment syndrome from, **9**:120
In hand injury, **15**:92
Hemorrhoidal, differentiated from carcinoma, **10**:207
In high-pressure injection injury, **14**:180
Internal
  Invasive retinal detachment surgery as cause of, **7**:57
  Stool guaiac test for, **12**:110
Intraocular, corneal transplantation as cause of, **7**:52
Microscopic, from vertebral subluxation, **10**:45
Minor
  Cataract surgery as cause of, **7**:50
  Warfarin as cause of, **14**:28
In platelet disorder, **5**:59, 66
In pseudofolliculitis barbae, **15**:143
Thrombolysis as cause of, **7**:121
In tuboovarian abscess, **15**:163
Vaginal
  Epinephrine for, **3**:159
  In pregnancy, **11**:175
Vitreous, blowout fracture as cause of, **5**:185
Vomiting from ipecac as cause of, **10**:217
See also *Epistaxis; Hemorrhage; Menstruation*

Blepharitis
With keratoconjunctivitis sicca, **7**:35
Lid hygiene and bacitracin for, **7**:34

Blindness
Delayed diagnosis of temporal arteritis as cause of, **4**:320
Endophthalmitis after cataract surgery as cause of, **7**:50
Night, vitamin A deficiency as cause of, in malabsorption, **6**:127
Retinal detachment as cause of total, **7**:35, 57
Retrolental fibroplasia cause of, in premature neonate, **12**:228
Unsuccessful keratoplasty as cause of, **7**:35
See also *Vision*

Blood

L

4

92

MI

In anterior eye chamber, slit-lamp exam for, **5**:182
Autologous, for major surgery, **14**:73
Circulation
In cardiac arrest, spontaneous return of, **7**:223
Collapse of, in high-pressure injection injury, **15**:92
Collateral, in MI, **7**:121
Evaluation of, in hand injury, **15**:95
Instability of, in viral myocarditis mimicking MI, **14**:188
Color of, in methemoglobin exposure, **7**:258
Drainage from ear, in perforated otitis media, **5**:141
Fecal
E. coli as cause of, **5**:92
Tests for and implication of, **14**:237
GI loss of, in alcohol abuse, **7**:72
Heated, direct effects of on heart, **7**:314
Infected, HIV from, **7**:137
Intraparenchymal, CT detection of in coma, **13**:69
Loss
From penetrating cardiac injury, **8**:71
From retroperitoneal hematoma, **15**:194
Physiologic clotting mechanisms of, drug interactions with, **14**:138
Resuscitation with, in organ failure, **5**:225
Venous, cellular asphyxia diagnosed by color of, **7**:260

Blood count
In alcohol abuse, anemia shown by, **7**:72
Appendicitis in elderly diagnosed by, **4**:343
Complete
In asthma, **12**:32
In HIV, **7**:143; **10**:190
In methylprednisolone treatment for SLE, **12**:191
Monitoring of
In methotrexate-treated SLE, **12**:194
For myelosuppression, in AZT therapy, **7**:144
In splenomegaly, **8**:77
Of nucleated cells in CSF, to rule out bacterial meningitis, **6**:163
White cell, for bowel injury, **1**:44

Blood culture
In altered mental status, **8**:217
For meningococcal infection, **15**:158
For occult bacteremia, **16**:70
For typhoid fever, **5**:110

Blood gases
Arterial and mixed venous, PCO_2 of, **5**:209
Base deficit of, abdominal injury indicated by, **2**:91
During face mask ventilation, **2**:60
Monitoring of home O_2 therapy by, **12**:216
O_2 deficit measured by, **5**:208
Pathologic sleepiness evaluated by, **6**:84
In PCP, **9**:127
In pulmonary embolism, **14**:149
Pulse oximetry for measurement of, **12**:217
In rheumatoid interstitial lung disease, **5**:122
In smoke inhalation, **15**:55
In toxic inhalation, **7**:248

Blood pressure
Ambulatory 24-hour, **4**:345
Cuff
Control of hand bleeding with, **15**:92
Pulsus paradoxus measured by, **8**:40
Diastolic, in severe eclampsia, **8**:99
Elevation of
Persistent, preeclampsia defined by, **8**:100

L

4

92

MI

Reduction of, **15**:183
Lowered, in retroperitoneal hematoma, **15**:194
Measurement of, in orthostatic hypotension, **15**:152
Palpable, diagnostic sign of recovery in asphyxiation, **7**:244
Readings, home vs office, **4**:345
Systolic, goal for lowering, in isolated systolic hypertension, **14**:28

Blood tests
For appendicitis during pregnancy, **9**:130
In prostatitis, **9**:37
In splenomegaly, **81:77**

Blood transfusion
See *Transfusion*

Blood urea nitrogen
Monitoring, during methylprednisolone therapy for SLE, **12**:191

Blood vessels
Atypical, cervical cancer diagnosed by colposcopy of, **6**:115
Avoidance of, in IM injection, **14**:255
Damage to
Electrical, **8**:158, 168
In retroperitoneal hematoma, **15**:191
PCP invasion of, **15**:142

Body packer
Drug packet rupture in, **12**:204
Whole-bowel irrigation for, **10**:223

Boerhaave's syndrome
Surgery for, **13**:54

Bone
Biopsy of, in diabetic foot lesion, **1**:77
Cortical, abnormalities of, **7**:205
Exposed, in diabetic foot lesions, **1**:77
Infection, from hand injury, **15**:91
Injury
From dog and cat bites, **15**:111
Principles for assessing, **9**:113
Long, infection of, **3**:180
Metastasis, cancer pain caused by, **10**:118
Paget's disease of, differential diagnosis of, **8**:203
Pain
In cancer, **10**:124
Osteopenic, malabsorption as cause of, **6**:127
Resorption, vitamin megadoses as cause of, **4**:280
Small, stress fracture of, trick for recognizing, **8**:131
See also *Scanning*; specific bones and anatomic sites

Bone marrow
Biopsy of
Histoplasmosis confirmed by, **4**:273
In splenomegaly evaluation, **8**:78, 81
Depression of, in cancer, as limitation on therapy, **10**:123
Granulocytes and macrophages in, growth factors regulating, **5**:200
Hypofunction of, in alcohol abuse, **7**:72
Knee, abnormalities of, **7**:205
Suppression of
By dapsone for PCP, **10**:187
By methotrexate, **12**:194
Transplantation, for myocarditis, **8**:51

Borrelia burgdorferi
Lyme disease caused by, **11**:28

Bowel

L

4

92

MI

Abnormalities
Sphincter, herniated disk as cause of, **13**:77
Whole-bowel irrigation contraindicated with, **10**:223
Biopsy of, in celiac sprue, **6**:136
Disease
Gay, AIDS-associated diarrhea with, **5**:96
Inflammatory, hemorrhoidal bleeding differentiated from, **10**:207
And ischemic, risk of sigmoidoscopy perforation increased by, **12**:81
Incarcerated, delayed hernia repair as cause of, **5**:196
Increased permeability of, in celiac sprue, **6**:136
Lymphoma and carcinoma of, in celiac sprue, **6**:139
Perforation
Antibiotic as cause of, **4**:80
Rectal cancer recurrence likely with, **5**:205
In sigmoidoscopy, **12**:77
Small
Electrical injury to, **8**:168
Gastrostomy tube retention in, misdiagnosis of, **1**:183
Herniated, misdiagnosis of, **11**:176
Hypomotility of, diarrhea caused by, **5**:98
Obstruction of
Appendicitis misdiagnosed as, **4**:343
Error in diagnosing, **4**:306
Occult injury of, amylase levels in, **1**:44
See also *Irrigation*, whole bowel

Boxer's fracture
Surgical vs conservative management of, **3**:129

Bradbury-Eggleston syndrome
Orthostatic hypotension in, **15**:153

Bradycardia
In anaphylaxis, with beta blockade, **12**:153
Cough CPR for, **12**:171
In head injury, atropine premedication for prevention of, **8**:221
Hypotension with, MI suggested by, **7**:110
Legionnaires' disease and Mycoplasma pneumonia differentiated by, **5**:234
SA node dysfunction or AV block suggested by, **7**:110
Sinus, amiodarone contraindicated in, **5**:128
During sleep apnea, **6**:85
In spinal cord injury, **15**:213
In spinal shock, **15**:207

Bragard's sign
Assessment of, **4**:186

Brain
Abscess, risk for, in bacterial meningitis, **5**:36
Aging, changes affecting, **13**:70
Bleeding in, in eclampsia, **8**:99
CT scan, for bacterial meningitis, **5**:42
Damage
Hypoxia as cause of, **7**:244
Neonatal, medical negligence as cause of, **5**:213
Seizure as cause of, **8**:181
Single-slice CT for, **11**:51
Tumor
Headache as only symptom of, **13**:62
Supratentorial, seizure in, **13**:75
See also *Cerebellum*; *Cerebrum*

Brain stem
Hemorrhage, CT detection of, in coma, **13**:69
Reflexes, progressive deterioration in, increased intracranial pressure signaled by, **8**:207, 221
Stroke, coma caused by, **13**:69

L

4

92

MI

Breast
Augmented, cancer in
Difficulty of detecting, **6**:88
Risk of, **16**:50
Cancer
Cathepsin D as prognostic factor in, **5**:205
Chemotherapy for, improved survival with, **5**:202
In fibroadenoma, **8**:226
History of, estradiol contraindicated with, **14**:276
Knee pain in, **10**:122
Lumpectomy and partial mastectomy for, **5**:205
Mammography and biopsy in, **5**:202
Metastatic, brachial plexopathy caused by, **10**:118
Misdiagnosed as hyperventilation syndrome, **4**:294
Pain after, **10**:137
Tamoxifen for
Beneficial effects of, on heart, **14**:36
Node-negative, **5**:205
Fibroadenoma, **8**:225
Nursing mastitis of, trick for relieving, **3**:163
Palpation, implant interfering with, **6**:88
Tenderness, estradiol transdermal patch as cause of, **14**:276
See also *Mammography*

Breast feeding
Hepatitis C transmission through, **12**:231
HIV transmission through, **7**:137

Breath
Shortness of
Acute fatty liver as cause of, postpartum, **7**:296
In asthma
Despite treatment, **13**:19
Error in management of, **7**:65
Exercise-induced, **13**:32
Occupational, continued exposure as cause of, **13**:30
Pulmonary arterial hypertension as cause of, **15**:218
Home O_2 therapy for, **10**:162
Toxic inhalation as cause of, **7**:248
Trimethylamine fish odor excreted via, **14**:232

Breathing
Abnormal patterns of
In altitude sickness, **9**:78
During sleep, **11**:140
Deep, pericardial pain worsened with, **8**:36
Depressed
In cancer, tolerance to opioid-induced, **10**:131
Goldenseal megadoses as cause of, **4**:281
Seizure control drugs as cause of, **8**:212
In sleep apnea, **6**:84
Devices for, travel with respiratory problems, **9**:77
Diaphragmatic, in child, trick for, **3**:159
Difficult
In congestive heart failure, for air travel, **9**:76
Evaluation of, **6**:42
Exercises, for cystic fibrosis, **13**:42
Problems, in neuroleptic malignant syndrome, **9**:54
Rate
In children
Normal, **8**:221
Wide range of, **14**:143
In hypothyroidism, **5**:73
Increased, in cystic fibrosis, **13**:41
Support, in alcoholism, **8**:175

L
4
92
MI

Briquet's syndrome
See *Somatization disorder*

Brodifacoum
Poisoning, **14**:125

Bromocriptine
For malignant hyperthermia, **7**:324
For neuroleptic malignant syndrome, **9**:56

Bronchiectasis
In cystic fibrosis, causes of, **13**:40
Hemoptysis rare in, **8**:230

Bronchiolitis obliterans
Cause of, **5**:121
Diagnosis of, **5**:117

Bronchitis
Chronic
  In cystic fibrosis **13**:40
  Hemoptysis commonly caused by, **8**:227
  O_2 need in, during air travel, **9**:78

Bronchoconstriction
In anaphylaxis, **12**:148
In byssinosis, **4**:218
Mast cell and basophil mediator release as cause of, **12**:142
In occupational asthma
  Allergic and pharmacologic, **4**:216
  Inflammatory and reflex, **4**:210

Bronchodilator
In asthma **6**:144; **12**:32, 56
  Overuse of, **7**:166
For COPD, **11**:62
In toxic inhalation, **7**:251
See also specific agents

Bronchoscopy
In epiglottitis, **14**:61
Fiberoptic
  In eosinophilic pneumonia, **1**:145, 148
  In solitary pulmonary nodule, **9**:94
  In unexplained hemoptysis **8**:227
In nosocomial pneumonia, **16**:108
In PCP, **10**:180; **15**:142
In smoke inhalation **15**:55

Bronchospasm
In anaphylaxis
  Intubation for, **12**:146
  As signal of, **12**:145
In asthma
  Anaphylaxis differentiated from, **12**:145
  Causes of, **12**:31
  Death from, after beta blocker use, **4**:299
  Persistent, **13**:22
Beta agonist for, **13**:20
Lower airway injury as cause of, **7**:248
Nonasthmatic causes of, ruling out, **13**:26
In smoke inhalation, **15**:56
See also *Asthma*

Brown-Séquard syndrome
Diagnosis and prognosis in, **15**:212

Brudzinski's sign
In bacterial meningitis, **5**:36
In elderly, **13**:62
In meningeal irritation, **8**:153

Bryant's sign
For appendicitis during pregnancy, **9**:130

Budd-Chiari syndrome
Abdominal ultrasonography to rule out,

L

4

92

MI

postpartum, **7**:296
Fatty liver of pregnancy differentiated from, **7**:297

Budesonide
For asthma in pregnancy, **13**:39

Bulimia
In abused women, **6**:173

Bupivacaine
For embedded fishhook, **5**:180
In hemorrhoidal disease, for outpatient care, **10**:208
For joint inflammation, **4**:191
For minor surgery, **16:46**
For pain relief
Myofascial **5**:170
In toe gout, **12**:230

Bupropion
Toxicity of, **11**:136

Burn
Chemical
Endoscopy for, **5**:195
Esophageal, **14**:94
In child abuse, **4**:284
Of eye, **4**:257; **8**:123
Oral, **14**:94
Electrical
Management of, **8**:157
Types of, **8**:161
North American treatment centers for, **1**:187
Thermal
In child abuse, **4**:287
Of eye, **4**:258
High fever in, in children, implications of, **11**:217
In smoke inhalation, as sign of internal injury, **15**:50
Treatment error as cause of, **4**:310
Upper airway, in toxic inhalation, **7**:247

Burow's solution
Compresses
For bullous impetigo, **7**:178
For poison ivy, **7**:172

Bursitis
Osteogenic sarcoma misdiagnosed as, **4**:299
Septic, treatment of, **10**:71

Butalbital
As headache cause, **16**:132

Butyrophenone
For cancer, **10**:123

Bypass
Cardiopulmonary, in penetrating chest injury, **8**:72
Coronary, clinical indications for, **11**:151
Exercise testing in, **14**:271
Femoral-popliteal, for vascular disease of toe, **4**:300

Byssinosis
Occupational asthma caused by, **4**:218

C

C-reactive protein
For pancreatitis prognosis, **14**:166

Cachexia
In HIV, **9**:127

OL
4
92
MI

Cadmium
In prostate cancer, **9**:33

CAGE questionnaire
In diagnosis of alcoholism, **7**:72

Calamine lotion
For poison ivy, **7**:172

Calcaneus
Exostosis in, **11**:171
Fracture of, spine injury associated with, **15**:208
  Stress, **7**:330
    Differentiated from plantar fasciitis, **15**:34
See also *Foot; Heel*

Calcification
In augmented breast, biopsy contraindicated for, **6**:100
Of medial collateral ligament, **7**:207
In mural thrombus, causing false diagnosis of aortic dissection, **12**:68
Pulmonary
  In nodule, methods of detecting, **9**:93
  In PCP, **15**:142
Of supraspinatus muscle tendon, rotator cuff tendinitis as cause of, **12**:133, 136

Calcium
Exchange, role of, in cardiac function, **1**:225
Gluconate
  For black widow spider bite, ineffective, **14**:229
  For suicide attempt with verapamil, **7**:69
Malabsorption of, **6**:127
For neuromuscular paralysis, **7**:304
In potassium overdose, for myocardial protection **14**:126
Pyrophosphate crystal, in synovial fluid, **10**:71
Release, in malignant hyperthermia, prevention of, **7**:324
Sun exposure contraindicated in therapy with, **9**:83
Supplements, for celiac sprue, **6**:139
Total level of, unnecessary for screening in seizure, **12**:198

Calcium channel blocker
In asphyxiation, for cerebral resuscitation, **7**:247
In asthma, **9**:108
For atrial fibrillation, **14**:214
For diastolic dysfunction, **1**:231
Digoxin interaction with, **1**:31
For headache, as alternative to other agents, **16**:134
For idiopathic hypertrophic subaortic stenosis, **8**:41
After ischemic stroke, ineffective for preventing neuronal loss, **13**:68
For migraine, **3**:54
For pancreatitis, **14**:165
For silent ischemia, **2**:172
For unstable angina, **4**:138
  Questionable benefits of, **9**:103
See also specific agents

Calf
Baker's cyst in, DVT mimicked by, **6**:169
Four-compartment syndrome in, after gunshot wound, **9**:121

Camphor
Ingestion of, ipecac contraindicated after, **10**:214

Campylobacter
Diarrhea from, **5**:92, 96
Erythromycin or quinolone for, **5**:115

L
4
92
MI

Cancer
Ascites check with history of, **14**:78
Cost-benefit analysis for, **5**:206
Guidelines for managing, **10**:124
Increase in, cyclosporine as cause of, **8**:51
Neutropenia caused by, **10**:82
Opioid analgesics for, comparison of, **10**:124
Pain in
  Causes and management of, **10**:117
  Patterns and distribution of, **10**:121
  Therapeutic agents for, **10**:123
Pulmonary embolism risk in, **14**:146
Restrictive cardiomyopathy as cause of, **8**:41
See also *Carcinoma; Melanoma; Metastasis; Neoplasm; Tumor;* specific anatomic sites and malignancies

Candida
Angular cheilitis caused by, **14**:260
Balanitis caused by, **2**:52
In endocarditis **15**:156
Erosio interdigitalis blastomycetica caused by, **5**:152
Esophagitis, in HIV, **7**:142
Oral, systemic disease signaled by, **11**:181
Penile ulcer caused by, **6**:112
Sepsis, **5**:225
UTI associated with, **2**:49
Vaginal, persistent or recurrent, in HIV, **7**:138

Cannulation
Arterial, in sepsis, **4**:150
O_2 by, for MI, **7**:116
Venous, external jugular, in child, trick for, **14**:96

Capillary leakage
Diffuse, in prolonged shock, **5**:226
From toxic inhalation, **7**:251

Caplan's syndrome
In arthritis, **2**:148
  Nonpleural complication as cause of, **5**:117

Captopril
Careful monitoring of, **10**:62
Potassium retention caused by, **10**:62

Carbamate
Poisoning, **3**:69

Carbamazepine
For cancer pain, **10**:123
For seizure, **13**:76
For trigeminal neuralgia, **13**:64

Carbamazine
Erythromycin interaction with, **1**:31

Carbenicillin
For corneal ulcer, **7**:235

Carbidopa
In neuroleptic malignant syndrome, **9**:56

Carbohydrate-deficient transferrin
New lab marker for alcohol abuse, **7**:76

Carbon dioxide
In cardiac arrest, elimination of, **7**:225
Laser vaporization, for premalignant vaginal lesion, **7**:96
Partial pressure
  In asthma, rise in, **9**:107
  In shock, as prognostic tool, **5**:207, 209
Retention, in COPD, **12**:228

Carbon monoxide
Poisoning

DL
4
92
MI

Acute **7**:257
Chronic, **7**:254
Hyperbaric O_2 for, **12**:229
In smoke inhalation, differentiated from cyanide, **15**:50

Carbon tetrachloride
As hepatitis cause, **15**:129

Carbonic anhydrase inhibitor
For proptosis, **4**:260

Carboxyhemoglobinemia
O_2 delivery affected by, **7**:254
In smoke inhalation, **15**:55
In smoker, pulse oximetry inaccurate with, **12**:228

Carcinoma
Aerodigestive tract, neck pain caused by, **8**:155
Hemorrhoidal bleeding differentiated from, **10**:207
In situ, **6**:115
Mucinous, CT densitometry reference phantom unreliable in, **9**:93
Squamous cell
Focal areas of, in inverting papilloma, **13**:80
Solitary keratoacanthoma differentiated from, **9**:46
See also *Cancer; Metastasis;* specific anatomic sites

Cardiac arrest
Cardiopulmonary resuscitation for, **5**:208; **7**:223
Immediate management of, **7**:224
In pericardial tamponade, **8**:39
Postpartum, **7**:297

Cardiomegaly
Diagnosis of **9**:131
Postpartum, **7**:296

Cardiomyopathy
Digoxin toxicity as cause of, **11**:119
Dilated
Congestive heart failure caused by, **8**:51
Fibrotic scarring as cause of, **8**:42
Ipecac as cause of, in anorexia and child abuse, **10**:217
In myocarditis, as long-term sequela, **8**:42
Hypertrophic
Asymmetric myocardial tissue in, congenital cause of, **8**:40
Congestive heart failure caused by, **1**:218
In Lyme disease, **11**:30
Restrictive
Consequences of, **8**:41
Myocardial fibrosis or infiltration as cause of, **8**:40
Pericarditis differentiated from, **8**:41
Sepsis syndrome signaled by, **2**:187

Cardiopulmonary resuscitation
In cardiac arrest, **5**:208
Best approach for, **7**:223
Cough, thrombolytic therapy compatible with, **12**:170
Diaphragmatic hernia caused by, **1**:204
In electrical injury, **8**:164
For failed assisted ventilation, **4**:312
Retinal hemorrhage from, differentiated from child abuse, **8**:224

Cardioversion
In atrial fibrillation
Vs anticoagulants, for stroke prophylaxis, **1**:167
Indications for, **14**:213

L
4
92
MI

Direct current, for wide-QRS tachycardia, **8**:107
Survival statistics unchanged with, **5**:239

Carotidynia
Neck pain caused by, **8**:155

Carrington's pneumonitis
Diagnosis and treatment of, **1**:145

Cartilage
Abnormalities, humeral head dislocation as cause of, **12**:126
Articular, damage to, **7**:205
Knee, injury to, **7**:201

Castration
In advanced prostate cancer, **9**:33

Cat-scratch disease
See *Toxoplasmosis*

Cataplexy
In sleep disorders, **11**:140

Cataract
Bilateral, diquat poisoning as cause of, **3**:81
Electrical burn as cause of, **8**:168
Surgery
  Complications and risks of, **7**:50
  Indications for, **7**:49
  Pitfalls of, in asthma, **4**:299
Systemic steroid as cause of, **13**:25

Catatonia
Lethal, neuroleptic malignant syndrome differentiated from, **9**:54
Malignant hyperthermia caused by, **7**:324

Catecholamine
Organ failure blamed on, **5**:216
Release
  Exaggerated by MAO inhibitor–sympathomimetic interaction, **12**:204
  Inhibited by ACE inhibitor, **10**:61
  Neurogenic and humoral, in circulatory shock, **5**:207
See also specific agents

Cathartic
After activated charcoal, contraindications for, **10**:222
For digoxin toxicity, **11**:123

Cathepsin D
In breast cancer prognosis, **5**:205

Catheterization
Bladder, for drainage, in contusion, **4**:351
Cardiac
  For angina and ventricular arrhythmia, **7**:128
    Unstable, **1**:239
  Before angioplasty, **4**:125
  For congestive heart failure, **1**:230
  For dilated cardiomyopathy, **8**:51
  For myocardial ischemia, **5**:78
  Survival statistics unchanged with, **5**:239
Epidural, for metastatic infiltration of lumbosacral plexus, **10**:131
Foley
  Blind button battery removal by, contraindicated, **13**:52
  Esophageal foreign body removal by, **3**:139
  Tube retention, in gastrostomy, **1**:183
  For urine output in electrical burn, **8**:167
Indwelling
  Bacterial meningitis risk with, **5**:41
  Sepsis risk with, **4**:143; **10**:190
IV

OL
4
92
MI

Permanent, for endocarditis treatment at home, **7**:238
Tube misplacement in, **3**:184; **13**:118
Nasotracheal, guide for, **11**:99
Pulmonary artery
In anaphylaxis, for hypotension, **12**:148
For sepsis, **4**:150
Urethral
For extraperitoneal rupture, **4**:351
Recurrent infection associated with, **2**:43
Trick for, **3**:158

Cautery
For epistaxis, **6**:28

Cefaclor
For otitis media, **5**:134
For peritonsillar abscess, **6**:46

Cefazolin
For corneal ulcer, **7**:235

Cefixime
For gonorrhea, **10**:105
For otitis media
In adult, **2**:67
In child, **2**:70

Cefoperazone
For granulocytopenia, vs imipenem monotherapy, **10**:84
For nosocomial pneumonia, **16**:108

Cefotaxime
For appendix rupture, **1**:200
For HIV, **10**:190
For meningitis
Bacterial
In alcoholism, **5**:47
Hearing loss reduced with, **8**:218
Neurologic sequelae of, **8**:217
Pneumococcal, **13**:95
For nosocomial pneumonia prophylaxis, **16**:102
For PID, **10**:108

Cefotetan
N. gonorrhoeae resistance to, **10**:101
For PID, **10**:108

Cefoxitin
For appendix rupture, **2**:142
For colon perforation after sigmoidoscopy, **12**:81
For PID, **10**:108
N. gonorrhoeae resistance to, **10**:101

Ceftazidime
For granulocytopenia, vs imipenem monotherapy, **10**:84
For neutropenia with fever, **10**:82
For nosocomial pneumonia, **10**:91; **16**:108

Ceftizoxime
For PID, **10**:108

Ceftriaxone
For febrile infant, **14**:255
For gonorrhea, **10**:105
Adolescent arthritis in, **7**:230
Disseminated, **10**:108; **14**:197
In pregnancy, **10**:108
Prophylaxis, in rape victim, **3**:103
For HIV, **10**:190
For Lyme disease, **11**:42
For occult bacteremia, **16**:70
For meningitis
Bacterial, **5**:47; **8**:217
In neonate and elderly, **5**:48

L

4

92

M

Pneumococcal, **13**:95
For PID, **10**:108
For streptococcal endocarditis treated at home, **7**:236

Cefuroxime
For herpes zoster of ear, **5**:141
For HIV, **10**:190
For meningitis
Hearing loss reduced with, **8**:218
Neurologic sequelae of, **8**:217
For pneumonia, community-acquired, **9**:49

Celiac sprue
Diagnosis and treatment of, **6**:135

Cellulitis
Antibiotic for, **4**:238
Avoiding, in synovial fluid aspiration, **10**:71
Facial, as complication of sinusitis, **6**:32
Perianal, differential diagnosis of, **14**:156
Peritonsillar, **6**:45
Pinna
Chondritis and external otitis differentiated by pinch test in, **5**:139
Systemic antibiotics for, **5**:136
In streptococcal disease, **2**:158; **13**:110

Central nervous system
Abnormalities
In asphyxiation, **7**:244
As HIV marker, **10**:179
In tricyclic antidepressant toxicity, **11**:125
Vitamin A megadoses as cause of, **4**:278
Catastrophe, neuroleptic malignant syndrome differentiated from, **9**:54
Damage to
In child abuse, **4**:284
In heatstroke, permanent, **7**:322
Seizure-induced, **8**:210
Dizziness attributable to, **5**:146
Infection
HIV, **9**:127
Lumbar puncture for, **10**:190
Management of dependent on stability, **8**:214
In status epilepticus, **8**:182
Lupus, **12**:191
Metastasis to, pain from, **10**:118
Organophosphates targeting, **3**:65
Stimulants, heat regulation impaired by, **7**:318

Central venous pressure
Elevated
Pericardial tamponade as cause of, **8**:39
In restrictive cardiomyopathy, **8**:41
Measurement of
In anaphylaxis, with persistent hypotension, **12**:148
In electrical burns, **8**:167

Cephalexin
For bullous impetigo, **4**:238; **7**:178
For cystitis, **4**:44
For hand wound, **15**:102
For soft-tissue infection, **4**:238

Cephalosporins
Ampicillin-resistant enterococcal infection associated with, **10**:93
For bacterial meningitis, **5**:48
Cure rate with, in children, **8**:218
For dog or cat bite, **15**:111
Enterobacter resistance linked to, **1**:177
For eye globe rupture, before surgery, **4**:259
For gonorrhea, **10**:105
For HIV, **10**:190
For meningococcal disease, **15**:158
For neutropenia with fever, imipenem vs, **10**:83

L
4
92
MI

For otitis media, **2**:70
For PCP, **9**:128
In pregnancy, **3**:30
For sepsis, **2**:194; **4**:153
For sinusitis, **6**:32
In UTI, **6**:147, 149, 155; **7**:299
See also specific agents

Cephalothin
For streptococcal erysipelas, **12**:62

Cephradine
For hand wound, **15**:102

Cerebellum
Abnormality of, hematoma signaled by, **8**:223
Hemorrhage in, acute headache signaling, **13**:64

Cerebrospinal fluid
Analysis, meningitis diagnosed by, **5**:35, 44
Block, on myelography, as sign of myelopathy and disk herniation, **13**:77
Culture
For child's altered mental status, **8**:217
For meningitis, **6**:164
AIDS-related cryptococcal, **9**:128; **12**:196
For meningococcal infection, **15**:158
For occult bacteremia, **16**:70
Latex agglutination test of
For altered mental status, **8**:217
For bacterial meningitis, **15**:158

Cerebrum
Acute ischemia of, **13**:64
Cortex
CO poisoning effect on, **7**:257
Hypoxic, impaired decision-making function of, **7**:244
Damage to
Glasgow Coma Scale normal with, **13**:112
Hypoxemia and acidosis as causes of, **8**:213
Embolization of, **13**:67
Function of, intubation protocol for protection of, in head injury, **8**:221
Infarction of, edema after, **13**:68
Resuscitation of, after asphyxiation, **7**:247
Toxicity to, from hyperbaric O_2, **12**:229

Cerumen
Hearing loss from buildup of, **5**:145
Removal of, **15**:169
Trick for, **3**:162

Cervicitis
Gonococcal, **10**:101
Quinolone for, **6**:157
UTI differentiated from, **11**:220

Cervix
Atrophy mistaken for malignancy of, **7**:96
Cancer of
Adenocarcinoma, **7**:96
Atypical blood vessels as hallmark of, **6**:117
Colposcopy
For early detection of, **6**:115
To rule out, **7**:95
Pap smear for detection of, **7**:87
Squamous cell carcinoma, **7**:95
Examination of, trick of covering speculum for, **14**:96
Herpes simplex shedding from, **10**:77
Herpetic lesions of, **15**:190
Incompetent, conization as cause of, **6**:116
Intraepithelial neoplasia of, **7**:92
Polyp, passage of during pregnancy, misdiagnosis of, **11**:175
Risk factors for pathology of, **7**:88

DL
4
92
MI

Cesarean section
Emergency
For fatty liver of pregnancy, **7**:297
Negligent fetal monitoring as cause of, **5**:213
For possible herpes simplex transmission, **10**:81
Risk of postpartum endometritis from, in asymptomatic bacteriuria, **6**:146

Chain saw
Injury, treatment and prevention of, **13**:103
Safe use of, **13**:104

Chalazion
Treatment of, **4**:256; **7**:34

Chamomile tea
Allergy to, 4:281

Chancroid
Penile ulcer caused by, **6**:111

Cheilitis
Actinic
Acute, sun exposure as cause of, **14**:261
Chronic, ablative therapy for, **14**:261
Angular, causes of, **14**:260
Granulomatosa, **14**:262
Malabsorption as cause of, **6**:127

Chelation
For arsenic poisoning, **3**:83
For iron poisoning, duration of, **14**:105
For mercury poisoning, **3**:84; **14**:131

Chest
Contamination of, in endoscopic esophageal perforation, **13**:54
Pain in
In aortic dissection, **4**:309
"Cervical angina" as cause of, **8**:155
ECG in differential diagnosis of, **9**:102
Esophageal motility in, abnormal, **5**:188
Ischemic
In ED patients, **5**:235
In heatstroke, as symptom of underlying disease, **7**:322
In viral myocarditis mimicking MI, **14**:188
See also *Myocardial infarction*
Palpitations with, **8**:53
Panic disorder as cause of, **14**:108
In pericardial effusion, **8**:39
Pleuritic
Pericardial, **8**:36
Pulmonary embolism signaled by, **9**:81; **14**:146
In pneumothorax, **4**:204
In unstable angina
New or changing pattern of, **4**:128
At rest, **4**:115, 127
Similar to MI, **9**:101
Pressure, in MI, **7**:110
Tightness in, in asthma, **12**:32
Occupational, **13**:30
Tube
For pneumothorax, **4**:203
Remnant of, left behind, **9**:136
X-ray
In alcoholism, for respiratory disease and trauma, **7**:76
In aortic dissection, rarely diagnostic, **12**:67
Aortic shear injury confirmed by, **6**:165
In asthma, **12**:32, 37, 50; **13**:26
Abnormal, cystic fibrosis signaled by, **13**:40
In cardiomegaly diagnosis
In obesity, **9**:132
Vs precordial percussion, **9**:131
In cystic fibrosis, new infiltrates on, **13**:41
In dilated cardiomyopathy, **8**:51

OL
4
92
MI

For esophageal foreign body, **3**:135
For esophageal perforation, **13**:54
For heart valve fracture, **8**:94
In HIV
Baseline, **7**:143
For children at risk, **10**:179
With close TB contact, **8**:231
For mercury injection, **14**:131
In MI, **7**:115
For *P. aeruginosa* nosocomial pneumonia, **10**:91
In PCP, **15**:141
Pneumothorax confirmed by, **4**:204
Postpartum, cardiac signs of, **7**:296
In pulmonary hypertension, **15**:217
Solitary pulmonary nodule on, **9**:91

Chickenpox
See *Varicella*

Child abuse
Clues to, **4**:283
Eye instillation of cyanoacrylate adhesive as, **9**:62
Head injury in, meningitis differentiated from, **8**:222
MRI documenting signs of, **8**:223
Myocardial toxicity in, from ipecac, **10**:217
Obtaining a history of, **6**:174
OTC drug overdose as sign of, **14**:207
Retinal hemorrhage from, **8**:207
Differentiated from CPR injury, **8**:224
Subarachnoid bleeding and subdural hematoma as signs of, **8**:223
Unreported, GI symptoms in later life caused by, **6**:171
Violence in adulthood due to, **7**:156

Children
Abdominal pain in, **6**:76
Acetaminophen overdose in, **2**:211
AIDS in, **7**:137; **10**:173
Alkaline corrosive ingestion in, **14**:94
Altered mental status in
Cocaine and PCP as causes of, **8**:214
Evaluation of, **8**:206
Indications for hospitalization, **8**:223, 224
Infection and injury as causes of, **8**:214
Anesthesia for, TAC, **2**:20 (letter)
Ankle x-ray in, normal variations of, **11**:243
Antidepressant toxicity in, **11**:125
Appendicitis in
Ruptured, antibiotics for, **1**:200; **2**:142
Trick for diagnosis of, **3**:158
Arm fracture in, plastic bowing, **2**:229
Arthritis in, gait affected by, **3**:178
Asthma in
Allergy and inflammation as causes of, **12**:47
Drugs for, **12**:56
Beta agonist, with spacer device on metered-dose inhaler, **13**:21
Exercise-induced, allergic rhinitis in, **13**:32
Severe, **9**:107
Bacteremia in, occult, **16**:67
Bee sting in, error in treatment of, **4**:311
Bone symptoms in, from vitamin A megadoses, **4**:280
Breathing rate in, normal, **8**:221
Wide range of, **14**:140
Burned, fever in, implications of, **11**:217
Button battery ingestion by, **13**:53
Cathartic for, contraindicated in low-risk ingestion, **10**:222
Cellulitis in, perianal, **14**:156
Cervical adenitis in, **6**:46
Chlamydia with gonorrhea in, **10**:105
Colitis in, antibiotic-associated, **5**:110
Deep breathing in, trick for, **3**:159
Diabetes, gestational, effect on, **2**:63

L
4
92
MI

Ciguatera
Poisoning, **5**:97

Ciguatoxin
Toxic reaction to, **5**:97

Cilastin
For nosocomial pneumonia, **10**:91

Cimetidine
For anaphylaxis, **12**:148
Confusion or encephalopathy caused by, **13**:70
Drug interactions with, **14**:138
Vitamin B_{12} absorption reduced by, **10**:198

Ciprofloxacin
For gonorrhea
  Disseminated, **10**:108
  Single-dose, **10**:105
For *M. avium* complex infection and bacteremia in AIDS, **13**:89
For nosocomial pneumonia, **7**:29; **10**:91; **16**:108
For Salmonella with sepsis, **5**:115

Circadian pattern
Of silent ischemia, **2**:166

Circumcision
Necrosis after, cellulose for hemostasis as cause of, **4**:323

Cirrhosis
Ascites check with history of, **14**:78
Biliary, in cystic fibrosis, **13**:40
Cryptogenic, risk of, with methotrexate, **12**:194
From hepatitis B, **14**:116; **15**:123
From hepatitis C, **12**:231; **15**:131
Portal hypertension and, congestive splenomegaly caused by, **8**:81

Cisplastin
For neutropenia, aminoglycoside with, toxicity of, **10**:82
For testicular cancer, **5**:206

Clarithromycin
In AIDS, for *M. avium* complex infection and bacteremia, **13**:91
GI toxicity caused by, prevention of, **9**:52

Clavicle
Fracture of, AP view for, **12**:124

Clawtoe
Causes and treatment of, **15**:44

Clindamycin
For abscess
  Peritonsilar, **6**:46
  Tuboovarian, **1**:67
For appendix rupture, **1**:200
For Chlamydia in pregnancy, **3**:151
For colon perforation, **12**:81
For PID, **10**:108
For pseudofolliculitis barbae, **15**:147

Clivus
Metastasis to, headache caused by, **10**:118

Clobetasol propionate
For Dupuytren's contracture, **10**:94

L
4
92
MI

Clofazimine
For *M. avium* complex infection and bacteremia in AIDS, **13**:89

Clonazepam
For panic disorder, **14**:114

Clostridium
Difficile, **5**:96
Antibiotic-associated infection with, **4**:80
Antibiotic-resistant, pseudomembranous enterocolitis from, **5**:110
Perfringens, food-borne diarrhea outbreaks from, **5**:97

Clove cigarette
Dangers of, **4**:282

Cloward's classification
Of vertebral fractures, **10**:37, 43

Clubbing
Digital, in lymphoid interstitial pneumonitis, **10**:187

Coagulopathy
In child, misdiagnosed as battering, **4**:287
Disseminated intravascular, multiple-organ failure caused by, **5**:226
Iron toxicity as cause of, **14**:100
Kidney or liver, MAO overdose signaled by, **12**:204
Lumbar puncture management in, **5**:42
In unstable angina, **9**:101

Cocaine
Altered mental status
Caused by, **8**:214
Erroneously attributed to, in varicella, **4**:300
Body packing packet rupture in, management of, **3**:141; **12**:207
For cancer pain, **10**:124
Crack, production and action of, **11**:94
For epistaxis, **6**:26
Free-base, production and action of, **11**:94
Heat regulation impaired by, **7**:318
History and effects of, **11**:77
For lumbosacral ligament sprain, **10**:57
For nose fracture, **4**:236

Coccidioidomycosis
PCP mimicked by, on x-ray, **15**:142

Cochlea
Lesion in, hearing loss from, **15**:165

Codeine
Abdominal discomfort from, **3**:158
For cancer pain, **10**:124
For lumbosacral ligament pain, **10**:57

Coin
In esophagus, **3**:132

Cold
See *Common cold; Hypothermia*

Colestipol
For digoxin toxicity, **11**:123

Colitis
Antibiotic as cause of, **4**:80
Pseudomembranous, **5**:110
Diarrhea in, **4**:83
Ulcerative, adolescent arthritis differentiated from, **7**:229
See also *Enterocolitis*

Collagen-vascular disease
Neuroleptic malignant syndrome differentiated from, **9**:56

Colloid solution
In hypovolemia, **5**:62
In septic shock, vs crystalloid, **2**:188

Colon
Cancer
Fecal occult blood tests for, **14**:237
Sigmoid, error in diagnosis of, **4**:311
Stage C, **5**:206
Electrical injury to, **8**:168
Obstructed, diaphragmatic hernia as cause of, **1**:204
Perforation, from sigmoidoscopy, **12**:77

Colonoscopy
For colorectal cancer, **14**:243
For GI infection, **5**:109
Pseudomembranous colitis differentiated from acute surgical abdomen by, **4**:84

Colposcopy
For cervical cancer detection
After Pap smear abnormality, **6**:115; **7**:92
Early, **6**:115
Equipment for, **6**:118
Procedure for, **6**:117

Coma
In altitude sickness, **9**:78
Barbiturate, midazolam as alternative to, for status epilepticus, **11**:183
Contact lens removal during, trick for, **3**:159
In elderly, causes of, **13**:68
In heatstroke, **7**:322
Ipecac contraindicated in, **10**:214
Methemoglobinemia as cause of, **7**:258
Overdose as cause of
In elderly, **13**:70
Gamma-hydroxybutyrate, **12**:203
Isoniazid, **10**:142
Tricyclic antidepressant, **11**:126
Pentobarbital, for status epilepticus, **8**:185
Stroke as cause of, factors inciting, **13**:69

Common cold
New treatments for, from HIV research, **7**:154
OTC drugs for, danger of, in infant, **14**:201
Otitis media in, **5**:146; **15**:169

Compartment syndrome
Diagnosis and treatment of, **11**:163
After fracture, **9**:120
After gunshot wound, wide fasciotomy for, **9**:119, 121
In hand injury, **15**:92, 102

Complement
Deficiency, in meningococcal infection, **15**:158
Screening for, **15**:162
Role of, in organ failure, **5**:216

Compression
Nerve root, pain in cancer caused by, **10**:118
Pneumatic, leg, for pulmonary embolism prophylaxis, **14**:152
Spinal cord
Cervical, causes of, **13**:77
Epidural, pain preceding metastasis in, **10**:118
Sternal, cardiac perfusion pressure maintained by, **7**:223
Vertebral, spinal cord injury from, **15**:203

Computed tomography

L
4
92
MI

See *Scanning*

Condom
Need for, after herpes infection, **10**:81

Confusion
Aminoglycosides as cause of, **7**:304
Asphyxiation as cause of, **7**:244
Cryptococcal meningitis relapse signaled by, **12**:196
Drug interaction as cause of, **12**:119; **13**:70

Conization
Colposcopy as substitute for, **6**:116
Techniques of, **6**:121
See also *Biopsy, cervical*

Conjunctiva
Cul-de-sac, symblepharon formation in, cyanoacrylate adhesive as cause of, **9**:62
Cultures of, in eye drop infection, **6**:142
Fluid, trick for checking pH range of, **8**:131
Incision in, in retinal hole repair, **7**:57
Injection of, penlight exam for, **7**:33
Transplantation of, in severe chemical burn, **4**:257

Conjunctivitis
Adenoviral, differential diagnosis of, **14**:282
Allergic, eye exam for, in asthma, **12**:50
Arthritis with, in Reiter's syndrome, **7**:230
Atopic, **7**:35
Chronic, **7**:34
Diagnosis and treatment of, **4**:256
Otitis media with, **2**:70

Consciousness
Loss of
  In asphyxiation injuries, **7**:244
  CT scanning for, **13**:112
  In cyanide poisoning, **7**:259
  In electrical injury, **8**:164
See also *Coma; Confusion; Mental status*

Constipation
Activated charcoal as cause of, **10**:222
In appendicitis, **4**:342
Morphine as cause of, **1**:139
Opioid as cause of, **10**:132
Perforation signaled by, after sigmoidoscopy, **12**:81
Sexual abuse in childhood as cause of, **6**:171
After spinal shock, **15**:207
Urinary retention misdiagnosed as, **4**:306

Contact lens
Corneal ulceration from misuse of, **4**:256; **7**:235
Removal of
  In comatose patient, **3**:159
  Displaced, **4**:256

Continuous positive airway pressure
For sleep apnea, **6**:87
  During travel, **9**:82

Contraception
Diaphragm, UTI recurrence associated with, **2**:34; **4**:43
IUD, ectopic pregnancy risk with, **1**:94
See also *Condom*

Contrast medium
Anaphylaxis caused by, **12**:154

Contusion
Bladder or kidney, **4**:348
Head, in child abuse, **8**:223
Pulmonary, scapular fracture as flag for, **11**:110

OL
4
92
MI

Conversion disorder
Relationship between stress and, **8**:195

COPD
See *Chronic obstructive pulmonary disease*

Cor pulmonale
O_2 for, **10**:165; **13**:40

Corn
Intertriginous, **15**:45
Plantar, **15**:40

Cornea
Abrasion of
  Blunt trauma as cause of, **5**:182, 185
  From cyanoacrylate adhesive tarsorrhaphy, **9**:60
  Diagnosis and treatment of, **4**:250
  Fluorescein staining for, **8**:114
Cyanoacrylate toxicity to, **9**:62
Penlight exam of, **7**:33
Perforation
  Antibiotic for, **7**:235
  In rheumatoid arthritis, **7**:39
  Rosacea keratitis associated with, **7**:35
Scarring of, after surgical repair of ruptured globe, **4**:259
Transplant
  For chemical burn, **4**:257
  Graft failure in, **7**:52
  For infection and scarring, **7**:52
    After ulceration, **7**:235
  For keratitis, unsuccessful, **7**:35
  For perforation, **7**:39
Ulcer of
  Contact lenses, as cause of, **4**:256; **7**:235
  Cyanoacrylate adhesive as cause of, **9**:62
  Infected abrasion as cause of, after Wegener's granulomatosis, **7**:39

Coronary artery disease
Anaphylaxis in patient with, **12**:148
Angiography for, clinical indications for, **11**:151
Assessing severity of, **5**:77
Atherosclerosis, peripheral, as signal of, **4**:68
Estradiol as protection against, transdermal vs oral, **14**:276
Estrogen replacement reducing risk of, **14**:36
GI problem mistaken for, **4**:305
History of, in prediction of survival, **5**:239
Hypertension treatment reducing incidence of, **14**:28
Migraine in, **3**:54
Plaque rupture in, vasospasm caused by, **9**:100
Prediction of
  AHA chart for, **1**:156
  Angina for, **9**:102
  Noninvasive methods for, **1**:70
Revascularization criteria and options for, **1**:237
Silent ischemia in, **2**:166
Three-vessel, controversial management of, **14**:271
Traveling with, precautions for, **9**:72, 75
See also *Myocardial infarction*

Coronary bypass
For aortic dissection, **12**:72
Criteria for, **1**:237
For ischemia, **5**:77
Survival statistics unchanged with, **5**:239
Thyroid replacement in elderly necessitating, **5**:73
Vascular surgery preceded by, **4**:68

Corticosteroid
See *Steroid*; specific agents

OL
4
92
MI

Cortisone
For ganglion aspiration, **15**:38
For Morton's neuroma, **15**:37
For plantar fasciitis, **15**:36
Protocol for increasing dosage of, during travel, **9**:83

Corynebacterium diphtheriae
Pharyngitis caused by, **6**:41

Cough
In alveolar injury from toxic inhalation, **7**:252
In asthma
  Exercise-induced, as sign of, **13**:32
  Frequency of, **13**:21
  Occupational, **13**:30
  Persistent, **12**:32, 47
  Respiratory infection differentiated from, **6**:143
Chronic productive, evaluation of, **7**:192, 197
CPR, **12**:170
In cystic fibrosis, **13**:40, 45
In lymphoid interstitial pneumonitis, **10**:187
With mechanical heart valve fracture, as helpful sign, **8**:94
Nonproductive
  Atypical pneumonia signaled by, **5**:231
  In PCP, **10**:180
OTC drugs for, danger of, in infant, **14**:201
In pericarditis, **8**:36
During swallowing, dysphagia associated with, **5**:188
Toxic inhalation as cause of, **7**:248

Coumarin
Anticoagulants, rodenticide poisoning caused by, **3**:70
See also specific agents

Counseling
For adolescent rape victim, techniques for, **3**:98
In asthma, **13**:29
For borderline personality, long-term, **8**:199
For cryptorchid adolescent, **8**:144
For fibromyalgia, **5**:172
For headache in child, vs medication, **15**:80
For psychogenic pain disorder, **8**:195
Sexual
  For adolescent with gonorrhea and her partner, **7**:230
  For couples, on herpes simplex transmission routes, **10**:81
For sexual abuse in childhood, resulting in GI disorders, **6**:172
For suicidal patient, **2**:202
  Adolescent and parents, **12**:169
For vomiting, self-induced, **7**:310

Coxiella burnetti
In endocarditis, **15**:156

Coxsackie B virus
Acute myocarditis caused by, **8**:42

CPAP
See *Continuous positive airway pressure*

Crack
Production and action of, **11**:94
See also *Cocaine*

Cramps
Black widow spider bite as cause of, **14**:229
Heat, from heavy exertion, **7**:321
In self-induced vomiting, causes of, **7**:309

Creatine kinase

OL
4
92
MI

Diarrhea in, rehydration for, **16**:123
Electrical cord injury in, **8**:157
Epiglottitis in
  Diagnosis and treatment of, **6**:43; **14**:61
  Epinephrine for, dosage error in, **4**:310
  Organisms associated with, **14**:56
  Presentation in, vs adult, **14**:54, 61
Fibula fracture in, **16**:139
Flatfoot in, **11**:171
Foreign body in
  GI, difficulty of diagnosing, **3**:132
  Nasal, removal of, **4**:191; **14**:96
Frostbite in, sequelae to, **2**:138
FUO in, imaging vs lab studies for, **2**:87
Gait disorders in, **3**:173
Gastric decontamination in
  Activated charcoal for, **10**:94, 222
  Ipecac for, **10**:214
Giardiasis in, **5**:115
Gift for, in ED, **1**:119
Granuloma in
  Annulare, **3**:88
  Periapical, **14**:156
"Growing pains" in, **3**:180
Head injury in
  Intubation protocol for, **8**:221
  Minor, **8**:223
Headache in, **6**:76
  Migraine, **15**:71
  Types of, **15**:69
Heart disease in, cyanotic congenital, flying restrictions for, **9**:76
Hip of
  Aspiration of, **3**:177
  Toxic synovitis of, **3**:178
HIV in
  Markers for, **10**:179
  Testing in, for AIDS, **10**:174, 179
Humeral fracture in, **10**:232
Impetigo contagiosa in, **7**:177
Infection in
  CDC classification of, **10**:187
  Urinary tract, **11**:218
Intussusception in, **4**:107
Iron poisoning in, **14**:99
  Whole bowel irrigation for, **10**:223
IV insertion in, **15**:183
Kawasaki disease in, **12**:209
Knee pain in, referred from hip, **9**:113, 114
Lice in, **3**:164
Limp in, age-related causes of, **3**:173
Lip-licking dermatitis in, **14**:262
Little leaguer's elbow in, **14**:290
Measles in immunocompromised, **8**:124
Meningitis in
  Hearing loss in, **8**:218
  Meningococcal, **15**:158
  New antibiotic choices for, **8**:217
  Pneumococcal, **13**:92
  Seizure as only indication of, **11**:117
  Tests for, **6**:163
Methotrexate for, adverse effects of, **11**:2365
Musculoskeletal pain in, psychogenic, **6**:75
Nasal fractures in, **4**:236; **6**:32
Nasogastric drainage in, trick for, **3**:157
Neck of
  Pain in, causes of, **8**:153
  Stiffness in, trick for diagnosing, **4**:191
  Vein cannulation in, trick for, **14**:66
Neurologic emergencies in
  Evaluation and stabilization of, **8**:204
  Infection and injury in, **8**:214
Oil of wintergreen poisoning in, **8**:176
Otitis media in, **2**:70; **5**:136
Pancreatitis in, **14**:165
  Valproic acid as cause of, **5**:55; **14**:161
PCP in, **10**:180
Pills for, trick for administering, **1**:119

L
4
92
MI

Pneumonitis in, lymphoid interstitial, **10**:187
Quinolone contraindicated in, **6**:156
Seizure in, diagnosis of, **12**:197
Septic shock in, **2**:193
Sever's disease in, heel pain as symptom of, **11**:162
Skin symptoms in, from vitamin A megadoses, **4**:280
Status epilepticus in, causes of, **8**:182
Streptococcus, group A
  In previously healthy, rising incidence of, **13**:109
  Septicemia in, **2**:156
Stress fracture in, **4**:100
Suicide risk in, with alcoholic parent, **2**:201
Sunglasses for, for surgical light glare, **5**:50
Suturing in, suggestions for, **7**:265
Tibial fracture in, **16**:139
Tinea in
  Capitis, **7**:185
  Corporis, causes of, **7**:185
Toeing in by, causes of, **11**:168
Urine dipstick in, indications for, **2**:224
Vaccination for
  Double, **11**:99
  Hepatitis, **14**:116
  Influenza, **14**:120
  Pneumococcal, **14**:119
  Varicella, in leukemia, **14**:124
Wrist of
  Error in splinting, **4**:310
  Fracture of, error in management of, **12**:103
Xanthogranuloma differentiated from xanthoma disseminatum in, **12**:62
See also *Infant*

Chlamydia
In adolescent rape victim, **3**:103
Adolescents at high risk for, **7**:229
In gonorrhea, **10**:105
In infant, **3**:151
Nongonococcal urethritis caused by, **10**:101
Pap smear abnormality caused by, **7**:96
Pneumonia, diagnostic features of, **5**:233
Pneumoniae
  Adult-onset asthma caused by, **2**:93
  Erythromycin for, **8**:232
In pregnancy, **3**:151; **10**:105
Psittaci, endocarditis caused by, **15**:154
Trachomatis
  "Low count" bacteriuria caused by, **6**:146
  Reiter's syndrome caused by, **7**:230
  UTI caused by, **6**:145
UTI differentiated from, **11**:220

Chloral hydrate
Rectal, for refractory seizures, **8**:213

Chloramphenicol
  For epiglottitis, **14**:64
  For HIV, **10**:190
  For Lyme disease neuropathy, **11**:42
  For meningococcal disease, **15**:158

Chlordiazepoxide
For alcohol withdrawal, **8**:173

Chlorhexidine
For fishhook wound, **5**:180

Chlorhydria
Impaired secretion of, intraluminal bacterial overgrowth caused by, **6**:130

Chlorinated hydrocarbon
Poisoning, **3**:61

Chlorophenoxy herbicide

OL
4
92
MI

Poisoning, **3**:81

Chlorphacinone
Poisoning, **3**:70

Chlorpromazine
For migraine, **10**:72
Neuroleptic malignant syndrome caused by, **9**:53

Chlorpropamide
Hypoglycemia caused by, **4**:306

Chlorprothixene
Neuroleptic malignant syndrome caused by, **9**:54

Chlorthalidone
For BP reduction, **14**:28

Cholecystectomy
Laparoscopic vs open, **2**:79
Pancreatitis after, **14**:165

Cholecystitis
Aortic dissection differentiated from, **12**:67
Laparoscopy for, **2**:79

Cholecystokinin
In pancreatitis diagnosis, **14**:169

Cholelithiasis
Estradiol for prevention of, transdermal vs oral, **14**:276
Laparoscopy for, **2**:79

Cholera
Fluid and electrolyte replacement for, in travel to endemic areas, **5**:110
Unlikely in U.S., **5**:92

Cholestasis
In hepatitis A, **15**:116

Cholesteatoma
In chronically draining ear, **5**:145

Cholesterol
Blood level
As risk factor for stroke or MI, **1**:156
As risk for heart attack in marathon, **11**:206
LDL, reduction of, **2**:94
Total, reduction of, by tamoxifen, **14**:36

Cholestyramine
For chlorinated hydrocarbon poisoning, **3**:61
For digoxin toxicity, **11**:123

Choline magnesium trisalicylate
For cancer pain, **10**:131

Cholinergics
See specific agents

Cholinesterase tests
For organophosphate poisoning, **3**:66

Cholylglycine
Radioactive, for bile acid breath test, **6**:135

Chondritis
Ear, cellulitis and external otitis differentiated in, **5**:139

Chondromalacia
Causes and treatment of, **11**:171

Chondrosarcoma
CT densitometry reference phantom unreliable in, **9**:93

OL
4
92
MI

Chorioamnionitis
Detection of, **1**:178

Choriocarcinoma
Chemotherapy for, **5**:202

Chromatography
Gas, urinalysis by, for fish-odor syndrome, **14**:235

Chromatography
Thin-layer, for OTC drug toxicity, **14**:207

Chronic fatigue syndrome
Lyme disease differentiated from, **11**:28
Orthostatic hypotension differentiated from, **15**:153

Chronic obstructive airway disease
Advance planning for travel with, **9**:77
Auto-PEEP as cause of deterioration in, **4**:312
Bronchospasm in, from toxic inhalation, **7**:248
Beta agonist for, **3**:36; **11**:62
Bronchial asthma differentiated from, **12**:50
Bronchodilation therapy for, **11**:62
Metered dose inhalers for, **3**:36
O_2 therapy for
  High levels of, CO_2 retention caused by, **12**:228
  Home, **10**:162, 165
  During hospitalization, **12**:216
  In pulmonary injury from toxic inhalation, **7**:248
P. aeruginosa nosocomial pneumonia in, **10**:90
Pharmacotherapy for, **3**:35
Pneumonia in
  Misdiagnosed, **5**:231
  Vaccination for, **3**:48
Pneumothorax differentiated from large pulmonary bulla in, **4**:204
Steroids for, **3**:48
Theophylline for, **3**:48, **11**:62

Chronic pain syndrome
Causes of, **5**:159

Churg-Strauss syndrome
Peripheral eosinophilia in, **1**:147
Pulmonary dysfunction in, **2**:151

Chymopapain
Allergy to, **12**:154

OL
4
92
MI

Chronic leaks of, in malignant hyperthermia, **7**:324
MB fraction elevation
In asthma, as sign of cardiotoxicity, **9**:107
In MI, **7**:115
Rapid assay for, **8**:61
And total, as criteria for, **5**:236
Serum elevation of
In myocarditis mimicking MI, **14**:188
In neuroleptic malignant syndrome, **9**:56

Creatinine
Monitoring, during methylprednisolone treatment for SLE, **12**:191
Serum elevation of, in eclampsia, **8**:99

Crepitus
Neck, palpation for, in esophageal perforation, **13**:61

Cricothyrotomy
In anaphylaxis, **12**:146
Apparatus for, **5**:50
In epiglottitis, **6**:44

Crohn's disease
Abdominal pain and malabsorption in, **6**:124
Abscess related to, **12**:92
Adolescent arthritis differentiated from, **7**:229
Antigliadin antibody in, **6**:136
Enterocolonic fistula in, intraluminal bacterial overgrowth caused by, **6**:130
FUO caused by, **2**:88

Cromolyn sodium
In allergy
For eye irritation, **7**:35
For rhinorrhea, **6**:31
In asthma
Acute, in infant, **6**:143
Before exercise, **13**:32
Chronic, with or without inhaled steroid, **13**:25
For mast cell degranulation, **12**:56
Occupational, as prophylaxis, **4**:231
In pregnancy, **13**:39
Underuse of, beta agonist overuse as cause of, **7**:169

Croup
Treatment of, **6**:43

Crush injury
In electrical injury, **8**:164

Cryoglobulinemia
In hepatitis A, **15**:116

Cryotherapy
For cervical lesion, vs laser or electrosurgical loop excision, **6**:121
For myofascial pain, **5**:171
For retinal hole, **7**:57

Cryptococcosis
Extrameningeal, meningitis relapse caused by, **12**:195
PCP mimicked by, on x-ray, **15**:142

Cryptorchidism
Diagnosis and treatment of, **8**:137

Cryptosporidium
Diarrhea in AIDS caused by, **5**:95
Stool exam for, **5**:110

Crystalloid
In electrical injury, initial fluid challenge with, **8**:167

L
4
92
MI

In hypovolemia, **5**:62
Isotonic, for resuscitation of infant with unstable cardiovascular status, **8**:208
For septic shock, vs colloid, **2**:188
Warmed, rapid infusion of, in penetrating chest injury, **8**:72

Culdocentesis
For ectopic pregnancy, interpretation of, **1**:93

Culture
In acropustulosis, **7**:132
Amniotic fluid, vs glucose levels, for infection, **1**:178
Blood
  In altered mental status, **8**:217
  For endocarditis, **15**:154
  For Gonococcus, anorectal, pharyngeal, and disseminated, **10**:102
  For HIV, in infants, incidence of, **10**:174
  For meningococcal infection, **15**:158
  Typhoid fever or GI symptoms diagnosed by, **5**:110
  And urine, routine use of, in infant with or at risk for HIV, **10**:190
Conjunctival fluid compared with eyedrops, in conjunctivitis, **6**:142
CSF
  In altered mental status, **8**:217
  In meningitis
    Cryptococcal, **12**:196
    As gold standard, **6**:163
For dog and cat bites, **15**:111
In febrile infants, **1**:131
For gonococcal urethritis and cervicitis, **10**:101
Of hand wounds, **15**:102, 105
For herpes, **10**:77
  Genital, **15**:184
  Of penile ulcer, **6**:112
Pus, in ear, **15**:169
Sputum, in PCP, **15**:142
Stool, for diarrhea, **5**:109
Tissue, for *C. difficile* toxin, in antibiotic-associated colitis, **5**:110
Urine
  Vs dipstick testing, **2**:224
  For HIV, **10**:190
  For pyelonephritis, **3**:26, 29
  For UTI, criteria for performing, **11**:223

Curettage
Endocervical
  Cancer ruled out by, **7**:95
  After colposcopy, necessity for, **7**:92
  For Pap smear abnormality, **7**:96
  In pregnancy, contraindicated, **6**:118

Cyanide poisoning
Acetonitrile ingestion as cause of, antidote kit for, **10**:141
Nitrites for, **3**:83
  And sodium thiosulfate, **7**:260
Rapid sequelae of, **7**:259
In smoke inhalation, vs CO, **15**:50

Cyanoacrylate adhesive
Corneal perforation sealed with, **7**:39
Tarsorrhaphy from
  Accidental, **9**:59
  Intentional, **9**:62

Cyanosis
Congenital heart disease with, flying restrictions for, **9**:76
Intubation in, indications for, **8**:207
Methemoglobinemia as cause of, **7**:258
Oral obstruction as cause of, **4**:309

OL
4
92
MI

Cyclopentolate
After eye irrigation, **4**:257
For hyphema, **4**:260

Cyclophosphamide
For rheumatoid interstitial lung disease, **5**:122
For SLE, **12**:191
For Wegener's granulomatosis, **7**:39

Cycloplegic
For chemical eye instillation, **9**:62

Cyclosporine
And aminoglycoside, neutropenia risk with, **10**:82
For asthma, **13**:25
For myocarditis and dilated cardiomyopathy,
NIH trial of, **8**:51
Sepsis from, **4**:143

Cyproheptadine
For migraine prophylaxis, **15**:80

Cystic fibrosis
Bronchial asthma differentiated from, **12**:50
Treatment options and new directions for,
13:40

Cystitis
From bladder or urethral infection, **6**:146
Diagnosis and management of, **2**:43; **4**:30
Hemorrhagic, cyclophosphamide as cause of,
12:194
Pyelonephritis after, **3**:25
Uncomplicated, **6**:156

Cystography
Three-phase, for injured bladder, **4**:348

Cysts
Apical periodontal, untreated periapical
granuloma as cause of, **14**:156
In augmented breast, biopsy contraindicated for,
6:100
Baker's, ruptured, DVT differentiated from,
6:169
Branchial
Differential diagnosis of, **13**:80
Neck pain from, **8**:153
Bronchial, benign solitary nodule diagnosed as,
9:91
Dermoid, branchial cyst differentiated from,
13:80
Epidermoid, differential diagnosis of, **8**:102
External pressure from, hypersplenism caused
by, **8**:81
Lip, excision of, misuse of ethyl chloride for,
4:293
Mucous, traumatic, **14**:265
Ovarian, ascites differentiated from, **14**:78
In PCP, **15**:141
Sebaceous, **2**:141
Thyroglossal
Branchial cyst differentiated from, **13**:80
Neck pain from, **8**:153
Transcatheter sclerotherapy for, **12**:92

Cytokine
In sepsis, responsible for inflammatory injury,
4:144

Cytomegalovirus
Hepatitis, in HIV, **10**:190
Retinitis
In HIV, **7**:143
Sudden visual loss in, **8**:120

Cytometry
For flow analysis of DNA, **5**:202

DL
4
92
MI

Cytotoxic drugs
Pulmonary reaction to, HIV-related respiratory infection suggestive of, **9**:127
For rheumatic interstitial lung disease, **5**:122
See also specific agents

Cytotoxin
A and B, pseudomembranous enterocolitis caused by, **5**:96
Therapy, for vasculitis, **2**:155

D

Dantrolene
For malignant hyperthermia, **7**:324
For neuroleptic malignant syndrome, **9**:56

Dapsone
For PCP treatment and prophylaxis, **7**:153; **10**:180, 182

Daptomycin
For enterococcal infection, **10**:93

Dark-field test
For penile ulcer, **6**:112

Day-care center
Endemic diarrhea in infants attending, **5**:96

ddC
See *Dideoxycytidine*

Deafness
See *Hearing loss*

Débridement
Of chain saw wound, **13**:105
In electrical injury, **8**:167
For hand infection, **15**:105
In high-pressure injection injury, **14**:183; **15**:102

Decompression
Cervical, for neck pain, **13**:77
For compartment syndrome, **15**:102

Decongestant
For otitis media, **15**:169

Decontamination
Gastric
For herbal tea intoxication, **4**:281
For herbicide poisoning, **3**:81
Methods of, risks and benefits of, **10**:214
Skin, in organophosphate exposure, **3**:66

Deferoxamine
For iron poisoning, **14**:105

Defibrillation
Cardiac perfusion pressure increased by, **7**:223
In electrical injury, difficulty of, **8**:161

Dehydration
In air travel, prevention of, in asthma, **9**:77
Clinical signs of, in elderly vs children, **15**:59
In diarrhea in children, **16**:123
Hypernatremic, sorbitol as cause of, **10**:222
See also *Fluids; Hypovolemia*

Dejerine's syndrome
Diagnosis and prognosis of, **15**:212

Delirium
Drug interactions as cause of, **12**:119
Heat regulation impaired in, **7**:318

OL
4
92
MI

In heatstroke, **7**:322
Tremens
Management of, **8**:170
"String sign" for, **7**:163

Demeclocycline
Phototoxic dermatitis induced by, **7**:189

Dementia
AIDS-related, **9**:128
Confusion mimicking, **13**:70
In HIV, **7**:144
Hypothalamus dysfunction in, **7**:318
Thyroid disease screening in, **5**:68
Vitamin B_{12} depletion as cause of, **10**:201

Dental procedure
Epidural abscess caused by, **13**:78
Herpes simplex reactivated by, **10**:81

Depilatory
In pseudofolliculitis barbae, as alternative to shaving, **15**:147

Depression
In anorexic athlete, **13**:85
Beta blockers in, precautions for, **12**:172
In cancer, **10**:121
In chronic pain syndrome, **5**:170
Diagnostic criteria for, **8**:192
Drug interactions as cause of, **12**:119
Headache caused by, **13**:64
In adolescent, **15**:75
MAO inhibitor for, **11**:215
Migraine, **3**:54
Panic disorder with, signs of, **14**:109
Physical symptoms commonly caused by, **8**:192
From rebound headache, **16**:135
Sexual abuse in childhood as cause of, **6**:171
In suicidal adolescent
Monopolar, **12**:160, 169
Signs of, **12**:56
Underlying, in suicide attempt masked as accident, **14**:224
Vitamin B_{12} depletion as cause of, **10**:201

Dermatitis
Atopic
In asthma, skin exam for, **12**:50
Eyelid, with chronic conjunctivitis or keratitis, **7**:35
Impetigo contagiosa complicating, **7**:177
Tinea pedis differentiated from, **7**:180
Berlock, **2**:52
Contact
Cutaneous larva migrans differentiated from, **10**:194
Erysipelas differentiated from, **12**:62
Granuloma annulare differentiated from, **3**:88
Impetigo contagiosa
Complicating, **7**:177
Differentiated from, **3**:88
Lichen simplex chronicus differentiated from, **10**:194
Lip, causes of, **14**:262
Pseudofolliculitis barbae differentiated from, **15**:143
Tinea differentiated from, **7**:180
Detergent, erosio interdigitalis blastomycetica differentiated from, **5**:152
Diaper, as HIV marker, **10**:179
Ear canal, **5**:145
Factitial, discoid LE and herpes simplex differentiated from, **6**:108
Fungal, of hands, **5**:152
Herpetiformis, bullous pemphigoid differentiated from, **5**:152
Lip-licking, behavior modification for, **14**:262

L
4
92
MI

Monilial, perianal cellulitis differentiated from, **14**:156
Phototoxic
Delayed reactions in, causes of, **7**:189
Immediate reactions in, drug therapy as cause of, **7**:189
Poison ivy, **7**:171
Seborrheic, tinea differentiated from, **7**:180, 185
Sun-related, **7**:185
See also specific diseases and sites

Dermatographism
In asthma, skin exam for, **12**:50

Dermatomyositis
Of eyelid, **7**:39

Dermatophytid
In tinea pedis, **7**:178

Desensitization
Ethical use of, **4**:227

Desmopressin acetate
For diabetes insipidus, **9**:84

Desquamation
Mast cell and basophil mediator release as cause of, **12**:142

Detrusor
Instability, bladder training for, **14**:50

Dexamethasone
For bacterial meningitis, **5**:48
During travel, use of, **9**:84
For epidural metastasis from primary carcinoma, **13**:78
For hyperthyroidism, **5**:74
In meningitis, hearing loss reduced with, **8**:218
For pneumococcal meningitis, **13**:95

Dextran 40
For acute ischemic stroke, **13**:67

Dextromethorphan
MAO inhibitor with, reaction to, **12**:204

Diabetes
Acyclovir reduction in, for herpes simplex, **10**:81
CAD severity predicted by, **11**:151
Corneal transplant in, **7**:52
Decubitus ulcer in, **7**:265
Epilepsia partialis continua in, **13**:77
Foot lesions in
Diagnosis and management of, **1**:89
Osteomyelitis risk in, **1**:77
Gestational
Criteria for, **4**:266
Screening for, **2**:63
Heatstroke in, **7**:322
Hypoglycemia in
Chlorpropamide as cause of, **4**:306
Violence during, **7**:162
Impetigo contagiosa caused by, **7**:177
Insipidus
Desmopressin acetate for travel with, **9**:84
In xanthoma dissemination, **12**:62
Insulin dosage in, calculations for, over time zones, **9**:88
Neuropathy in, cancer pain caused by, **10**:121
New-onset, abdominal pain in, misdiagnosed as gastroenteritis, **3**:147
Orthostatic hypotension in, **15**:153
Pneumonia in
Heart problem overlooked in, **4**:298
P. aeruginosa nosocomial, diagnosis complicated by, **10**:91

Retinopathy in, **7**:49
Salmonellosis susceptibility in, **2**:107
Thyroid disease screening in, **5**:68
Travel with, checklist for, **9**:85, 86
UTI associated with, in woman, **2**:46
With visceral neuropathy, intraluminal bacterial overgrowth caused by, **6**:130

Dialysis
For exertional heatstroke, **7**:322
For kidney failure, **5**:225

Diaphoresis
Black widow spider bite as cause of, **14**:229
Delayed treatment as cause of, **7**:65
MI signaled by, **7**:110
In orthostatic hypotension, **15**:151
In violent patient, causes of, **7**:163
See also *Sweat*

Diaphragm
Breathing, trick for, **3**:159
Contraceptive, UTI associated with, **2**:34; **4**:43; **6**:145
In cystitis, **6**:146
Hernia, **1**:204
Inflammation of, in cancer, neck and shoulder pain caused by, **10**:122

Diarrhea
In AIDS, **3**:158; **5**:96
Cathartic contraindicated in, after activated charcoal, **10**:222
In children, rehydration for, **16**:123
In colitis, **4**:83, 85
Empirical treatment of, **5**:110
Endemic, from viruses and protozoa, **5**:92
In femoral hernia, **5**:198
In GI infection, persistent, **5**:98
In HIV
  Chronic, **10**:173, 179
  Intermittent, **7**:142
Infectious, **5**:90
In *M. avium* complex infection, **13**:89
In malabsorption, **6**:123
In pneumonia, clue to atypical, **5**:234
Senna and goldenseal overdoses as cause of, **4**:281
Traveler's, **5**:90, 95, 115
  In diabetes, **9**:85
  With heart disease, **9**:72
Viral, new treatment for, from HIV research, **7**:154
Vitamin C megadoses as cause of, **4**:277

Diathermy
Closure of lacrimal punctum by, **7**:39

Diazepam
For alcohol withdrawal, **8**:173
For seizures
  As initial therapy, **8**:211
  From isoniazid overdose, **10**:142
  Rectal, **8**:212
  In status epilepticus, **11**:184
    Vs lorazepam, **8**:185
  Tonic-clonic, **7**:69
For vertigo, CNS, **5**:146

Dibenzoxazepine
Toxicity from, **11**:136

DIC
See *Disseminated intravascular coagulation*

Dicloxacillin
For hand wound, **15**:102
For paronychia, **15**:105

DL
4
92
MI

Didanosine
For HIV, **7**:133, 144

Dideoxycytidine
For HIV, **7**:154; **8**:82

Diet
For cystic fibrosis, **13**:45
Diabetic, for air travel with respiratory ailment, **9**:78
For fish-odor syndrome, **14**:235
Gluten-free, for celiac sprue, **6**:139
Before guaiac test, importance of, **14**:243
High-fiber, hemorrhoid treatment with, **10**:207

Diethylstilbestrol
Cervical cancer risk from, **6**:116

Digoxin
For atrial fibrillation, **14**:214
After cough CPR, **12**:171
For congestive heart failure, **10**:61
In diastolic dysfunction, contraindicated, **1**:231
Drug interactions with, **1**:31
In elderly, high risk for, **12**:116
In IHSS, contraindicated, **8**:41
Immune Fab, **11**:119, 124
Toxicity from, **11**:119
Ventricular ectopy caused by, **10**:61

Dihydroergotamine
For chronic headache, **16**:135

Dihydrotestosterone
Prostate enlargement caused by, **10**:147

Dihydroxyphenylserine
For orthostatic hypotension, **15**:153

Diiodohydroxyquin
For *E. histolytica* diarrhea, **5**:115

Diltiazem
For atrial fibrillation, **14**:214
For unstable angina, **4**:126, 138

Dimenhydrinate
For migraine, **10**:72

Dimercaprol
For arsenic poisoning, **3**:84
For mercury poisoning, lifelong therapy with, **14**:131

2,3-Dimercaptosuccinic acid
For mercury poisoning, **14**:131

Diphenhydramine
For anaphylaxis, **12**:148
For dystonic reaction, **16**:91
In varicella, for itching, **16**:92

Diphenoxylate
For diarrhea, **5**:112
In traveling diabetic, **9**:85

Diphtheria
Sore throat caused by, **6**:41

Dipyridamole
As substitute for stress test, **6**:48

Diquat
Poisoning, **3**:72

Diskitis
In child, **3**:178

OL
4
92
MI

Infective, spondylolysis differentiated from, **10**:37

Disopyramide
For atrial fibrillation, **14**:214

Disseminated intravascular coagulation
In eclampsia, **8**:99
Multiple-organ failure caused by, **5**:226
In retroperitoneal hematoma, **5**:191
In sepsis, **2**:195
In shock, endotoxin as cause of, **1**:55

Diuretics
ACE inhibitor interaction with, **1**:32
For congestive heart failure, **10**:61
For diastolic dysfunction, **1**:231
Digoxin interaction with, **1**:31
Drug interactions with, **12**:116, 119
Heat retention caused by, **7**:321
Hypokalemia caused by, **10**:61
For isolated systolic hypertension, **14**:28
Phototoxic dermatitis induced by, **7**:189
In self-induced vomiting, **7**:310
Side effects of, **12**:116
See also specific agents

Diverticulitis
Appendicitis misdiagnosed as, **4**:343
In differential diagnosis of legionnaires' disease, **5**:228

Diverticulum
Esophageal obstruction from, dysphagia caused by, **5**:192
Small intestinal, intraluminal bacterial overgrowth caused by, **6**:130

Dizziness
Acidosis as cause of, **7**:309
In CNS disorder, **5**:146
In CO poisoning, **7**:257
In cyanide exposure, **7**:259
In hypokalemia, **7**:309
Inadequate management of, **8**:203
Methemoglobinemia as cause of, **7**:258
In migraine, methotrimeprazine for, **10**:72
In orthostatic hypotension, **9**:84; **15**:151
In panic disorder, **14**:108
In pericarditis, **8**:36
Sexual abuse in childhood as cause of, **6**:172

Dobutamine
For hypotension in anaphylaxis, **12**:148
For sepsis, **4**:150
For septic shock, **2**:193

Docusate sodium
For constipation in cancer, **10**:132

Dopamine
Depletion of
  Drugs to reverse, **9**:56
  In neuroleptic malignant syndrome, **9**:54
For electrical injury, **8**:167
For sepsis, **4**:150
For shock, **5**:209
  Anaphylactic **12**:153
    Hypotension in, **12**:148

Doxycycline
For Chlamydia, **3**:103, 151; **7**:96; **10**:105
For conjunctivitis with blepharitis, **7**:35
Esophageal ulcers from, **3**:132
Esophagitis from, **6**:72
For legionnaires' disease, **5**:234
For Lyme disease, **11**:41
For PID, **10**:108
For UTI, **11**:220

L
4
92
MI

Drawer sign
In ligament injury, **9**:119

Dressler's syndrome
In MI, **8**:36

Driving
Stress of, in travel, **9**:74

Drug abuse
In AIDS, **3**:118
Back pain misdiagnosed in, **4**:318
Endocarditis in, **15**:156
Gamma-hydroxybutyrate for, **12**:203
Hepatitis in, **15**:119, 129
In HIV
  Hepatitis C screening in, **12**:231
  Rising incidence due to, **7**:137; **9**:127
  Testing for, **10**:174
Hypothermia in, **15**:82
Meningitis risk in, **5**:41
Nosocomial pneumonia in, **16**:97
Panic disorder associated with, **14**:110
Penile ulcer caused by, **6**:112
As suicide risk, **2**:201
Trauma as sign of, **12**:65
Withdrawal associated with
  Status epilepticus due to, **8**:181
  Violence due to, **7**:161
See also specific drugs

Drug seeker
Pain behavior in, **8**:199
Trick for exposing, **11**:102

Dupont and Page system
For risk classification after breast augmentation, **6**:90

Dupuytren's contracture
Clobetasol propionate for, **10**:94

Dysarthria
Dysphagia associated with, **5**:188
In neuroleptic malignant syndrome, **9**:54

Dysentery
Causes of, **5**:98
See also *Diarrhea*

Dyskinesia
Biliary, pancreatitis caused by, **14**:165

Dyspareunia
In gonococcal cervicitis, **10**:101

Dysphagia
Alkaline corrosive ingestion signaled by, **14**:94
Aortica, **5**:192
Epiglottitis signaled by, **14**:56
Esophageal stricture as cause of, **13**:61
Foreign body sensation due to, **6**:44
Lusoria, **5**:192
  Diet for, **6**:70
Lye ingestion as cause of, **5**:195
Meat impaction caused by, **3**:132
In neuroleptic malignant syndrome, **9**:54
Neuromotor disease as cause of, **6**:65
Pericardial effusion as cause of, **8**:39
Workup for, **5**:186

Dyspnea
In asthma, **12**:32, 47
  Bronchodilator for, before diagnostic testing, **13**:26
  Exercise as cause of, **13**:21
  Respiratory infection differentiated from,

OL
4
92
MI

6:143
In CO poisoning, 7:257
In cystic fibrosis, 13:41
Exertion, postpartum, 7:296
Face mask ventilation for, 2:58
Hypoxemia suggested by, 12:216
In pericardial tamponade, 8:39
In pericarditis, 8:36
In pneumothorax, 4:204
Pulmonary embolism signaled by, 14:146
In rheumatoid arthritis, 5:121
In SLE, 2:150
In tension pneumothorax, 4:208
In toxic inhalation, 7:248, 252
In unstable angina, 4:115

Dystonia
In differential diagnosis of airway obstruction, 16:91
Neuroleptic malignant syndrome differentiated from, 9:54

Dysuria
In cystitis, 6:146
In gonococcal cervicitis, 10:101
In gonococcal urethritis, 10:101
Recurrent, in herpes simplex, 10:77
In UTI, 11:218

E

E. coli
Acute pyelonephritis from, 3:25
Bacteriuria, "low count," caused by, 6:146
In cystitis, 4:30
In diarrhea
  Bloody, 5:92
  Enteropathic and enterotoxigenic, 5:90
In UTI, 2:45
  And epididymitis, in men, 6:145

Ear
Disease, preexisting, aminoglycosides contraindicated in, 7:307
Drops
  Antibacterial, 5:136
  Antibiotic-free, 5:140
  Antifungal, 5:139
Eczema of, 5:145
External, accessory tragi of, 8:102
Foreign body in
  Antibiotics for, 5:145
  Trick for removing, 5:50
Frostbitten, 5:141
Hematoma of, 5:148
Impetigo contagiosa on, after piercing, 7:177
Internal, damage to, from chain saw noise, 13:104
Pain, diagnosis of, 5:134
  From herpes zoster, 5:140
  In myringitis, 5:140
  Referred, 5:140; 10:122
  From TMJ syndrome, 5:140
Trauma, 5:147
Trick for removing cotton from, 2:141
Wick insertion in, 5:136, 148
  Topical anesthesia for, 3:162
See also *Cerumen; Hearing; Otitis*

Eardrum
Edema and inflammation of, 5:134
Perforated, 8:8 (letter)
  Otitis media as cause of, 5:141
Retracted, otitis media as cause of, 5:146
Ruptured, bone fracture as cause of, 5:147

Ecchymosis

OL
4
92
MI

In blowout fracture, **5**:182
In child abuse, **4**:287
In hand injury, **15**:95
In snake bite, **10**:60

Echocardiography
For aortic dissection, advantages and disadvantages of, **12**:71
For cardiomyopathy
Dilated, **8**:51
Hypertrophic, **8**:41
Restrictive differentiated from pericarditis by, **8**:41
Doppler, for congestive heart failure, **1**:230
For endocarditis, **3**:165
M-mode and 2-D, ischemic stroke or embolism predicted by, **14**:33
For pericardial effusion, **8**:39
Pulmonary embolism signs of, **14**:149
Transesophageal
For aortic dissection, **12**:67
For atrial thrombi, **1**:114
For penetrating chest injury, **8**:72
Transthoracic and
Embolus risk gauged by, **7**:238
For seizure in stroke, **13**:75
Two-dimensional
For fatty liver of pregancy, postpartum, **7**:296
For stroke prediction, **14**:33
For unstable angina, **4**:116

Eclampsia
Differential diagnosis of, **12**:103
Life-threatening symptoms of, **8**:99
In unrecognized pregnancy, **7**:65

Ecthyma
Impetigo contagiosa
As cause of, in lower leg, **7**:177
Differentiated from, **3**:88

Ectopy
Ventricular, increase in, digoxin as cause of, **10**:61

Eczema
Dyshidrotic, acropustulosis differentiated from, **7**:132
In occupational asthma, **13**:31
Otomycosis caused by, **5**:139, 145
In photoallergy, **7**:191

Edema
Arm, in osteogenic sarcoma, error in diagnosis of, **4**:299
In blowout fracture, entrapment related to, **5**:182
Brachial, after heavy lifting, **9**:119, 121
Calf, after gunshot wound, **9**:121
Cerebral
Hyperventilation for, in head injury, **8**:221
Infarction preceding, **13**:68
In disk disease, **10**:51
Eyelid, **7**:39
Facial, from potassium iodide overdose, **8**:176
Foot, causes of, **9**:122, 125
In frostbite, **2**:132
Glottic, risk of, in potassium iodide overdose, **8**:176
Hand
Structural damage indicated by, **15**:95
In wringer injury, **15**:92
In high-pressure injection injury, **14**:180; **15**:92
Idiopathic, history of, in self-induced vomiting, **7**:310
Knee
From ligament rupture, **4**:180
X-ray diagnosis of, **7**:207

OL
4
92
MI

Laryngeal
Anaphylaxis signaled by, **12**:145
Or oral, intubation difficult with, **12**:146
Or periglottic, stridor with, **7**:248
Or tracheal, steroid for, **6**:42
Leg
DVT differentiated from Baker's cyst rupture in, **6**:169
Hypotension therapy as cause of, **15**:153
From lye ingestion, **5**:195
In malabsorption, **6**:127
Mucosal, in asthma, **12**:31
From mast cell and basophil mediator release, **12**:142
Neck, massive, airway obstruction by, in parotitis, **14**:175
In nose fracture, **4**:232
Oropharyngeal, in smoke inhalation, **15**:49
Peripheral
Acute fatty liver as cause of, postpartum, **7**:296
In differentiating Kawasaki disease from scarlet fever, **12**:210
Pulmonary
Acute, broken valve implant as cause of, **8**:92
Alveolar and interstitial, ARDS characterized by, **12**:229
Anaphylaxis differentiated from, **12**:145
Atrial fibrillation associated with, **14**:213
As bronchospasm cause, ruling out, in asthma, **13**:26
Congestive heart failure predicted by, **5**:237
In eclampsia, **8**:99
Face mask ventilation for, **2**:60
In heatstroke, as symptom of underlying disease, **7**:322
In HIV, **9**:127
In MI, **7**:115
Mitral valve implant fracture as cause of, Noncardiogenic, in neuroleptic malignant syndrome, **9**:54
In snake bite, **10**:60
Sublingual, in epiglottitis, **14**:56
In toxic inhalation, **7**:252
Upper airway, in toxic inhalation, **7**:247

Effusion
Baker's cyst rupture differentiated from DVT by, **6**:169
Intra-articular, in knee injury, **7**:207
Percutaneous needle aspiration for, **8**:40
Pericardial, ECG and echocardiography for, **8**:35, 39
Pleural
Recurrent, **12**:92
Rheumatoid arthritis signaled by, **5**:121

Elastase
In cystic fibrosis, inhibition of, **13**:46

Elbow
Adolescent arthritis in, caused by STD, **7**:229
Dislocation, incomplete reduction of, **9**:121, 125
Little league, **14**:290
Pain and swelling of, from rupture of biceps tendon, **9**:119
Synovial fluid aspiration in, **10**:71
Trauma, humeral fracture from, **10**:232

Elderly patients
Appendicitis in, **4**:333
Asthma in, use of metered-dose inhaler for, **13**:21
Atrial fibrillation in, **14**:28, 219
Back pain in, **13**:77
Inadequate evaluation of, **8**:203
Bullous pemphigoid in, **5**:152
Button battery ingestion by, **13**:53

CAD risk in, **11**:151
Cardiac workup for, **4**:115
Cerebral ischemia in, **13**:64
Cervical cancer in, **7**:95
  Atrophy differentiated from, **7**:96
  Pap smear for, **7**:88
Cheilitis, candidal angular, in, **14**:260
Colon
  Cancer in
    Incidence and diagnosis of, **14**:243
    Misdiagnosis of, **4**:311
  Perforation after sigmoidoscopy in, **12**:81
Coma in, **13**:68
Congestive heart failure in, **1**:218
COPD in, **3**:35
Corneal transplantation risk in, **7**:52
Corneal ulcer in, **7**:39
Cough in, chronic productive, **7**:192
Dehydration in, **15**:59
Diarrhea in, **5**:110
Digoxin sensitivity in, **11**:120
Drug interactions in, **1**:21; **12**:113
Dysphagia aortica in, **5**:192
Epileptic disorders in, **13**:70
Epistaxis in, **6**:28
Esophageal carcinoma in, **5**:191
Estrogen for, **7**:96
  Cardiovascular disease decreased with, **14**:36
Euthyroid sick syndrome in, effects of treatment for, **5**:74
Eye medications for
  Confusion of, **9**:60
  Contamination of, **6**:142
Gastropathy in, NSAID-related, **2**:108
GI disturbances caused by anticholinergics in, **1**:22
Headache in, **13**:62
Hearing loss in, disease vs presbycusis as cause of, **15**:155
Heatstroke in, **7**:318, 322
Hernia in
  Diaphragmatic, **1**:204
  Inguinal or femoral, **5**:196
  Misdiagnosed as constipation, **4**:306
Hypertension in, isolated systolic, **14**:28
Hypochlorhydria in, intraluminal bacterial overgrowth caused by, **6**:130
Liver failure in, in hepatitis A, **15**:116
Meat impaction in, dysphagia as cause of, **3**:132
Meningitis in, atypical bacterial, **5**:36
Meningococcal infection in, **15**:158
MI in, **7**:110
  Danger of antiarrhythmic after, **16**:57
Neck pain in, **8**:155; **13**:77
Neurologic diseases in, quick intervention for, **13**:62
Oral cancer in, screening for, **11**:170
Orthostatic hypotension in, **15**:151
Osteogenic sarcoma in, misdiagnosis of, **4**:299
P. aeruginosa nosocomial pneumonia diagnosis complicated in, **10**:91
Parotitis, in, **14**:175
Pneumococcal vaccine for, **5**:173; **14**:53
Prostatic hyperplasia in, **10**:144
Pulmonary embolism risk in, **14**:144
Pulmonary nodule, solitary, in, **9**:91
Revascularization criteria for, **1**:240
Rheumatoid interstitial lung disease in, **5**:117
Sepsis in, risk of and mortality from, **1**:56; **4**:143
Smoking in, benefits of stopping, **14**:49
Spinal cord injury in, with cervical spondylosis, **15**:203
Status epilepticus in, stroke or tumor as cause of, **8**:182
Stress incontinence in, bladder training for, **14**:50
Stroke prevention in, **14**:26
Temporal arteritis in, **8**:118
  Misdiagnosis of, **4**:320

OL
4
92
MI

Theophylline toxicity in, **4**:293
Thrombolysis benefits in, **7**:121
Thyroid disease in, **5**:67
TIAs in, **14**:33
Tuboovarian abscess in, **15**:163
Unstable angina in, **4**:126
UTI in, **6**:145
Vitamin B_{12} deficiency in, neurologic signs of, **10**:198
Wax in ear of, **5**:145

Electrical injury
Management of, **8**:157

Electrical stimulation
For myofascial pain, **5**:171

Electrocardiography
Abnormalities in
After isoproterenol for asthma, **9**:107
In penetrating heart wound, **8**:71
In viral myocarditis mimicking MI, **14**:188
Ambulatory, for advisability of air travel, in CAD, **9**:75
In anaphylaxis, for arrhythmia monitoring, **12**:146
For atrial fibrillation assessment, **14**:214
For chest pain, **5**:235
For electrical burn, **8**:167
Exercise
False-positive results on, **1**:123
As revascularization criterion, **1**:237
With scintigraphy, for multivessel CAD, **1**:70
ST depression on, as predictor of CAD, **1**:73
In hypothermia, in drug abuse, **15**:82
In MI, **5**:236
To differentiate from heart valve fracture, **8**:93
To differentiate from pericarditis, **8**:39
Negative, CK-MB assay after, **8**:61
Normal, in chest pain, **9**:102
Treadmill testing after, **8**:54
Panic disorder and organic disease differentiated by, **14**:110
For pericardial effusion, **8**:39
In potassium ingestion, **14**:125
Preoperative, **14**:90
Pulmonary embolism signs of, **14**:149
Q waves on, CAD severity predicted by, **11**:151
Resting, risk factors in ischemic heart disease assessed by, **5**:77
In smoke inhalation, **15**:56
ST-segment
In heatstroke, **7**:322
In MI, **7**:115
In tricyclic antidepressant toxicity, **11**:126
In unstable angina, **4**:115, 127; **9**:102
Ventricular differentiated from supraventricular tachycardia by, **8**:111

Electroencephalography
For headache in children, **15**:76
For seizure disorders, **13**:76
Refractory, **8**:213
For sleep disorders, **11**:140

Electromyography
For sleep disorders, **11**:140

Electrooculography
For sleep disorders, **11**:140

Electrophysiologic testing
Of amiodarone efficacy, in ventricular arrhythmia, **5**:128
For recurrent angina or MI, **7**:128
For ventricular function after MI, **4**:243

Electrosurgical loop
Conization of cervical specimen by, **6**:121

ELISA test
For hepatitis C, **12**:231; **15**:126
For HIV, inconclusive in infant, **10**:174
For Lyme disease, **11**:41

Elliptocytosis
Splenomegaly associated with, **8**:78

Embolectomy
For aortic occlusion, **14**:72
Pulmonary, indications for and mortality in, **14**:152

Embolism
Air, needle aspiration biopsy as cause of, **9**:94
Aortic, neurologic deficit from, **14**:72
Arterial, in streptococcal endocarditis, **7**:238
Atrial fibrillation as risk for, **14**:215
Cerebral, prevention of, in stroke, **13**:67
Pulmonary
  Anaphylaxis differentiated from, **12**:145
  Bronchial asthma differentiated from, **12**:32
  Diagnosis and treatment of, **14**:144
  Dilated cardiomyopathy as cause of, **8**:51
  Heart valve fracture differentiated from, **8**:93, 94
  O_2 during hospitalization for, **12**:216
  Pleuritic chest pain caused by, **8**:36
  Prolonged sitting as cause of, **9**:81
In retroperitoneal hematoma, **15**:191
  In SLE, **2**:148
  Transdermal vs oral estradiol for prevention of, **14**:276

Embolization
Facial and internal maxillary artery, intractable epistaxis treated by, **5**:80

Emesis
See *Vomiting*

Emphysema
Asthma differentiated from, **12**:40
O_2 for, during air travel, **9**:78
Periorbital, in blowout fracture, causes of, **5**:185
Pharmacotherapy for, **3**:36
Smoking as cause of, **3**:36
Spleen not palpable in, **8**:77
Subcutaneous orbital, sinus fracture signaled by, **5**:182
See also *Chronic obstructive pulmonary disease*

Empyema
Percutaneous abscess drainage for, **12**:92
Pleural, **13**:110
In RA, **2**:147

Enalapril
Careful monitoring of, **10**:62
In congestive heart failure
  In elderly, **14**:35
  Lower mortality with, **10**:62
Pancreatitis caused by, **14**:161
Potassium retention caused by, **10**:62

Encainide
In MI in elderly, danger of, **16**:57

Encephalitis
Headache and changed mental status in, **13**:62
Herpes simplex as cause of, AIDS-related, **9**:128
Measles complicated by, **8**:124
Neuroleptic malignant syndrome misdiagnosed as, **9**:54
Status epilepticus caused by, **8**:182

OL
4
92
MI

In varicella, **16**:94

Encephalopathy
Anoxic
In infant refused admission, **5**:210
In neonate, medical negligence as cause of, **5**:213
In Lyme disease, **11**:34
Metabolic
Diagnosis of, in altered mental status, **8**:214
Toxic, or hypoxic, in epilepsia partialis continua, **13**:76
Posthypoglycemic, after alcohol intake, **8**:173

Endarterectomy
Carotid, for stroke prevention, **13**:68; **14**:34

Endocarditis
Aminoglycoside for, **7**:307
Bacterial, subacute, **8**:81
Culture-negative, uncommon etiologic agent in, **15**:154
Enterococcal, **10**:93; **15**:156
Epidural abscess signaled by, **13**:78
In hypertrophic cardiomyopathy, high risk for, **8**:41
Nolan-Beaty high-risk criteria for, **3**:165
S. aureus
Bacteremia after, in IV drug user at risk for HIV, **9**:128
Echocardiographic diagnosis and prognosis of, **3**:165
Streptococcal, home regimen for, **7**:236

Endocervix
Curettage of, during colposcopy, **7**:98
Gonorrhea of, anorectal gonorrhea with, **10**:102
Upper, sampling of, in postmenopausal Pap smears, **7**:91

Endocrine disorders
In malnutrition, **6**:127
Psychotic behavior caused by, **7**:162
Travel with, advice for, **9**:83

Endometritis
Postpartum, risk for, after cesarean section, **6**:146

Endometrium
Biopsy of, in tuboovarian abscess, **15**:164
Cancer of
From estradiol, prevention of, **14**:275
Pap smear detecting, in elderly, **7**:88
Careful exam of, after negative colposcopy and biopsy, **7**:96
Hyperplasia of, estradiol patch as cause of, **14**:276
Medroxyprogesterone for prevention of, **14**:275

Endophthalmitis
From contaminated eye drops, **6**:142
From infection after cataract surgery, **7**:50

Endorphin
Myofascial pain mediated by, **5**:160, 171

Endoscopy
Activated charcoal contraindicated with need for, **10**:222
For Barrett's epithelium, **5**:191
For button battery in esophagus, **13**:51
For cancer at esophagogastric junction, **5**:193
For corrosive ingestion, **5**:194
Emergency, for sharp objects in esophagus, **3**:139
Esophageal perforation during, **13**:54
For GI bleeding in HIV, **16**:64

OL
4
92
MI

For meat lodged in throat, **3**:135
For mechanical esophageal obstruction, **5**:192
In meprobamate overdose, **10**:142
For obstructive dysphagia, **6**:65, 69
For pancreatitis, **14**:160, 165
For prostatic hyperplasia, **10**:147

Endotoxin
Circulating, sepsis caused by, **4**:144
Heat regulation impaired by endogenous pyrogens acting with, **7**:318
In sepsis and septic shock, **2**:184; **4**:144
ARDS and DIC caused by, **1**:55

Enema
Barium
Appendicitis diagnosed by, **4**:343
In hemorrhoid differential diagnosis, **10**:207
Meglumine diatrizoate, before barium study, **4**:343

Engerix-B
For hepatitis vaccination, dosages, **14**:119

Enophthalmos
From blunt trauma, **5**:182

Entamoeba histolytica
Gastroenteritis caused by, **5**:95
Metronidazole and diiodohydroxyquin for, **5**:115
Stool exam for, **5**:110

Enterobacter
Cephalosporins contraindicated for, **1**:177
In nosocomial pneumonia, **16**:97

Enterococcus
Ampicillin-resistant, in polymicrobial bacteremia, **10**:93
In endocarditis, **15**:156
In systemic infection, **7**:300
In UTI, **6**:147

Enterocolitis
Pseudomembranous, antibiotic resistance to *C. difficile* as cause of, **5**:96

Enuresis
In sleep apnea, **6**:84

Enzymes
Bacterial resistance to aminoglycosides mediated through, **7**:300
Cardiac, measurement of
In acute chest pain, **5**:235
In electrical burn, **8**:167
Rapid test for, **8**:61
Digestive secretion, impaired, in cystic fibrosis, **13**:45
In heatstroke, metabolic heat production increased by, **7**:321
Inhibition of, in isoniazid toxicity, **10**:141
Liver, level of,
In alcohol abuse, **7**:75
In altered mental status, **8**:214
In chronic hepatitis
B, testing for, **15**:124
C, **12**:232
In fatty liver of pregnancy, **7**:297
Muscle, rise in, in neuroleptic malignant syndrome, **9**:56
Pancreatic
For abdominal pain in pancreatitis, **14**:161
Supplemental, before eating, for malabsorption in cystic fibrosis, **13**:45
Serum or plasma, elevated, as warning sign of preeclampsia, **8**:100
In small bowel injury, occult, **1**:44

OL
4
92
MI

Eosinophilia
Differential diagnosis of, **1**:147

Eosinophils
Infiltration of, causes of, **12**:142
Inflammatory cells with, in sputum of asthmatic with cough, **12**:32

Ephedrine
Abuse, as cocaine substitute, **11**:91

Epididymitis
Causes of **6**:145, 157

Epigastrium
Pain in
In eclampsia, convulsions heralded by, **8**:99
Gastric injury from lye ingestion as cause of, **5**:195

Epiglottis
Injury to, from lye ingestion, **5**:195

Epiglottitis
Adult vs pediatric, **14**:54
Organisms associated with, **14**:56
Presentation of, **14**:54, 61
Diagnosis and treatment of, **6**:42; **14**:61

Epilepsia partialis continua
Vigorous treatment for, **13**:76

Epilepsy
In elderly, causes of, **13**:70
Focal source of, in generalized seizure after stroke, **13**:75
Idiopathic, in alcoholism, **8**:175
With migraine, **3**:54
Migraine related to, in children, **15**:71
Nonfebrile seizure in, unnecessary lab work for, **12**:198
See also *Seizures; Status epilepticus*

Epinephrine
For airway obstruction, **6**:42
For anaphylaxis
During beta blockade, **12**:153
Immediate use of, **12**:146
From insect sting, **11**:230
For asthma, subcutaneous, **12**:56; **13**:26
In CPR, dosage of, **7**:225
For embedded fishhook, **5**:180
For epistaxis, **6**:26
For finger anesthesia, contraindicated, **15**:102
In hemorrhoidal disease, outpatient care of, **10**:208
For Hymenoptera sting
Of foot, error in local injection, **4**:312
Kit for, **7**:172; **12**:142
Myocardial and cerebral perfusion increased with, **7**:223
In shock, renal tissue CO_2 increased by, **5**:209
For upper respiratory infection, dosage error in, **4**:310
For vaginal-hymenal bleeding, **3**:159

Epiphysis
Slipped
Capital femoral, **3**:180
Grade 2, hip, referred pain to knee caused by, **9**:113, 114

Epistaxis
In blowout fracture, **5**:182
Diagnosis and treatment of, **6**:26
Idiopathic posterior, **5**:80
From nose fracture, **4**:235

OL
4
92
MI

Tricks for managing, **5**:50

Epithelium
Airway, permeability of, in asthma, **12**:31
Barrett's, **5**:191; **6**:69; **11**:105
Cervical
Acetowhite, on colposcopy, **6**:117; **7**:92
Invasive cancer ruled out by colposcopy of, **6**:115
Columnar, risk of disseminated gonorrhea increased by, **7**:230
Corneal, cyanoacrylate toxic to, irrigation for, **9**:62
Nasal, chloride secretion stimulated in, in cystic fibrosis, **13**:46
Pulmonary, chloride and sodium concentrations in, in cystic fibrosis, **13**:40

Epstein-Barr virus
Labial genital ulcer in infectious mononucleosis caused by, **6**:112

Ergotamine
For migraine, **3**:54
In children, **15**:80
In rebound headache, **16**:129

Erosio interdigitalis blastomycetica
Differential diagnosis of, **5**:152

Erysipelas
Differential diagnosis of, **12**:62
Streptococcal, **13**:110

Erysipeloid
Erysipelas differentiated from, **12**:62

Erythema
Chronica migrans, Lyme disease signaled by, **11**:30
Elevatum diutinum, granuloma annulare differentiated from, **3**:88
In erysipelas, **12**:62
Hymenoptera sting as cause of, **7**:172
Multiforme
Bullous pemphigoid differentiated from, **5**:152
Diagnosis of, **15**:136
In Kawasaki disease, **12**:210
Of lips, causes of, **14**:259
Nodosum, adolescent arthritis differentiated from, **7**:229
In phototoxic dermatitis, **7**:189
Delayed, **7**:191
Of pinna, **5**:136
Toxicum neonatorum, acropustulosis differentiated from, **7**:132

Erythrasma
Tinea cruris differentiated from, **7**:180

Erythrocytosis
Home O_2 therapy for, **10**:165

Erythroderma
In photoallergy, **7**:191

Erythromycin
For Campylobacter diarrhea, **5**:115
For Chlamydia
With gonorrhea, **10**:105
In pregnancy, **3**:151
For dog or cat bite, **15**:111
Drug interactions with, **1**:31; **4**:294
For erysipelas, streptococcal, **12**:62
For hand wound, **15**:102
Hearing loss caused by, reversal of, **8**:232
For impetigo contagiosa, **7**:178
For legionnaires' disease, **5**:234

OL
4
92
MI

For Lyme disease, **11**:42
As motilin agonist, **9**:52
Nausea and vomiting caused by, prevention of, **9**:49
Ointment
For chemical burns of eye, **4**:257
For tarsorrhaphy, **9**:59
For paronychia, **15**:105
For pneumonia, community-acquired, **9**:49

Erythroplakia
Oral cancer signaled by, **11**:181

Escharotomy
For electrical injuries, **8**:167

Esmolol
For unstable angina, **9**:104

Esophagitis
Drugs as cause of, **6**:72
Erosive, surgery indicated for, **11**:105
Methotrexate as cause of, **12**:194
Monilial, painful swallowing in, **5**:186
Sclerodermatous, reflux in, **5**:192

Esophagography
In alkaline corrosive ingestion, choice of patients for, **14**:93
Dysphagia evaluation inadequate with, **6**:69
For esophageal leakage, **13**:61
Esophageal perforation during endoscopy confirmed by, **13**:54
Foreign body ruled out by, **6**:44

Esophagus
Barrett's
Carcinoma risk in, **5**:191
Dysphagia caused by cancer in, **6**:69
Surgery indicated for, **11**:105
Bleeding in, splenomegaly associated with, **8**:81
Button battery in
Effects of, **13**:53
Endoscopy for, **13**:51
Carcinoma in
In celiac sprue, **6**:139
Dysphagia caused by, **5**:191; **6**:69
Onset date important sign of, **6**:65
From lye ingestion, **5**:195
Contractions of, dysphagia caused by, **5**:188
Disruption of
Blunt neck injury as cause of, **8**:151
Pneumothorax caused by, **4**:208
Electrical injury to, **8**:168
Foreign body in, **3**:135
Diagnosis and removal of, **3**:131
Hairy, skin graft as cause of, **6**:70
Impingement on, by pericardial sac, **8**:39
Injury to, from alkaline corrosive ingestion, **5**:194; **14**:93
Obstruction of, dysphagia caused by, **5**:188
Pain in
Differentiated from MI, **7**:110
Alkaline corrosive ingestion signaled by, **14**:94
Perforation of
By foreign body, **3**:132
In gastric lavage, **10**:221
Mediastinal abscess caused by, **12**:92
Medical vs surgical management of, **13**:54
Reducing risk of, **8**:131
Schatzki's mucosal rings in, dysphagia caused by, **5**:191
Spasm in, dysphagia caused by, **5**:192
Stenosis of, **6**:69
Ulcer of, in dysphagia, **6**:69

Esterase test
In cystitis, **4**:32

OL
4
92
MI

Estradiol
For postmenopausal women, **14**:275

Estrogen
Deficiency
Atrophic changes caused by, **7**:96
Stabilization and regression of fibroadenoma in, **8**:226
Pancreatitis caused by, **14**:160
In prostate cancer, **9**:33
Replacement
Cardiovascular disease reduced by, **14**:36
Osteoporosis prevented by, **14**:275
Transdermal patch vs oral, **14**:276
Therapy, pulmonary embolism risk associated with, **14**:144

Ethambutol
Eye disorders caused by, **8**:114
For *M. avium* complex infection and bacteremia in AIDS, **13**:89

Ethanol
For methanol poisoning, **8**:120; **15**:83

Ethyl chloride
In cyst removal, misuse of, **4**:293
For ganglion aspiration, **15**:38
For hemorrhoid, thrombosed external, to freeze local tissue with, **10**:94
For Morton's neuroma, **15**:37
For plantar corn and wart, **15**:38
For plantar fasciitis, **15**:34
For subungual hematoma, misuse of, **10**:60
For synovial fluid aspiration of joint, **10**:71

Exercise
Anaphylaxis induced by, **12**:154
For ankle sprain, **11**:167
Asthma induced by, **13**:21, 32
Challenge testing for, **12**:32, 40; **13**:32
In cystic fibrosis
Increased tolerance for, **13**:45
In physiotherapy for, **13**:42
For disk disease, **10**:54
After frostbite, **2**:137
Leg injuries associated with, **11**:153
For spondylolysis, back extension, **10**:36
Stress testing
For air travel, **9**:75
For CAD, clinical indicators as alternative, **11**:151
In chest pain management, **5**:240
Management decisions in, **14**:271
After MI, alternatives to, **5**:77
Predictive value of, **4**:305
For silent ischemia, **2**:165
In unstable angina, **4**:141
Stretching, for tight hamstrings and hip flexors, **10**:36
Sudden death during
In athlete with myocarditis, **8**:51
In hypertrophic cardiomyopathy, **8**:41
Tolerance, **8**:54; **10**:62

Eye
Allergic manifestations in, **7**:35
Anaphylactic reactions of, **12**:146
In asthma, **12**:50
Anesthesia, cocaine for, **11**:78
Anterior chamber, determining depth of, **8**:114
Black, **4**:260
Blowout fracture of, **4**:265; **5**:181, 182, 185
Cyanoacrylate adhesive instillation into, **9**:59
Devices for examining, **4**:249
Disorders
In skin disease, **7**:33

Systemic drugs as cause of, **8**:114
Drops, iatrogenic infection caused by, **6**:142
Emergencies, minor, guidelines for office management of, **4**:245
Eyelash in, removal of, **4**:251
Foreign body in
Management of, **4**:251; **11**:99
Toxic, **2**:145
Trick for removal, **16**:46
Fundus, intracranial pressure changes seen in, **13**:64
Globe perforation
From corneal ulceration, **7**:235
Diagnosis and treatment of, **4**:258
Hemorrhage, subconjunctival, after cough CPR, **12**:171
Infection in, **4**:250
Irritation, hydrogen sulfide as cause of, **7**:261
Patching
For chemical burns, **4**:257
Contraindications to, **4**:250
Technique for, **4**:251
Penlight exam of, **7**:33
Red, **4**:257; **7**:235
Surgery, risks and benefits of, **7**:49
Trauma to
Management of, **4**:257; **8**:120
Periorbital or facial injuries associated with, **4**:260
See also *Blindness; Cornea; Pupil; Retina; Sclera; Vision*; specific disorders

Eyelash
In eye, removal of, **4**:251
Gum on, trick for removal of, **11**:99
Trimming, for cyanoacrylate adhesive tarsorrhaphy, **9**:59

Eyelid
Atopic dermatitis of, **7**:35
Chalazion or hordeolum of, **7**:34
Closure, interference with, **4**:258
Dermatomyositis of, **7**:39
Infection, **4**:256
Laceration, **4**:265
Margins, blepharitis and meibomitis of, **7**:34
Penlight exam of, **7**:33
Tarsorrhaphy of, **9**:60

F

Face
Fractures of, **6**:46
Palsy, in Lyme disease, **11**:30
Paralysis of, from temporal bone fracture, **5**:147
Swelling of, from potassium iodide overdose, **8**:176
Wound of, in chain saw injury, **13**:104

Fasciitis
Necrotizing, perianal cellulitis differentiated from, **14**:156
Plantar, causes and treatment of, **11**:162; **15**:34, 36

Fasciotomy
For compartment syndrome, **9**:121; **11**:163
In high-pressure injection injury, **14**:183
For vascular or respiratory compromise, **8**:167

Fatigue
In CAD, driving long distances as cause of, **9**:75
In cystic fibrosis exacerbation, **13**:41
In hepatitis, **12**:232
From interferon treatment, **15**:130
In HIV, **7**:142
In Lyme disease, **11**:30

OL
4
92
MI

In orthostatic hypotension, **15**:151

Feces
Bacterial flora in, drugs affecting, in UTI, **6**:149
Impaction of, mismanagement of, **4**:311
Tests on, **4**:107; **5**:109; **12**:109

Felon
Treatment of, **15**:105

Femur
Anteversion of, gait abnormality caused by, **11**:170
Articular cartilage damage in, **7**:205
Bruised, from valgus stress, **7**:206
Fracture
  Auscultation for, **1**:119
  In infant, error in diagnosis of, **4**:300
  Tibial with, **4**:310
Healed juvenile cortical defect in, **5**:248
Metastasis in, **10**:122
Necrosis of, from steroids for malignant lymphoma, **10**:118
Stepped capital epiphysis of, **3**:180

Fenoterol
Overuse of, **7**:166

Ferrous sulfate
Esophagitis caused by, **6**:72
Iron poisoning with, **14**:100

Fever
AIDS-related CNS infection signaled by, **9**:128
Bacterial invasion in GI infection signaled by, **5**:98
In gonococcal infection, **10**:102
In herpetic gingivostomatitis, **14**:260
High
  In burned child, implications of, **11**:217
  In endocarditis with prosthesis or graft, **15**:154
  In erysipelas, **12**:62
  In neuroleptic malignant syndrome, **9**:53
In HIV, **10**:188
In infants, outpatient treatment of, **1**:124
In infection in elderly, muted, **13**:62
In Kawasaki disease, **12**:210
Low-grade
  In cystic fibrosis exacerbation, **13**:41
  In SLE, **12**:194
In *M. avium* complex infection, **13**:89
In meningitis
  Bacterial, **5**:36
  Cryptococcal, relapse signaled by, **12**:196
  Meningococcal, **15**:158
Neutropenia with, **10**:82
In occult bacteremia, **16**:67
In PCP, **10**:180
In pericarditis, **8**:36
In seizure
  Vs infection as cause of, in child, **8**:208
  Meningitis indicated by, **11**:117
In sepsis syndrome, **1**:54
After sigmoidoscopy, perforation signaled by, **12**:81
Status epilepticus caused by, **8**:182
Technique for IM injection in nontoxic infant with, **14**:255
In traveler with heart disease, **9**:72
Of unknown origin
  Imaging vs lab studies for, **2**:87
  Recurrent, as migraine variant in children, **15**:71
In unstable angina, **9**:101
In UTI, **6**:146
In varicella, **8**:102; **16**:92
See also specific fevers

OL
4
92
MI

Fibrillation
Atrial
Control of, **14**:213
Drug management of, after cough CPR, **12**:171
New-onset, screening for thyroid disease in, **5**:68
Nonvalvular, preventing stroke in elderly with, **14**:28
Stroke prophylaxis for, **1**:167
Thrombus risk associated with, **1**:111
Ventricular
In cardiac arrest, **5**:209
After coronary occlusion, **7**:127
Cough CPR for, **12**:171
From electrical injury, **8**:158
Harbingers of, **9**:76
Hyperthyroidism, apathetic, as cause of, **5**:74

Fibroadenoma
Breast
In augmented breast, biopsy contraindicated for, **6**:100
Benign, **8**:225
Nonsurgical follow-up of, **8**:226

Fibromyalgia
Chronic pain syndrome accompanying, **5**:170
Lyme arthritis differentiated from, **11**:34
Myofascial pain differentiated from, **5**:170
Tension headache caused by, **5**:159
Treatment of, **5**:172

Fibroplasia
Retrolental, in premature neonate, **12**:228

Fibrosis
Bladder, cyclophosphamide as cause of, **12**:194
Brachial, radiation as cause of, **10**:121
Hemoptysis caused by, **8**:231
In hepatitis B, **15**:123
Interstitial, causes of, **5**:121
Mediastinal, dysphagia caused by, **6**:70
Myocardial, cardiomyopathy caused by, **8**:40
Pericardial, tamponade caused by, **8**:39
Pleural, in rheumatic disease, **2**:150
PO_2 for prediction of flying problems with, **9**:82
Pulmonary
During hospitalization, **12**:216
Idiopathic, **12**:81
Paraquat poisoning as cause of, **3**:81
In rheumatic disease, **2**:147
Retroperitoneal, malabsorption caused by, **6**:123
Rotator cuff, **12**:136
Testicular, **8**:138

Fibula
Fracture of, **9**:119, 121; **16**:140
Skiing injuries to, **16**:74, 75

Finger
Anesthesia for, epinephrine contraindicated as, **15**:102
Deformity of, **15**:108
Fractures of, **15**:95, 110
Frostbitten, **1**:85
Hair tightly wound around, trick for removing, **7**:265
High-pressure injection injury to, **14**:179, 183
Infection of, **15**:105
Jammed, **15**:95
Laceration, hemostasis for, **3**:159
Stick glucose test, **4**:311; **12**:196
Tip, avulsion of, **15**:111; **16**:46
Trick for removing ring from, **16**:46
Wounds, trick for cleaning, **3**:163

Fingernail

OL
4
92
MI

Abscess, trick for lancing, **3**:164
Avulsion, **3**:164; **15**:111
Bed, malformations of, selenium megadoses as cause of, **4**:277
Fungal infection of, **7**:179
Paronychia, **15**:105
Suturing through, trick for, **3**:162
See also *Hematoma*, subungual

Fire ant bite
Anaphylaxis from, **11**:233
Treatment of, **3**:159

Fishhook
Wounds, **5**:179

Fish-odor syndrome
Trimethylamine as cause of, **14**:232

Fistula
Auricular, accessory tragi differentiated from, **8**:102
AV, in hereditary hemorrhagic telangiectasia, **14**:265
Branchial, accessory tragi differentiated from, **8**:102
Enterocolonic
  Intraluminal bacterial overgrowth caused by, **6**:130
  Surgery for, **6**:135
Tracheoesophageal
  Button battery in esophagus as cause of, **13**:53
  Esophageal carcinoma as cause of, **5**:191
Transdiaphragmatic, **12**:92

Flatfoot
Causes and treatment of, **11**:171

Flecainide
In MI in elderly, danger of, **16**:57

Fluconazole
For cryptococcal meningitis,
  Adverse effects of, vs amphotericin B, **12**:196
  Oral daily, vs IV weekly amphotericin B, **12**:195
For HIV, **7**:154

Fludrocortisone
For Addison's disease, **9**:84
For orthostatic hypotension, **15**:152, 153

Flumazenil
In neurologic status evaluation, **8**:217

Flunisolide
For rhinorrhea, **6**:31

Flunitrazepam
For refractory seizures, **8**:213

Fluocinolone
For ear eczema, **5**:145

Fluorescein
Staining, for corneal abrasion, **4**:251; **5**:182; **8**:114
Strips, for minor eye injuries, **4**:250

Fluoromethane
Skin spray, for myofascial pain, **5**:171

Fluoroquinolone
For *P. aeruginosa* nosocomial pneumonia, **10**:91

Fluoroscopy
In benign prostatic hyperplasia, **10**:147

I
O
E
X

OL
4

92

MI

In dysphagia, **6**:69

Fluorouracil
For actinic cheilitis, **14**:261
For colon cancer, **5**:206
For hypertrophic scar, **15**:183
For premalignant vaginal lesion, **7**:96

Fluoxetine
MAO inhibitor interaction with, **1**:32; **12**:204
Toxicity from, **11**:136

Fluphenazine
Neuroleptic malignant syndrome caused by, **9**:53

Flying
Stresses of, **9**:75

Folic acid
Phenytoin interaction with, **1**:32

Folliculitis
Pseudofolliculitis barbae differentiated from, **15**:143

Foot
Acropustulosis on, **7**:132
Athletic injuries to, **11**:153
Cutaneous larva migrans on, cause of, **10**:194
Diabetic lesions of
  Care of, in travel, **9**:85
  Diagnosis and management of, **1**:89
  Osteomyelitis risk in, **1**:77
Drop, surgery for, **10**:51
Edema, in Kawasaki disease, **12**:210
Lisfranc fracture in, **9**:122, 125
Nerve damage in, trick for illustrating, **2**:141
Pain
  Causes of, **15**:34
  From trauma, **3**:179
Swollen, falling off ladder as cause of, **9**:122, 125
Tinea in, **7**:179
Vibratory sense perception in, in vitamin B_{12} deficiency, **10**:200
See also *Calcaneus; Heel; Toe*

Foreign body
In ear canal, **5**:50, 145, 148
  Hearing loss from, **15**:169
  Trick for removing, **2**:141
Esophageal, **3**:132, 135, 140
In eye, **4**:257
  From blowout fracture, **5**:182
  Swabbing for, **11**:99
  Toxic, **2**:145
  Trick for removing, **16**:46
GI
  In child, difficulty of diagnosing, **3**:132
  Removal of, **3**:131
  Sharp, gastric decontamination contraindicated for, **10**:214, 221
  X-ray for, **3**:141
In hand, from bite, **15**:111
In high-pressure injection injury, residual, **14**:183
Nasal, removal of, **4**:191; **6**:34; **10**:94; **14**:96
Rectal, removal of, **3**:142
Sensation, causes of, **6**:44; **8**:39
Slit lamp for removal of, **3**:158
Subungual, removal of, **15**:183

Formication
In deafferentation pain, **8**:196

Foscarnet
For herpes simplex, **10**:81

Fracture
Alcoholics prone to, **7**:76

OL
4
92
MI

Bronchial, pneumothorax caused by, **4**:208
As common sign of child abuse, **4**:284, 287
Displaced, axillary x-ray view for, **9**:125
In multiple trauma, **9**:122
Insignificant, dangers of, **9**:113
Intubation method not dictated by, **12**:73
Open, urgent treatment of, **9**:114
In orthostatic hypotension, **15**:152
Osteochondral, **7**:205
Osteoporotic, **14**:275
Pathologic, in malabsorption, **6**:127
In skiing, **16**:73
Status epilepticus as cause of, **13**:76
Stress
  In adolescent, **3**:179
  Clinical presentation of, **4**:89
  In infant, **3**:177
  Mechanism and management of, **11**:163
  Trick for recognizing, **8**:131
See also *Trauma*; specific fractures and anatomic sites

Friction rub
In pericarditis, **8**:36

Frostbite
Diagnosis and management of, **1**:85; **2**:121
Ear, **5**:141

Fundoplication
Nissen, for gastroesophageal reflux disease, **11**:105

Fungal infection
Erosio interdigitalis blastomycetica, diagnosis of, **5**:152
Hand ulcer from, **15**:105
In HIV
  Reactivation, **4**:273
  Routine use of fluconazole or ketoconazole for, **7**:154
Nosocomial pneumonia caused by, **16**:97
PCP mimicked by, **15**:142
On toenail, **15**:45
See also specific fungi

Fungemia
In multiple-organ failure, **5**:225

Furazolidone
For giardiasis, **5**:115

Furosemide
For cerebral edema after infarction, **13**:68
For elderly, side effects from, **12**:116
Pancreatitis caused by, **14**:161
For SLE, **12**:194

G

Gadolinium
MRI enhanced with, for epidural metastasis in elderly, **13**:78

Gag reflex
Absent, lavage for gastric emptying with, **10**:217
Intact, as condition for ipecac use, **10**:214

Gait
Abnormal, in child
  Musculoskeletal causes of, **11**:168
  Posterior fossa hematoma signaled by, **8**:223
Ataxic, as sign of cerebellar hemorrhage, **13**:64
Test, in right-sided hemiparesis, **5**:210

Gallbladder
In children, common disorders affecting, **3**:173

OL
4
92
MI

Disease, preeclampsia mimicking, **8**:100
Dyskinesia, pancreatitis associated with, **14**:165
Electrical injury to, **8**:168
Laparoscopic removal of, **2**:79

Gallium
Radionuclide scanning with, in myocarditis, **8**:51
Scintigraphy, in PCP, **9**:128

Gallstone
Pancreatitis associated with, **14**:159

Gamma-glutamyl transferase
Alcohol abuse linked to elevations in, **7**:75

Gamma-hydroxybutyrate
Toxicity, **12**:203

Gangrene
Of foot, in diabetes, **1**:89
In high-pressure injection injury, **14**:180

Gastrectomy
Billroth II, intraluminal bacterial overgrowth caused by, **6**:130

Gastric emptying
See *Decontamination*

Gastroenteritis
Abdominal pain in diabetes misdiagnosed as, **3**:147
Chemical toxins as cause of, **5**:96
E. histolytica as cause of, **5**:95
Norwalk virus in water-borne outbreaks of, **5**:95
Placenta percreta misdiagnosed as, **12**:103
Preeclampsia mimicking, **8**:100
Rotaviruses as cause of, **5**:92
Viral, appendix rupture misdiagnosed as, **4**:298

Gastroesophageal reflux
In HIV, GI bleeding from, **16**:60

Gastrointestinal tract
Abnormalities, cystic fibrosis signaled by, **13**:40
Anaphylactic reactions of, **12**:146
Bleeding
  In alcohol abuse, anemia caused by, **7**:72
  In heatstroke, as symptom of underlying disease, **7**:322
  In HIV, **16**:60
  Management of, **5**:62
  Unstable angina caused by, **9**:101
Decontamination
  Choices for, **10**:212
  For hyperserotonin syndrome, **12**:204
  In multiple-system organ failure, **5**:225
Disease in
  Anticoagulation contraindicated in, **14**:219
  Coronary atherosclerosis misdiagnosed as, **4**:305
  Stool guaiac of little value in, **12**:110
  Unreported sexual abuse as cause of, **6**:171
Distress
  AZT as cause of, **7**:144
  ddI as cause of, **7**:153
  Griseofulvin as cause of, **7**:179
  Iron toxicity as cause of, **14**:99
  Malabsorption signaled by, **6**:123
  Panic disorder as cause of, **14**:108
  Sodium azide as cause of, **8**:176
  Theophylline as cause of, **13**:22
Drug interactions affecting absorption in, **1**:21
Drug packets in, rupture of, **3**:141; **12**:204
Erythromycin side effects in, **3**:151; **9**:49
Foreign body in, **3**:131
Gas in, pleuritic chest pain caused by, **8**:36

OL
4
92
MI

Infection in, **5**:90, 109
Injury to, button battery ingestion as cause of, **13**:51
Perforation, lye ingestion as cause of, **5**:195
Systemic failure of, **5**:225
See also *Bowel; Colon; Esophagus*

Gastropathy
NSAIDs as cause of, **2**:108

Gastrostomy
For body packer, **12**:207
Tube stabilization in, **1**:183

Gaucher's disease
Asymptomatic splenomegaly in, **8**:81

Gavage
For alcoholic hypoglycemia, **8**:174

Gene
Bands from, in Western blot test, **7**:141
Factors, in celiac sprue, **6**:135
HIV in, **7**:137
Regulation, abnormalities in, cancer caused by, **5**:199
Therapy, for cystic fibrosis, prospects of, **13**:45

Genitourinary symptoms
Sexual abuse in childhood as cause of, **6**:172

Gentamicin
For appendix rupture, **1**:200
For bacterial meningitis, **8**:217
For colon perforation after sigmoidoscopy, **12**:81
For nosocomial pneumonia, **10**:91; **16**:108
Ophthalmic drops
  For draining ear, **5**:141
  For otitis externa, **3**:163; **8**:8 (letter)
For PID, **10**:108
Resistance to, **7**:303
For streptococcal endocarditis, home treatment with, **7**:238
For urosepsis, **7**:299

Giardiasis
Diarrhea caused by, **5**:95, 98
Stool examinination for, **5**:110
Treatment of, **5**:115

Gingivitis
In HIV, **7**:142

Gingivostomatitis
Herpetic, **14**:260

Ginseng
Overdose, **4**:281

Glasgow Coma Scale
For head injury prognosis, CT scanning vs, **1**:174
Inadequacy of
  In children, **8**:207
  In mild or moderate injury, **13**:111

Glaucoma
Cataract surgery in, **7**:49
Corneal transplant in, increased risk of, **7**:52
Headache caused by, **13**:64
Iridectomy for, **7**:51
Precipitation of, **5**:185
Retinal detachment surgery as cause of, **7**:57
Signs of, **4**:256; **7**:33
Trauma-induced, **5**:182
Treatment for, **7**:51; **8**:117
Visual loss caused by, **8**:112, 117

N
O
X

OL
4

92

MI

Gliadin
Intolerance to, in celiac sprue, **6**:135

Globulin
Antithymocyte, for myocarditis, **8**:51
Gamma, immunization with, for travel, **15**:115
Immune
  Hepatitis B at birth, **14**:119
  For rabies, **15**:111
Immune serum, for hepatitis C, protection of neonate with, **12**:232

Globus
Pharyngeus, foreign body sensation caused by, **6**:45
Sensation, dysphagia differentiated from, **5**:186

Glomerular filtration
Reduced, ACE inhibitor as cause of, **10**:62

Glomerulonephritis
Impetigo contagiosa complicated by, **7**:177

Glossitis
Malabsorption as cause of, **6**:127

Glucagon
For anaphylactic shock, in beta blockade, **12**:153
For esophageal foreign body, **3**:140
In organ failure, **5**:216

Glucose
For alcohol withdrawal, **8**:174
Amniotic fluid, in intra-amniotic infection, **1**:178
Blood
  Capillary monitoring of, in travel with diabetes, **9**:86
  Fingerstick test for, in seizure, **12**:198
  In gestational diabetes, **2**:63
  Iron toxicity ruled in but not out by, **14**:100
  Rapid reagent strip for, to rule out hypoglycemia, **8**:208
Intolerance, systemic steroid as cause of, **13**:25
For potassium overdose, **14**:126
In rehydration of children with diarrhea, **16**:123, 127
For status epilepticus, **8**:182
Tolerance test, revised values for gestational diabetes, **4**:266

Glucose-6-phosphate dehydrogenase
Deficiency
  Dapsone contraindicated in, **10**:187
  Drug induced hemolytic anemia **7**:153, 258
  TMP-SMX contraindicated in, **10**:182

Glycerol
For cerebral edema after infarction, **13**:68

Glycogen storage disease
Familial, restrictive cardiomyopathy as cause of, **8**:41

Glycopyrrolate
For GI toxicity
  Prevention of, **9**:49
  Reversal of, **9**:52

Goiter
Chronic iodide ingestion as cause of, **8**:179

Gold
For asthma, **13**:25
Lung disease from, **5**:121

Goldenseal
Overdose, **4**:282

OL
4
92
MI

Gonadotropin
See *Human chorionic gonadotropin*

Gonorrhea
Diagnosis of, **10**:102
Disseminated
Antibiotic-resistant organisms as cause of, **10**:102
Arthritis in, **7**:229
Joint infection in, **15**:105
Misdiagnosed as SLE, **14**:197
Drug resistance in, **10**:102
In gout, **10**:102
Pharyngitis caused by, **6**:41
PID complicating, **10**:101
Therapy for
CDC guidelines for, **10**:105
Change in, **10**:101
Prophylactic, for adolescent rape victim, **3**:103
For sexual contacts, **10**:108
Urethritis and cervicitis in, **10**:101

Goodpasture's syndrome
Pulmonary dysfunction in, **2**:151

Gordolobo yerba
Overdose, **4**:282

Gout
Disseminated gonococcal infection in, **10**:102
Monoarticular arthritis as first sign of, **10**:67
Peripheral vascular disease diagnosed as, **4**:299
Synovial fluid analysis for, **10**:68
Toe, nerve block for, **12**:230

G6PD
See *Glucose-6-phosphate dehydrogenase*

Gram stain
In bacterial pneumonia, **4**:54
CSF, in meningococcal infection, **15**:158
Drying rack for, improvised, **3**:162
In gonococcal urethritis diagnosis, **10**:101
In penile ulcer, **6**:112
In sepsis, **2**:194
Synovial fluid analysis with, **10**:68
Urinary, **3**:26; **7**:299

Granulocyte count
Interferon therapy monitored with, **15**:130

Granulocytopenia
Imipenem monotherapy vs combined therapy for, **10**:84

Granuloma
Annulare, **3**:88
Cutaneous larva migrans differentiated from, **10**:194
Benign solitary pulmonary nodule diagnosed as, **9**:91
In high-pressure injection injury, **14**:183
Inguinale, penile ulcer caused by, **6**:111
In PCP, **15**:142
Periapical, hemangioma differentiated from, **14**:156
Silicone, from breast implant leakage, **6**:90
Umbilical, trick to treat, **2**:141
See also *Wegener's granulomatosis*

Grease gun
High-pressure injection injury caused by, **14**:179

Griseofulvin
For kerion in tinea capitis, **7**:185
Phototoxic dermatitis induced by, **7**:189
For tinea infection, **7**:179

OL
4
92
MI

Groin
Lymphadenopathy, penile ulcer associated with, **6**:111
Pain, causes of, **10**:122
Tinea cruris in, **7**:180

Gualac test
As admission screening test, **12**:109
For colorectal cancer, accuracy of, **14**:237

DL
4
92
MI

H

Haemophilis influenzae
Chronic cough caused by, **7**:192
Epiglottitis caused by, **6**:43; **14**:56
In HIV, **10**:179
Meningitis caused by, **13**:92
  Neurosensory hearing loss in, **8**:218
  Rapid slide test for, **8**:217
In nosocomial pneumonia, **10**:91; **16**:97
In occult bacteremia, **16**:70
Otitis media caused by
  In adults, **2**:67
  In children, **2**:70
Pneumonia, legionnaires' disease differentiated from, **5**:231

Hallucination
In alcohol withdrawal, **8**:173
Auditory, as sign of functional illness, **7**:163
Command, in schizophrenia, **7**:163

Haloperidol
In cancer, for augmentation of opioid analgesia, **10**:123
Dystonic reaction from, **16**:91
Neuroleptic malignant syndrome caused by, **9**:54

Halothane
Muscle contraction in malignant hyperthermia caused by, **7**:324

Hamartoma
Benign solitary pulmonary nodule diagnosed as, **9**:91

Hamman's sign
Pneumothorax detected by, **4**:204

Hammertoe
Diagnosis and treatment of, **15**:43

Hand
Acropustulosis on, **7**:132
Adolescent arthritis from STD in, **7**:229
Cutaneous larva migrans on, **10**:194
Fracture of, **15**:95, 101, 108, 110
  Boxer's, **3**:129
Fungal intertrigo of, **5**:152
Injuries to, **15**:91
  Electrical, **8**:161
  High-pressure injection, **14**:179, 183
Peripheral edema in, in Kawasaki disease, **12**:210
Restraint of, trick for, **11**:99
Venous pattern of, in children, **15**:91

Head
Cancer in, proton beam therapy for, **5**:200
In cervical spine trauma, careful manipulation of, **12**:73
Lice, treatment of, **3**:164
Trauma
  With cervical spine trauma, **15**:208
  CT scanning for, **8**:182; **11**:51; **13**:111
  HMO treatment of, vs ED, **16**:8 (letter)
  Minor
    Migraine after, **1**:105
    Neurologic evaluation for, **8**:204
  Neurosurgery for, **13**:112
  Psychotic behavior caused by, **7**:162
  Severe, treatment for, **8**:221

OL
4
92
MI

Subarachnoid bleeding caused by, **13**:69
Subdural hematoma mismanaged after, **11**:175

Headache
In abused women, **6**:172
AIDS-related CNS infection signaled by, **9**:128
In altitude sickness, **9**:78
Asphyxiation as cause of, **7**:244
In cancer, metastasis as cause of, **10**:118
Signaled by changing pattern, **10**:121
In children and adolescents, classification of, **15**:70
CO poisoning as cause of, **7**:257
Cyanide exposure as cause of, **7**:259
Depression and anxiety in, **11**:215
In eclampsia, convulsions heralded by, **8**:99
Griseofulvin as cause of, **7**:179
Hydrogen sulfide exposure as cause of, **7**:261
Intracranial hemorrhage signaled by, **12**:204
In legionnaires' disease, **5**:231
Lumbar puncture for, error in, **2**:181
In meningitis
Aseptic, **9**:127
Bacterial, **5**:36
Cryptococcal, **12**:196
Meningococcal, **15**:158
Methemoglobin as cause of, **7**:258
Methylprednisolone as cause of, **12**:192
In orthostatic hypotension, **15**:151
Panic disorder as cause of, **14**:108
Phenylpropanolamine as cause of, **12**:104
In psychogenic musculoskeletal pain, **6**:76
In sleep apnea, on awakening, **6**:84
Tension, causes and treatment of, **5**:159
Underlying disease signaled by, **13**:62
In upper UTI, **6**:146
See also *Migraine; Tension headache*

Health-care worker
Dealing with
Agitated AIDS patient, **3**:118
Violent patient, **7**:164
Hepatitis B in, incidence of, **15**:119
HIV risk to
In aerosol administration, **1**:213
From infected blood, **7**:137
Protective gear, for pesticide decontamination, **3**:61

Health Maintenance Organization
Standard of care in, **11**:176
Defense of, **16**:8 (letter)

Hearing aid
Battery in, ingestion of, **13**:53
Correct uses of, **15**:177

Hearing loss
With ceftriaxone, lower incidence of, **8**:217
Drug interactions as cause of, **12**:119
Ear drainage as sign of, **5**:141
Ear pain as sign of
Acute bullous myringitis as cause of, **5**:140
Fluid or infection in middle ear as cause of, **5**:134
In elderly, differential diagnosis of, **15**:165
Erythromycin as cause of, **8**:232
Moro's reflex test for, **8**:207
Neurosensory
Causes of, **8**:218
Sudden, prognosis in, **5**:146
Otosclerosis as cause of, **15**:173
Pneumococcal meningitis as cause of, **13**:92
Presbycusis as cause of, **15**:165
Serous otitis media as cause of, **5**:146
Stethoscope as amplifier in, **11**:99
Temporal bone fracture as cause of, **5**:147
Wax as cause of, **5**:145

I
O
E
K

OL
4

92

MI

Heart
Apical impulse, palpation of, vs intercostal space percussion, **9**:131
Arm pain referral from, **10**:122
Contractility of, decreased, in dilated cardiomyopathy, **8**:42
Cough transmission of kinetic energy to, **12**:170
Electrical current crossing, danger of, **8**:158
Enlargement
  In dilated cardiomyopathy, **8**:41
  In MI, **7**:115
Flow to in cardiac arrest, sternal compression for, **7**:223
Function of
  In acute pancreatitis, criteria for judging, **4**:163
  Left-ventricular
    In hypertension
    In ischemic stroke or embolism, **14**:33
    Normal, in three-vessel CAD, management of, **14**:271
    Poor, in aortic stenosis, signaled by S_3, **16**:53
    In viral myocarditis, MI mimicked by, **14**:188
Heated blood effects on, **7**:314
Hypertrophy of
  Left-ventricular
    CHF caused by, **1**:218
    Therapy for, **1**:237
Output
  In exertional vs classic heatstroke, **7**:322
  Reduction of
    In pericardial tamponade, **8**:35
    In shock, **5**:207
Penetrating injury to
  Diagnosis and treatment of, **8**:71
  Location of, **8**:71
  Pericardial tamponade and cardiac arrest after, **8**:40
Pericardial function in, **8**:35
Protection of, in potassium overdose, **14**:126
Rate, home measurement of, **4**:345
Sounds
  In MI, **7**:110
  Third, significance of, **16**:53
Strain, right-sided, in cystic fibrosis, **13**:45
Tamponade of, **8**:39
Toxicity to, in asthma, **9**:107
Valve
  Aortic, outflow obstruction through, in cardiomyopathy, **8**:41
  Prosthetic
    Anticoagulation guidelines for, **14**:220
    Fracture of, **8**:84, 92
    Infected, as cause of endocarditis, **15**:156
See also *Arrhythmia; Cardiac arrest; Catheterization, cardiac; specific arrhythmias and disorders*

Heart block
AV
  Bradycardia suggesting, **7**:110
  In digoxin toxicity, **11**:120
  In Kawasaki disease, **12**:213
  In Lyme disease, **11**:30
  Second- or third-degree, amiodarone contraindicated in, **5**:128
In MI, **7**:115

Heart disease
Amiodarone risk in, **5**:130
Atrial fibrillation implications in, **14**:213
Congenital, cyanotic, air travel restricted with, **9**:76
Digoxin sensitivity in, **11**:120
Double valve replacement for, **4**:298
Hereditary, cardiac workup for, **2**:94

In HIV infection, **10**:179
Ischemic, assessment of, before hospital discharge, **5**:77
Pulmonary embolism risk in, **14**:144
Risk, reduced by tamoxifen, **14**:36
Syncope caused by, **2**:163
Traveling with, precautions for, **9**:71
Valvular, **5**:236
See also specific disorders

Heart failure
In aortic stenosis, signaled by S_3, **16**:53
Congestive
Air travel with, **9**:76
Amiodarone risk with, **5**:130
Ascites check with history of, **14**:78
Diagnosis of, **5**:236
Diastolic dysfunction as cause of, **1**:218
Dilated cardiomyopathy as cause of, **8**:51
In HIV infection, **10**:179
Lung congestion as criterion for, **5**:237
In MI, tachycardia suggesting, **7**:110
Myocarditis as cause of, **8**:42
O_2 for, **12**:215
In postpartum patient, signs of **7**:296
Sodium azide as cause of, **8**:176
In streptococcal endocarditis, effect of, on therapy for, **7**:238
Therapy for
Differences in, for diastolic and systolic function, **1**:230
Pharmacologic, **10**:61; **14**:35
In heatstroke, **7**:322
Left
Heart valve fracture as cause of, **8**:94
In hypertrophic cardiomyopathy, **8**:41
Ventricular wall distention as cause of, in dilated cardiomyopathy, **8**:42
Left-ventricular
Bronchial asthma differentiated from, **12**:32
Therapy for, **7**:127
Lidocaine toxicity in, **7**:127
Right
Home O_2 therapy for correction of, **10**:162
Hypoxemia with, after sleep apnea, **6**:84
Right-ventricular, in restrictive cardiomyopathy, **8**:41
Symptoms of, causes and treatment determined by, **10**:61
Unstable angina in, **9**:101

Heartburn
MI differentiated from, **7**:110
In scleroderma, **5**:192
As sign of esophageal dysphagia, **5**:188

Heat
Acclimatization to, **7**:318
Body
Basal production and dissipation of, **7**:314
Impaired regulation of, causes of, **7**:318
Transfer mechanisms, **7**:314, 317
Cramps, **7**:321
Exhaustion, causes of, **7**:321
Ill effects of, **7**:313
In marathon running, **11**:189
For myofascial pain, **5**:171
Preventing illness caused by, **7**:323

Heatstroke
Cell damage in, sites of, **7**:321
Classic, medical illness predisposing to, **7**:322
In diabetic traveler, **9**:86
Exertional, prodromal phase in, **7**:322
Neuroleptic malignant syndrome differentiated from, **9**:54
Prevention of, **7**:323
Unresponsive mental status diagnostic of, **7**:314

N
O
X

OL
4

92

MI

Heel
Black, hard-surface sports associated with, **4**:50
Pain
From calcaneal stress fracture, **7**:330
From plantar fasciitis, **11**:162; **15**:34
Posterior thickening of, **11**:171
See also *Calcaneus; Foot*

Hemangioma
Periapical granuloma differentiated from, **14**:156

Hemarthrosis
Recurrent, in hemophilia, synovial fluid aspiration for, **10**:71

Hematemesis
In alkaline corrosive ingestion
Gastric injury as cause of, **5**:195
As initial signal of, **14**:94
In HIV with GI bleeding, **16**:64
In posterior epistaxis, **6**:31

Hematochezia
Button battery ingestion as cause of, **13**:51

Hematocolpos
Error in diagnosing, **4**:323

Hematocrit
Low, in vitamin B_{12} deficiency, **10**:201
Transfusion guidelines for, **5**:60

Hematologic system
Failure of, **5**:225

Hematoma
Auricular, treatment for, **5**:148
After breast augmentation, **6**:90
In concussion syndrome, ruling out, **8**:224
Epidural
Back pain caused by, **13**:78
With head injury, **8**:221
With normal Glasgow Coma Scale score, **13**:112
In nose fracture, **4**:232
Percutaneous drainage for, **12**:92
Perineal and suprapubic, bladder injury as cause of, **4**:348
Posterior fossa, sudden death from herniation in, **8**:223
Retroperitoneal, from blunt trauma, **15**:191
Septal, nasal trauma as cause of, **6**:32
Subdural
In child abuse, **8**:223
Deterioration with, **8**:224
Error in management of, **11**:175
In head injury
In children, **8**:221
In elderly, **13**:69
Headache as only symptom of, **13**:64
With normal Glasgow Coma Scale score, **13**:112
Subungual, incision and drainage of, **1**:119; **3**:159; **10**:60; **11**:102; **15**:111

Hematopoiesis
Abnormality in, as cause of splenomegaly, **8**:73
In malabsorption, **6**:124

Hematuria
Bladder injury as cause of, **4**:348
In cystitis, **6**:146
Microscopic, acute glomerulonephritis signaled by, in child, **7**:177
In retroperitoneal hematoma, **15**:194

Heme test

OL
4
92
MI

For pancreatitis prognosis, inutility of, **14**:166

Hemiparesis
In trauma patient, **5**:210

Hemiplegia
Alternating, as migraine variant in children, **15**:71

Hemoccult developer
Accidental eye instillation of, **9**:60

Hemochromatosis
Restrictive cardiomyopathy as cause of, **8**:41

Hemodialysis
For isoniazid overdose, **10**:142
For methanol intoxication, **15**:83

Hemoglobin
Abnormality, pneumococcal vaccine for, **14**:119
Affinity for O_2 in circulatory shock, **5**:207
Low total, in vitamin B_{12} deficiency, **10**:201
In sickle cell disease, **1**:132
Transfusion guidelines for, **5**:60

Hemolysis
As complication of dapsone therapy, **10**:187
Immune, transfusion complicated by, **5**:59
Vitamin C megadoses as cause of, in G6PD deficiency, **4**:277

Hemoperfusion
For isoniazid overdose, **10**:142

Hemopericardium
Beck's triad in, **8**:40
Therapy for, **8**:40
Traumatic, tamponade with, **8**:39

Hemophilia
Synovial fluid aspiration for, **10**:71

Hemoptysis
Causes of, **8**:227
Self-limited, **9**:94

Hemorrhage
After anticoagulation, risk of, **14**:220
AV fistula as cause of, in hereditary hemorrhagic telangiectasia, **14**:265
Brain stem, in coma, **13**:69
In cardiopulmonary bypass, risk of, **8**:72
Cerebellar, signs of, **13**:64
Cervical conization as cause of, **6**:116
In cystitis, cyclophosphamide as cause of, **12**:194
Eye, in anterior chamber, from blunt trauma, **4**:260; **5**:182; **8**:120
Intracerebral, **4**:297; **13**:75
Intracranial, psychotic behavior caused by, **7**:162
Lobar, seizure caused by, **13**:75
In malabsorption, **6**:124
Multiple-organ failure caused by, **5**:226
Pericardial, management of, **8**:40
Retinal
In child abuse, **8**:207
CPR injury differentiated from, **8**:224
Thrombolysis contraindicated in, **7**:122
Shock from, **5**:208, 209
Subarachnoid
Aneurysm preceding, **13**:75
In child abuse, **8**:223
Headache signaling, **13**:62
Neck pain caused by, **8**:155
Seizure activity with, **13**:75
Subconjunctival
Blunt trauma as cause of, **5**:182
After cough CPR, **12**:171
In thrombocytopenia, life-threatening, **5**:66

N
DEX
DL
4
92
MI

Transfusion guidelines for, **5**:60, 65
See also *Bleeding; Coagulation; Epistaxis*

Hemorrhoids
Thrombosed external, **10**:94, 208
Treatment of, **10**:203

Hemostasis
In circumcision, **4**:323
For expistaxis, tricks for, **5**:50
For fibroadenoma enucleation, **8**:226
In finger laceration, trick for, **3**:159
In fingertip avulsion, tricks for, **3**:164
Hymenal, **3**:159
In tooth extraction, trick for, **1**:119

Hemotympanum
In ear trauma, **5**:147

Heparin
In Baker's cyst rupture mimicking DVT, danger of, **6**:169
Contraindicated for unstable angina due to upper GI bleeding and anemia, **9**:101
Drug interactions with, **14**:138
High-dose
  Alteplase and, **7**:124
  In aortic occlusion, **14**:72
  In MI, **7**:122
Low-dose, mortality reduction with, **7**:124
For pulmonary embolism prophylaxis, **14**:150
In stroke, **13**:67
In unstable angina, before angioplasty, **1**:239; **4**:125, 138; **9**:104
  MI incidence reduced by, **9**:103

Hepatitis
A, diagnosis and treatment of, **15**:115
Adolescent arthritis differentiated from, **7**:229
Autoimmune, interferon contraindicated for, **15**:130
After blood transfusion, **5**:59
B
  In AIDS, **7**:138
  Ascites check for, **14**:78
  Carrier state from birth to infected mother, **14**:116
  Treatment of, **15**:124
  Vaccination for, **14**:116; **15**:119
C
  Ascites check for, **14**:78
  Chronic, liver failure and jaundice in, **12**:232
  Posttransfusion, **15**:126
  Screening options for, **12**:231
Cytomegalovirus, in HIV, **10**:190
E, risk of, in travel, **15**:119
Preeclampsia mimicking, **8**:100
Viral, fatty liver of pregnancy differentiated from, **7**:297

Hepatomegaly
Abdominal CT scan in diagnosis of, **7**:296
From herbal teas, **4**:281

Hepatosplenomegaly
In histoplasmosis with HIV, **4**:272

Hepatotoxicity
In acetaminophen overdose, **2**:208

Herbal preparations
Toxicity of, **4**:281

Herbicide
Poisoning, **3**:72

Hernia
Brain-stem reflex deterioration as sign of, **8**:207

OL
4
92
MI

Cryptorchidism simulated by, **8**:138
Diaphragmatic, **1**:204
Disk, **13**:77
  Treatment of, **10**:51
Femoral
  Lymphadenitis differentiated from, **5**:198
  Repair of, **5**:196
Hiatal, chronic cough associated with, **7**:197
Ileac, misdiagnosis of, **11**:176
Incisional, at appendectomy, **4**:344
Inguinal
  Incarceration of, **4**:306
  Repair of, **5**:196
Nucleus pulposus
  Acute vs progressive injury to, **10**:45
  From axial loading stress on spine, **10**:43
  Spondylolysis differentiated from, **10**:37
Posterior fossa hematoma, **8**:223
Strangulated, **5**:198
Tentorial, in AIDS-related cryptococcal meningitis, **9**:128
Undescended testis with, HCG contraindicated for, **8**:143

Heroin
Body packing, rupture in, **12**:207

Herpes
In finger lesion, **15**:105
Gingivostomatitis, **14**:260
Labialis, **14**:260
Patient education and treatment for, **10**:81
Penile ulcer caused by, **6**:111
In prostate cancer, **9**:33
Simplex
  Cervical cancer risk increased by, **6**:116
  Encephalitis due to, in AIDS, **9**:128
  Factitial dermatitis differentiated from, **6**:108
  Genital, **10**:77; **15**:184
  Impetigo contagiosa complicating, **7**:177
  Mucocutaneous, in HIV, **7**:142
  Recurrent, antibody test for, **10**:77
Zoster
  Ear pain caused by, **5**:140
  Herpetic neuralgia in, **10**:121
  In HIV, **7**:138, 142
  Nerve root compression in cancer differentiated from, **10**:118
  Symptom of, **10**:121

Hiccups
Cause of, **8**:39
Treatment of, Mallory-Weiss tear caused by, **15**:83

Hip
Arthritis in, septic, **3**:174
Bone deformity of, **4**:358
Developmental dysplasia of, **3**:174
Flexion, passive, **4**:186
Flexors, tight, stretching exercises for, **10**:36
Fracture
  Intertrochanteric, error in diagnosis of, **5**:210
  Intra-articular fragment blocking reduction of, **9**:122, 125
  Prevention of, with estrogen replacement, **14**:48
Joint symptoms, assessed by Patrick's test, **4**:187
Knee pain referred from, **9**:113, 114; **10**:122
Legg-Calvé-Perthes disease of, **3**:179
Malalignment, gait abnormality caused by, **11**:170
Pain, x-ray diagnosis of, **4**:358
Slipped capital femoral epiphysis in, **3**:180
Synovial fluid aspiration of, **10**:71
Toxic synovitis in, **3**:178
X-rays of, **3**:180; **5**:210

Histamine

DL
4
92
MI

Acetaminophen stimulation of, **2**:211
In asthma, **4**:227; **12**:49
Blockers
For allergy to black widow spider antivenin, **14**:230
Drug interactions with, **12**:116
In nosocomial pneumonia, as risk for, **16**:101
In Hymenoptera sting, **7**:172
In niacin megadoses, **4**:277
In organ failure, **5**:216

Histoplasmosis
In endocarditis, **15**:156
In HIV, **4**:271
PCP mimicked by, **15**:142

HIV
In adolescent rape victim, counseling for, **3**:103
Advanced, diseases in, **9**:127
In agitated patient, dealing with, **3**:118
AIDS prophylaxis in, **1**:217
Antibody test for, **7**:138
Aphthous stomatitis in, **14**:259
AZT with ddC for, **8**:82
Bacterial infection in, CDC classification of, **10**:187
Cardiac disease in, **10**:179
Colon perforation in, after sigmoidoscopy, **12**:81
Epididymitis in, **6**:145
Genes and gene products in, **7**:137
GI bleeding in, **16**:60
In gonorrhea, counseling and testing for, **10**:108
Hepatitis C screening for, **12**:231
Histoplasmosis with, **4**:271
In infant, diagnosis of, **10**:173
M. avium complex infection in, **13**:89
Measles in, **8**:124
Myocarditis caused by, **8**:42
PCP in
Prophylaxis for, **1**:209; **10**:182
And toxoplasmosis, combination therapy for, **2**:199
Treatment of, **10**:180
X-ray findings in, **15**:141
Physical findings in, **10**:174
Pneumococcal vaccine for, **14**:120
Pneumonitis in, lymphoid interstitial, **10**:187
Research, **7**:154
Respiratory disease in, in children, **10**:179
Risk factors for, **9**:126
Screening for, **7**:138
Stages of, classification of, **7**:141
TB in, **8**:231
Therapy for
Based on T_4 helper lymphocyte count, **7**:143
Guidelines for, **7**:144
Physical and psychosocial, **7**:133
Transmission of, routes of, in infant, **10**:173
Western blot test to confirm, **7**:141
See also *AIDS; Pneumonia, P. carinii*

Hoarseness
Cause of, **6**:44
Lye ingestion as, **5**:195
Pericardial effusion as, **8**:39
Smoke inhalation as, **15**:50

Hodgkin's disease
Combination chemotherapy for, **5**:202
Herpes zoster with, **10**:121
Pericarditis caused by, **8**:36
Splenectomy in, pneumococcal vaccine before, **14**:120
Vincristine for, neuropathies caused by, **10**:118

Homatropine
For corneal abrasion, **5**:185

OL
4
92
MI

Homosexuality
AIDS incidence decreasing in, **7**:137
Anorectal gonorrhea in, **10**:102
Diarrhea in, **5**:96
Epididymitis and UTI in, **6**:146
Hepatitis incidence decreasing in, **15**:119
Penile ulcer in, **6**:111
Proctitis or proctocolitis in, **5**:110

Hordeolum
Treatment for, **7**:34

Horner's syndrome
In spinal trauma, **15**:211

Human chorionic gonadotropin
Bilateral cryptorchidism and anorchia
differentiated by, **8**:139
In ectopic pregnancy, **1**:93, 102
For undescended testis, limitations of, **8**:143

Human immunodeficiency virus
See *HIV*

Human papillomavirus
Cervical cancer promoted by, **6**:115; **7**:88
Verruca vulgaris caused by, **14**:260

Humerus
Dislocation of, **12**:125, 126
Fracture
Displaced, **12**:125, 126
Impacted, **5**:210; **9**:114, 119
Proximal, **12**:126, 133
Status epilepticus as cause of, **13**:76
Transcondylar, **10**:232

Hyaluronidase
In hemorrhoidal disease, **10**:208

Hydralazine
For congestive heart failure, **10**:61

Hydrocele
Undescended testis obscured by, **8**:138

Hydrochlorothiazide
Side effects from, **12**:116

Hydrocortisone
For acropustulosis, **7**:132
For anaphylaxis, **12**:153
For infectious mononucleosis, **6**:41
Protocol for, in travel, **9**:83

Hydrogen cyanide
Poisoning, **3**:83

Hydrogen peroxide
For ear wax removal, **3**:162; **5**:145

Hydrogen sulfide
Inspiration injury from, **7**:259

Hydromorphone
For cancer pain, **10**:130
Rectal formulation for, **10**:131

Hydropneumothorax
Esophageal rupture as cause of, **4**:208

Hydroxychloroquine
For discoid lupus, **7**:39

Hygroma
Cystic, branchial cyst differentiated from, **13**:80

Hymenoptera

OL
4
92
MI

See *Sting*

Hyperamylasemia
In acute pancreatitis, **5**:55

Hypercalcemia
Nephrolithiasis caused by, in cancer, **10**:122
From sun exposure, **9**:83
From vitamin D megadose, **4**:278

Hypercapnia
In asthma, cardiotoxicity from, **9**:108
In shock, **5**:207
Sleep apnea vs lung disease as cause of, **6**:84

Hypergammaglobulinemia
In HIV, **10**:179
In lymphoid interstitial pneumonitis, **10**:187

Hyperkalemia
In CPR, **7**:223
Metolazone for, as error, **12**:11 (letter)
In potassium overdose, **14**:125

Hyperkeratosis
Epidermolytic, ichthyosis vulgaris differentiated from, **6**:108

Hyperlipoproteinemia
Diagnosis and treatment of, **2**:94

Hypermagnesemia
From magnesium-containing cathartic, **10**:222

Hypernatremia
From sorbitol, **10**:222

Hyperplasia
Endometrial
  Estradiol as cause of, **14**:276
    Medroxyprogesterone for prevention of, **14**:275
Prostatic, benign
  Hormone inhibition for, **10**:147
  Nonsurgical treatment of, **10**:144

Hyperserotonin syndrome
Treatment for, **12**:204

Hypersplenism
Causes of, **8**:81

Hypertension
In asthma, systemic steroid as cause of, **13**:25
Atrial fibrillation as cause of, **14**:214
Black widow spider bite as cause of, **14**:229
Blood vessel fragility in, in epistaxis, **6**:28
In eclampsia, range of, **7**:69
Headache associated with, **13**:62
Hypertrophic cardiomyopathy differentiated from, **8**:41
Intracranial
  Ipecac contraindicated in, **10**:214
  Ruling out, in status epilepticus, **8**:182
MAO inhibitor interactions as cause of, **12**:204
In neuroleptic malignant syndrome, **9**:54
Office, diagnosis of, **4**:345
Portal, cirrhosis and congestive splenomegaly caused by, **8**:81
In preeclampsia
  Essential differentiated from, **8**:100
  As prediction of, **8**:99
  Range of, **7**:69
Pulmonary
  In COPD, home O_2 therapy for, **10**:165
  In cystic fibrosis
    Hypoxemia as cause of, **13**:40
    O_2 for reduction of, **13**:45

I
OK
OL
4
92
MI

In sleep apnea, **6**:84
Thromboembolic, **14**:151
X-ray findings in, **15**:218
Systemic
Left-ventricular hypertrophy with, **5**:77
In sleep apnea, **6**:84
Systolic, isolated, **14**:26
Tachycardia with, anterior infarction suggested by, **7**:110
In unstable angina, **9**:101, 104
In ventricular dysfunction, **1**:231

Hyperthermia
In alcoholism, **8**:174
For cancer, **5**:200
Malignant
Causes of, **7**:324
And central, neuroleptic malignant syndrome differentiated from, **9**:54
In marathon running, risk of, **11**:189
In "sepsis syndrome," **4**:147

Hyperthyroidism
Apathetic, **5**:74
In elderly, difficulty of diagnosing, **5**:67
Neuroleptic malignant syndrome differentiated from, **9**:54
Panic attack
Differentiated from, **8**:192
Similar to, **14**:110

Hypertriglyceridemia
Pancreatitis associated with, **14**:159

Hyperventilation
Aortic dissection misdiagnosed as, **4**:309
Asthma triggered by, **12**:32
Breast cancer misdiagnosed as, **4**:294
In head injury, indications for, **8**:221
In hemorrhagic shock, blood lactate increased by, **5**:209
Intramyocardial acidosis corrected with, **7**:223
Methemoglobin as cause of, **7**:258

Hyphema
Blowout fracture as cause of, **5**:182
From blunt trauma
Diagnosis and treatment of, **4**:260
Ocular, **8**:120

Hypocalciuria
As warning sign of preeclampsia, **8**:100

Hypochondriasis
In chronic-pain syndrome, **5**:170
Obscure cause of, **8**:195
Panic disorder complicated by, **14**:109

Hypoglycemia
Alcoholic, **8**:173
Postprandial, **7**:75
Chlorpropamide and renal failure as causes of, **4**:306
Diaphoresis caused by, **7**:163
Glucose reagent strips for ruling out, **8**:208
In marathon running, risk of, **11**:202
Paniclike symptoms caused by, **14**:110
Psychotic behavior caused by, **7**:162

Hypokalemia
Digoxin sensitivity associated with, **11**:119
Diuretic use associated with, **10**:61
In exertional heatstroke, **7**:322
Self-induced vomiting as cause of, **7**:309

Hyponatremia
In exertional heatstroke, **7**:322
Heat exhaustion caused by, **7**:321

OL
4
92
MI

Misdiagnosis of, **2**:178

Hypoparathyroidism
Sun exposure precautions in, **9**:83

Hypophosphatemia
Transient, in exertional heatstroke, **7**:322

Hypopituitarism
Precautions for, during travel, **9**:84

Hypotension
Anaphylaxis signaled by, **12**:145
Bradycardia with, MI suggested by, **7**:110
In cardiac arrest, CPR ineffective in, **7**:225
  Phenobarbital as cause of, **8**:211
In ectopic pregnancy, **1**:94
In electrical injury, **8**:164
Gamma-hydroxybutyrate overdose as cause of, **12**:203
Goldenseal megadoses as cause of, **4**:281
In hand injury, as sign of infection, **15**:95
In heatstroke, **7**:323
Hypoxemia suggested by, **12**:216
Ipecac contraindicated in, **10**:214
Iron overdose as cause of, **14**:99
Isoniazid overdose as cause of, **10**:141
In MAO overdose, **12**:04
In MI, **7**:127
Migraine with, **3**:54
Nitroglycerin contraindicated in, **7**:124
Orthostatic, **15**:151
  ACE inhibitor as cause of, low starting dosage and monitoring for, **10**:62
  Check for, **9**:84
  MAO inhibitors as cause of, **11**:216A
  Methotrimeprazine for migraine as cause of, **10**:74
  Syncope from causes other than, **2**:163
Pericardial tamponade as cause of, **8**:35
Postexertional, after marathon, **11**:207
Refractory
  In anaphylaxis, **12**:148
  In disseminated histoplasmosis with HIV, **4**:272
In septic shock, prevention of, **1**:55; **4**:144, 147
Sodium azide as cause of, **8**:176
In spinal trauma, **15**:207, 213
Tricyclic toxicity as cause of, **11**:135
In valve fracture, **8**:92, 94

Hypothermia
In drug abuse, **15**:82
Frostbite from, **2**:121
In hospitalized patient, **5**:73
In marathon running, risk of, **11**:202
In "sepsis syndrome," **4**:147
In spinal shock, **15**:207
Stress toleration in, **7**:321

Hypothyroidism
Autoimmune pericarditis caused by, **8**:35
Depression differentiated from, **8**:192
Digoxin sensitivity associated with, **11**:119
In elderly, difficulty of diagnosing, **5**:67
Goiter with, **8**:179
Hormone replacement for, **5**:73
Iatrogenic, **5**:68
In sleep disorders, **6**:35; **11**:140
Surgery for, perils of, **5**:73

Hypoventilation
Chronic alveolar, **9**:82

Hypovolemia
Fluid resuscitation for, **5**:62; **8**:72
  In electrical injury, **8**:164
  In exertional heatstroke, **7**:323
Heat exhaustion caused by, **7**:321

OL
4
92
MI

In marathon running, risk of, **11**:202

Hypovolemic shock
With massive hemorrhage, **5**:62, 65
PCO_2 in skeletal muscle after, **5**:209
Prevention or reversal of, **8**:72

Hypoxemia
Altitude problems with, **9**:78
Cerebral, methemoglobin as cause of, **7**:258
Chronic, as sequela of sleep apnea, **6**:84
In COPD, long-term home O_2 therapy for, **10**:162
In cystic fibrosis
  Pulmonary hypertension and cor pulmonale caused by, **13**:40
  Supplemental O_2 for, **13**:45
Digoxin sensitivity associated with, **11**:119
In head injury, **8**:221
Lung shunting as cause of, **12**:216
In MI, **7**:116
In PCP risk with, **10**:179
Prolonged seizure as cause of, **8**:213
Pulmonary embolism risk in, **14**:149
In sleep apnea, **6**:85

Hypoxia
In asthma, **9**:108
Cerebral, in methemoglobin toxicity, **7**:258
In CO poisoning, **7**:257
In COPD, **12**:228
Episodic, in sleep apnea, **6**:84
In lymphoid interstitial pneumonitis, **10**:187
In multiple organ failure, **5**:225
Tissue, compensation for, **5**:61
Toxic inhalation as cause of, **7**:244

Hysterectomy
For cervical adenocarcinoma, **7**:98
For tuboovarian abscess, alternatives to, **1**:58

Hysteria
In chronic-pain syndrome, **5**:170
Inability to talk as sign of, **6**:44

I

Ibuprofen
For cancer pain, **10**:123
For cystic fibrosis, **13**:46
After frostbite, **2**:133
For osteoarthritis, **1**:104
For pericarditis, **8**:39
For TMJ pain, **5**:140

Ichthyosis
Differentiation of, **6**:108

Ileum
Disease of, **6**:124
Hernia of, misdiagnosis of, **11**:176
Terminal, lesions of, **6**:124

Ileus
In spinal shock, **15**:207

Imipenem
For granulocytopenia, **10**:84
For neutropenia with fever, **10**:83
For nosocomial pneumonia, **10**:91; **16**:108

Immobilization
Pulmonary embolism risk in, **14**:144
For spondylolysis in athlete, **10**:36

Immune disorder
Breast implant predisposing to, **6**:88

N
O
X

OL
4

92

MI

Impetigo contagiosa in, **7**:177
In Lyme disease, **11**:30
Myringotomy for, **5**:136
See also *AIDS; HIV*

Immunization
See *Vaccination*

Immunosuppression
In bacterial meningitis, atypical symptoms of, **5**:36
Cervical cancer risk increased by, **6**:115
Herpes simplex reactivation promoted by, **10**:81
In legionnaires' disease, **8**:234
Neutropenia as cause of, **10**:82
In nosocomial pneumonia, **16**:77
Opportunistic infection in, **9**:97
Steroid as cause of, **13**:25
In varicella, **16**:96

Immunotherapy
For asthma, **12**:56
For Hymenoptera allergy, **11**:233; **12**:142, 154

Impetigo
Bullous and nonbullous, **7**:177
Cephalexin vs ofloxacin for, **4**:238
Contagiosa, **3**:88; **7**:177
Group A beta-hemolytic streptococci as cause of, **13**:110
In poison ivy, oral antibiotic for, **7**:172
Staphylococcal acropustulosis differentiated from, **7**:132
Tinea corporis differentiated from, **7**:185

Impilla
Overdose, **4**:282

Impingement syndrome
Long-standing, cause and sequelae of, **12**:136
Signs of, **12**:124, 133

Implant
Safety of, **16**:50
See also *Breast*, augmented

Impotence
Nutritional deficiency as cause of, in malabsorption, **6**:127

Incontinence
Stress, bladder training for, **14**:50
As tip-off to organic illness, **7**:163

Indomethacin
Eye drops, contaminated by *P. aeruginosa*, **6**:142
For pericarditis, **8**:39

Infant
Acetonitrile nail glue remover ingestion in, **10**:141
Acropustulosis in, **7**:132
Altered mental status in
  Causes of, **8**:214
  Evaluation of, **8**:205
Asthma in, **6**:143
Bacteremia in, occult, **16**:67
Bacterial infection in, CDC classification of, **10**:187
Breathing rate in, wide range of normal, **13**:42
Cathartic after activated charcoal contraindicated in, **10**:222
Celiac sprue in, **6**:136
Chlamydial infection in, **3**:151
Croup in, **6**:43
Cryptorchidism in, early treatment of, **8**:137
Developmental dysplasia in, **3**:174
Diarrhea in
  In day-care center, **5**:96

I
O
E
K

OL
4

92

MI

E. coli as cause of, **5**:92
Fluid and electrolyte replacement for, **5**:110; **16**:123
Rotavirus in, **5**:92
Testing for, **5**:109
Digit of, trick for removing hair tightly wound around, **7**:265
Epiglottitis in, **6**:43; **14**:54
Fever in, outpatient treatment of, **1**:124
Fontanelle
Bulging, **8**:204
Tap for, **8**:222
Fracture in
Femoral, **4**:300
Stress, **3**:177
Giardiasis in, **5**:115
Hepatitis B in
Chronic carrier state, **14**:116
Vaccination for, **15**:119
HIV in
Diagnostic difficulties in, **10**:173
Tests for, **10**:174, 179
IM injection, technique for, **14**:255
IV line in, trick for starting, **15**:183
Lindane poisoning in, **3**:62
Lyme disease in, congenital, **11**:41
Lymphoid interstitial pneumonitis in, **10**:187
Meningitis in
And anoxic encephalopathy in, **5**:210
Atypical symptoms of, **5**:36
CSF specimens from, **6**:163
Hearing loss in, **8**:218
New antibiotic choices for, **8**:217
Pneumococcal, **13**:95
Ruling out, in neck tenderness or rigidity, **8**:153
Meningococcal infection in, **15**:158
Neck vein cannulation in, trick for performing, **14**:66
Neurologic emergency in, indications for hospitalization, **8**:223, 224
OTC drug toxic overdose in, **14**:203
Pneumonia in
Bronchial, **13**:42
P. carinii
Altered mental status in, **8**:214
Prophylaxis for, **10**:182
Treatment of, **10**:180
Scurvy in, maternal vitamin C megadose as cause of, **4**:277
Septic arthritis in, gait affected by, **3**:177
Vaccination of
Double, **11**:99
Hepatitis B, **15**:119
Recommendations for, **14**:116
Vein of, trick for locating, **16**:46
See also *Child Neonate*

Infarction
Cerebellar, signs of, **13**:64
Tissue, in sickle cell disease, **1**:137
See also *Myocardial infarction*

Infection
In alcoholic, poor nutritional status as cause of, **8**:174
Appendectomy as cause of, **4**:344
Cat bite, **4**:195
Cataract surgery as cause of, **7**:50
Cervical conization as cause of, **6**:116
Cervical node tenderness caused by, **8**:153
Headache in, **13**:62
Intra-amniotic, quick detection of, **1**:178
In multiple organ failure, **5**:225
In perforated appendix in elderly, **4**:344
Pseudofolliculitis barbae as cause of, **15**:143
Retinal detachment surgery as cause of, **7**:57
In retroperitoneal hematoma, **15**:191

OL
4
92
MI

Ruling out, in back pain, **10**:45
Soft-tissue, simple antibiotics for, **4**:238
Wound, surgical, as cause of, **4**:344; **7**:57; **14**:87
See also specific infections, pathogens, and sites

Infertility
Cryptorchidism in infancy as cause of, **8**:137
Cystic fibrosis signaled by, **13**:40
Nutritional deficiency as cause of, in
malabsorption, **6**:127
Tubal scarring in PID as cause of, **10**:101

Influenza
In traveler with heart disease, **9**:72
Vaccination
COPD patient, **3**:48
Recommendations for, **14**:120

Inhalation
Challenge tests for asthma, **4**:216, 227
Metered-dose
Instruction for use of, in asthma, **13**:29
With spacer device, **3**:158; **6**:144
Technique for using, in COPD, **3**:36
Smoke, **15**:49
Toxic, **7**:243

Injection injury
High-pressure, **14**:179; **15**:92, 102

Insecticide
Organophosphate, in occupational asthma, **4**:216
Poisoning, **3**:61

Insomnia
In depression, **8**:192
Drug interactions as cause of, **12**:119
Methylprednisolone as cause of, **12**:192

Insulin
Allergy to, RAST predicting, **12**:154
For diabetic traveler
Care of, **9**:85
Dosage adjustment in, **9**:88
For gestational diabetes, **4**:266
Organ failure caused by, **5**:216
For potassium overdose, **14**:126
Salmonellosis susceptibility associated with, **2**:107
Use of, CAD severity predicted by, **11**:151

Interferon
For hepatitis, **15**:124, 129
Side effects of, **15**:129
For lymphoma and leukemia, **5**:200

Interleukin
-1
Neurologic deficits correlated with CSF levels
of, **8**:218
Organ failure caused by, **5**:216
-2
Hypothyroidism caused by, **5**:68
Lymphocytes growth promoted by, **5**:200

**International Association for Medical
Assistance to Travellers (IAMAT)**
Worldwide medical directory, **7**:267

Intestine
See *Bowel*

Intra-aortic balloon counterpulsation
For left-ventricular failure, **7**:127

Intracranial pressure elevation
In bacterial meningitis, **5**:36
Brain-stem reflex deterioration as sign of, **8**:207
Bulging fontanelle as evidence of, in infant, **8**:204

I
E
K
OL
4
92
MI

In cancer, morning headache characteristic of, **10**:121
In head injury, **8**:222
Headache caused by, in children, **15**:75
Lumbar puncture for, CT scanning before, **13**:64
In pediatric concussion syndrome, **8**:224
Reduction of, **8**:222
Toxoplasmosis as cause of, **9**:128

Intrauterine device
Ectopic pregnancy risk with, **1**:94

Intubation
Endotracheal
In alcohol withdrawal, **8**:175
In anaphylaxis, **12**:146
In cervical trauma, **12**:73
In chest injury, penetrating, **8**:72
Drugs used in, mnemonic for, **10**:94
In ED, **5**:13
For epiglottitis, **14**:64
Face mask as alternative to, **2**:57
Mechanical ventilation and simultaneous compression with, **7**:225
Misplaced tube in, **6**:182
Nosocomial pneumonia caused by, **16**:97, 101
For obtundation in fractured mechanical heart valve, **8**:94
For respiratory arrest from midazolam, **11**:184
In respiratory failure, **12**:219
For smoke inhalation, **15**:56
In spinal cord injury, **15**:213
In status epilepticus, **8**:213; **13**:76
Urgent, atropine premedication with, **8**:203
In gastric decontamination, **10**:217
Nasogastric
In chain saw wound, **13**:104
For COPD, auto-PEEP as cause of deterioration with, **4**:312
Delayed treatment as cause of, **7**:65
Misplaced tube in, **6**:182
To oral, transferrral of, **3**:157
Nasotracheal
Tricks for, **4**:191; **11**:99
Protocol, in severe head injury of child, **8**:221
For respiratory support, in alcoholic, **8**:175
For severe laryngospasm or bronchospasm in anaphylaxis, **12**:146
For status epilepticus in elderly, **13**:76

Intussusception
In adult with cystic fibrosis, **13**:40
In child, **4**:107

Iodide
Dose-dependent toxicity caused by
Toxicity of, **8**:176
Vs that of iodine, **8**:179

Iodine
Toxicity of, vs that of iodide, **8**:179

Iodophor
For cleaning chain saw wound, **13**:104

Ipecac
Benefits of and contraindications for, **10**:212, 214
Contraindicated in button battery ingestion, **13**:52
For iron poisoning, **14**:100
For potassium overdose, **14**:126
For tricyclic toxicity, contraindicated, **11**:135

Ipratropium bromide
In airway obstruction relief, **13**:22

OL
4
92
MI

For asthma, **13**:21
For emphysema, **3**:48

Iridectomy
For narrow-angle glaucoma, **7**:51

Iritis
Traumatic, from eye instillation of noxious chemical, **9**:62

Iron
Antibiotic interaction with, **1**:32
Content, of common salts, **14**:100
Deficiency
  Anemia caused by
    In alcohol abuse, **7**:72
    In malabsorption, **6**:124
Ferrous, conversion to ferric state by oxidizing agents, **7**:258
Nonabsorption of, by activated charcoal, **10**:221
Poisoning, **14**:99
  Whole-bowel irrigation for, **10**:223
Supplementation, in autologous transfusion, **14**:77
Total, binding capacity of, ratio of serum iron to, **14**:100

Irrigation
Of dog or cat bite, **15**:111
Ear, for wax removal, **15**:169
Eye
  For chemical burns, **4**:257; **9**:62
  For splash injury, **4**:246
Of fishhook wound, with normal saline, **5**:180
Of hand injuries, **15**:105
Whole-bowel
  For body packer, **12**:207
  Contraindications for, **10**:223
  Indications for, **10**:223
  For iron poisoning, **14**:105
  For potassium overdose, **14**:126

Irritable bowel syndrome
Panic disorder as cause of, **14**:109

Ischemia
Cerebral, **13**:64
In diabetic foot lesion, **1**:89
In fracture, as cause of pain, **9**:120
Infrarenal, in aortic occlusion, **14**:70
Limb, surgery for, **4**:68
Myocardial
  Angioplasty for, **6**:54
  Assessing before hospital discharge, **5**:77
  CHF caused by, **1**:230
  CO_2 rise in myocardium after, **5**:209
  Contractility reduction by, **7**:225
  Driving stress as cause of, in CAD, **9**:75
  In ED patients, **5**:235
  Exercise-induced
    False positive, **1**:123
    Significance of, **14**:271
  In heatstroke, as symptom of underlying disease, **7**:322
  Plaque rupture as cause of unstable pattern of, **9**:100
  Transient, after IV isoproterenol for severe asthma in child, **9**:107
  Treadmill test positive for, after normal ECG, **8**:54
  In unstable angina
    Heparin and aspirin for, **4**:138
    Silent, **2**:165; **9**:102
  In viral myocarditis mimicking MI, **14**:188
Retinal, in central vein occlusion, **8**:118
Tissue, in high-pressure injection injury, **14**:180

Isoamylase assay
For pancreatitis, specificity of, **14**:159

N
O
E
X

OL
4

92

MI

Isometheptene
For migraine, **15**:80

Isoniazid
In AIDS, for *M. avium* complex infection in AIDS, **13**:90
In HIV with active TB, **8**:231
Toxicity of, **10**:141

Isoproterenol
In anaphylaxis, for refractory bronchoconstriction, **12**:148
In asthma, blocking cardiotoxic effect of, **9**:107
Infusion, for patient who attempted suicide with verapamil, **7**:69

Isosorbide dinitrate
For congestive heart failure, **10**:61

J

Jaundice
Acute fatty liver as cause of, in postpartum patient, **7**:296
In congenital hemolytic anemia, **8**:77
In heatstroke, **7**:322
In hepatitis, **12**:232; **15**:115

Jobst garment
For orthostatic hypotension, **15**:153

K

Kanamycin
Potency and toxicity of, **7**:303

Kaposi's sarcoma
See *Sarcoma*

Karnofsky Performance Status
In acute myocardial ischemia, **5**:77

Kartagener's syndrome
Bronchial asthma differentiated from, **12**:50

Kawasaki disease
Diagnosis of, **12**:209
Differentiation of, **12**:210

Keratitis
Chemical, **9**:60
Effects of, **7**:35
Gram-negative, in ocular surface disease, **6**:142

Keratoacanthoma
Solitary, of the lip, **9**:46

Keratoconjunctivitis
Epidemic, pharyngeoconjunctival fever differentiated from, **14**:280
Sicca
Artificial tears for, **7**:39
Blepharitis and rheumatoid arthritis with, diagnosis of, **7**:35

Keratoderma blennorrhagicum
Cutaneous larva migrans differentiated from, **10**:194
In Reiter's syndrome, **7**:230

Keratoplasty
See *Cornea*, transplant

Keratosis
Actinic, exposure to sun as cause of, **7**:189

N
O
E
X

OL
4

92

MI

Cervical, carcinoma obscured by, **6**:117

Keratotomy
Radical, **7**:60

Kerion
In tinea capitis, **7**:185

Kernig's sign
In bacterial meningitis, **5**:36
In elderly, **13**:62
In meningeal irritation in infant, **8**:153

Ketamine
Vertical nystagmus caused by, **7**:163

Ketoacidosis
In epilepsia partialis continua, **13**:76
Self-treatment of, in traveling diabetic, **9**:86

Ketoconazole
Candidal sepsis in surgery prevented by, **5**:225
In HIV, **7**:154

Ketosis
In methanol poisoning, **15**:83

Kidney
Aminoglycoside therapy in, **7**:303
  Contraindications to, **7**:307; **10**:82
Carcinoma, renal cell
  Groin pain referred from, **10**:122
  Interleukin-2 for, **5**:200
Cyst, percutaneous drainage of, **12**:92
Damage, prevention of, in pyelonephritis, **3**:25
Disease
  Preeclampsia differentiated from, **8**:100
  Quinolone clearance altered by, **6**:156
Dysfunction, digoxin sensitivity associated with, **11**:119
Failure
  Autoimmune pericarditis caused by, **8**:35
  Dialysis for, **5**:225
  In eclampsia, **8**:99
  In exertional heatstroke, **7**:322
  Hypermagnesemia in, from magnesium-containing cathartic, **10**:222
  Hypoglycemia caused by, **4**:306
  In MAO overdose, **12**:204
  Myoglobin-induced, prevention of, **8**:164
  In neuroleptic malignant syndrome, **9**:54
  Psychotic behavior caused by, **7**:162
  In sepsis, **4**:144
Function
  At appendectomy, **4**:344
  Impaired
    ACE inhibitor contraindicated with, **10**:62
    Seizures in, **10**:130
  Monitoring of, after methylprednisolone therapy for SLE, **12**:192
  In pancreatitis, simplified criterion for judging, **4**:163
Infection
  Hospitalization for, **6**:145
  Of medulla, in upper UTI, **6**:148
Stone
  Impacted, MAO inhibitor as cause of, **4**:320
  Oxalate, vitamin C megadose as cause of, **4**:277
Survival, improved, after cyclophosphamide for SLE, **12**:192
Wilms' tumor of, chemotherapy for, **5**:202
See also *Pyelonephritis*

Kinin
In Hymenoptera venom, **7**:172
In organ failure, **5**:216

N
DEX
OL
4
92
MI

Klebsiella
Pneumonia
Legionnaires' disease differentiated from, **5**:231
Nosocomial, **16**:97

Knee
Adolescent arthritis from STD in, **7**:229
Arthrocentesis, trick for holding needle still and minimizing pain of, **8**:131
Aspiration of synovial fluid in, **10**:71
Deep tendon reflexes at, assessment of, **4**:186
Extensor mechanism, x-ray and MRI view of, **7**:214
Fracture, occult, **7**:206
Injury
Ligament
Anterior and posterior drawer signs in, **9**:119
Isolated, **4**:328
In supposed sprain, **9**:121, 125
MRI for, **7**:201
In skiing, **4**:324; **16**:74
Osteoarthritis, analgesia for, **1**:104
Overuse syndromes in, **3**:179
Pain in
Baker's cyst rupture as cause of, **6**:169
Referred
From hip, misdiagnosis of, in breast or prostate cancer, **10**:122
Slipped hip epiphysis as cause of, **9**:113

Kussmaul's sign
Pericardial tamponade as cause of, **8**:39

Kyphoscoliosis
Respirator for, in air travel, **9**:82

Kyphosis
In lumbosacral spine injury, **4**:185

OL
4
92
MI

L

La belle indifférence
In psychogenic musculoskeletal pain, **6**:76

Labor
Premature
Asthma as cause of, **13**:32
In differential diagnosis in pregnant woman, **12**:103
Fear of causing, in presumed to have appendicitis, **9**:129

Laceration
In child abuse, **4**:284
In chain saw injury, **13**:103
Ear, **5**:147
Eyelid, **4**:265
Finger, hemostasis of, trick for, **3**:159
Genital, test for identifying, **7**:311
Nasal, **6**:34
Repair
Trick for hair control during, **1**:119
Tricks for minimizing pain of, **8**:131
In skiing, **16**:83
In suture cutting, trick for preventing, **4**:191
Tendon, extensor differentiated from flexor, **15**:95, 105
Tongue, **5**:17

Lactase deficiency
In celiac sprue, **6**:139
Persistent diarrhea caused by, **5**:98
Intestinal, **8**:131
Norwalk and rotavirus infection as cause of, **5**:95

Lactate
Dehydrogenase
In palpable spleen, **8**:77
Isoenzyme I level, as MI criterion, **5**:236
Serum, in PCP
For diagnosis, **9**:127
In differentiation from lymphoid interstitial pneumonitis, **10**:180
Serum levels
Myocardial metabolic status determined by, **5**:78
In shock, as marker of perfusion failure, **5**:207
Elevated, in hypoperfusion, **2**:187

Lactic acid
Abdominal injury indicated by, **2**:92
In disk degeneration, pain increased by, **10**:45
In septic shock, mortality correlated with, **2**:187

Lactose
In diet after diarrhea, **16**:127
Tolerance, self-testing for, **8**:131

Lactulose
Breath test, for intraluminal bacterial overgrowth, **6**:135
For constipation in cancer, **10**:132

Laparoscopy
Appendicitis diagnosed by, **4**:343
For cholecystectomy, **2**:79
For detection of impalpable testis, **8**:139
For ectopic pregnancy, **1**:93
PID study with, **10**:101

Laparotomy
For abdominal infection in GI failure, **5**:225
In blunt trauma, **9**:112; **15**:194
In celiac sprue, for malignancy, **6**:139
In gallbladder disease vs laparoscopy, , **2**:79
For tuboovarian abscess, **1**:67

Larva migrans
Cutaneous, differential diagnosis of, **1**:86; **10**:194

Laryngitis
Hoarseness caused by, **6**:44

Laryngocele
Diagnosis and treatment, **11**:49

Laryngoscopy
In epiglottitis, **14**:61
For removal of fish bone from posterior pharynx, **3**:139
In smoke inhalation, **15**:55

Laryngospasm
In anaphylaxis, intubation for, **12**:146
In epiglottitis, risk for, **6**:43
Stridor in upper airway injury complicated by, **7**:248
In toxic inhalation, **7**:247

Larynx
Adult and immature, epiglottitis variations in, **14**:56
Carcinoma of, hemoptysis in, **8**:230
Damage to, from alkaline corrosive ingestion, **5**:195; **14**:94

Lasègue's sign
Sciatic irritation uncovered by, **4**:187

Laser
Angioplasty, **1**:243
For cervical conization, **6**:121
CO_2 vaporization, for premalignant vaginal lesion, **7**:96
Iridectomy opening by, **7**:51
Myopia treated by, **7**:60
Open-angle glaucoma temporarily corrected by, **7**:51
For retinal holes, treatment, **7**:57
Vaporization, for chronic actinic cheilitis, **14**:261

Latex agglutination test
In altered mental status, **8**:217
In bacterial meningitis, **15**:158
In *C. difficile* colitis, **4**:83

Lavage
Bronchiolar, for PCP diagnosis, **9**:128
Bronchoalveolar
  For PCP diagnosis, **10**:180
  For pneumonia
    Eosinophilic, **1**:145, 148
    Nosocomial, **16**:108
Gastric
  For digoxin toxicity, **11**:123
  Indications and contraindications for, **10**:212, 217
  For iron overdose, **14**:105
  For isoniazid overdose, **10**:142
  In suicide attempt, delay in, **7**:69
  For thallium in GI tract, **3**:71
  Trick for more flexible tube in, **8**:131
Nasogastric, for iodine toxicity, **8**:179
Peritoneal
  Indeterminate RBC count in, **2**:91; **9**:111
  In intoxicated vs nonintoxicated patients, **13**:48

OL
4
92
MI

For pancreatitis, **4**:166
Repeat, **9**:112
Small-bowel injury diagnosed by, **1**:44
In trauma, **2**:91; **15**:194
See also *Irrigation*, whole bowel

Lead poisoning
High-pressure paint injection as cause of, **14**:186
Whole-bowel irrigation for, **10**:223

Leg
Athletic injuries to, **11**:153
Edema of, from orthostatic hypotension treatment, **15**:153
Length discrepancy of, myofascial pain caused by, **5**:172
Lichen simplex chronicus on, **10**:194
Pain in, DVT differentiated from Baker's cyst rupture in, **6**:169
Pneumatic compression of, for pulmonary embolism prophylaxis, **14**:152
Tibial fracture in, **9**:119
Weakness
On standing, in orthostatic hypotension, **15**:151
In vitamin B_{12} deficiency, **10**:198

Legg-Calvé-Perthes disease
In child, **3**:179

Legionella
In endocarditis, **15**:156
Erythromycin for, **8**:232
Local water supply directly related to, **5**:227
In nosocomial pneumonia, **16**:97

Legionnaires' disease
Antibiotic coverage of, in nosocomial pneumonia, **10**:91
Diagnosis and treatment of, **5**:227
Erythromycin for, **8**:232
Baseline and follow-up audiograms in immunosuppressed patients with, **8**:234

Leishmaniasis
Palpable spleen in, **8**:81

Lentigo
Labial, vs malignant melanoma, **14**:268

Leukemia
Acute lymphoblastic, chemotherapy for, **5**:202
Chronic
Splenomegaly as first sign of, **8**:77
Philadelphia chromosome in diagnosis of, **5**:200
Hairy cell
Interferon for, **5**:200
Splenomegaly caused by, **8**:78
Pericarditis caused by, **8**:36
Vaccination for
Measles, **8**:126
Varicella, **14**:124

Leukopenia
In cancer chemotherapy, growth factor alleviating, **5**:200
Interferon as cause of, **15**:130
In tinea infection, **7**:179
TMP-SMX for PCP as cause of, **10**:182

Leukoplakia
Oral cancer signaled by, **11**:181
Oral hairy, in HIV, **7**:142; **9**:127

Leuprolide acetate
Side effects of, **10**:147

OL
4
92
MI

Levamisole hydrochloride
For colon cancer, **5**:206

Levarterenol bitartrate
In anaphylaxis, for persistent hypotension, **12**:148

Levodopa
In neuroleptic malignant syndrome, **9**:56
Withdrawal of, malignant hyperthermia caused by, **7**:324

Levorphanol
For cancer pain, **10**:130

Levothyroxine
Replacement therapy for elderly, **5**:73

Leydig cell
Damage, in untreated cryptorchidism, **8**:138

Lice
Head, mineral oil for, **3**:164

Lichen simplex chronicus
Differential diagnosis of, **10**:194
On lips, **14**:265

Lidocaine
In blunt trauma, for rapid sequence intubation, **12**:73
After cough CPR, **12**:171
For digoxin toxicity, **11**:123
For drain extraction from wound, **15**:183
For ear laceration, **5**:148
For head injury, **8**:221
For hemorrhoid excision, **10**:208
Ice before injection of, **7**:265
Intra-articular, for Baker's cyst rupture, **6**:169
For local anesthesia, **16**:46
In MI, risks and benefits of, **7**:124
For Morton's neuroma, **15**:37
For nose fracture, **4**:236
For nose packing, **6**:31
For pain relief, **4**:191
For pharyngeal ulcers, **6**:41
For plantar fasciitis, **15**:36
Prophylactic, after cardioversion for tachycardia, **8**:111
For ventricular arrhythmia, **7**:128
For wound packing, **2**:141

Ligation
Arterial, for uncontrolled epistaxis, **6**:31
Rubber-band, for internal hemorrhoids, **10**:207

Limp
Age-related causes of, **3**:173

Lindane
Poisoning, seizures in, **3**:62

Lip
Keratoacanthoma of, **9**:46
Cleft, accessory tragi with, **8**:102
Electrical burn, **8**:158
Lesions, causes and effects of, **14**:259
Reading, as alternative to hearing aid, **15**:178

Lipohemarthrosis
Fracture as cause of, **12**:133

Lipoma
Accessory tragi differentiated from, **8**:102

Lithium
Battery cell, ingestion of, **13**:52
Carbonate, for manic-depressive disorder,

OL
4
92
MI

12:169
Heat disorders in patient on, **7**:318
Hypothyroidism caused by, **5**:68
Nonabsorption of, by activated charcoal, **10**:221
Toxic ingestion of, whole-bowel irrigation for, **10**:223

Liver
Abscess
Amebic, percutaneous drainage of, **12**:96
E. histolytica as cause of, **5**:95
Acute fatty, of pregnancy, **7**:296
Biopsy
Contraindications for, **7**:297
In postpartum patient, **7**:296
Bleeding, in eclampsia, **8**:99
Cancer
From hepatitis, **12**: 231; **14**:116
Shoulder pain referral from, first sign of metastasis in, **10**:122
Cirrhosis, biliary, in cystic fibrosis, **13**:40
Cyst, percutaneous drainage for, **12**:92
Damage
Aminotransferase enzyme elevation as indication of, **7**:75
In heatstroke, **7**: 322
In hepatitis B, **15**:123, 129
Methotrexate as cause of, **11**:236
Disease
Chronic, posttransfusion hepatitis as cause of, **5**:60
Congestive splenomegaly in, **8**:81
Fulminant, from gordolobo yerba and impila overuse, **4**:282
Quinolone clearance altered by, **6**:156
From vitamin A megadoses, **4**:280
Dysfunction
Lidocaine toxicity in, **7**:127
In retroperitoneal hematoma, **15**:191
Enlarged, from Russian comfrey overuse, **4**:281
Enzymes
In altered mental status, **8**:214
In chronic hepatitis C, **12**:232
Failure
Fish-odor syndrome caused by, **14**:234
In hepatitis A, **15**:116
In MAO overdose, **12**:204
Psychotic behavior caused by, **7**:162
In sepsis, **4**: 144
Function, monitoring of, in treatment of chronic tinea infection, **7**:179
Function tests
In cryptococcal meningitis, **12**:196
In differential diagnosis, **5**:234
In HIV, **7**:143, 153
For palpable spleen, **8**:77
In methotrexate treatment of SLE, **12**:194
In tinea infection, **7**:179
Iron deposit in, **14**:99
Lipid metabolism in, alcohol influencing, **7**:76
Rupture, differentiating fatty from, in pregnant woman, **7**:297
Transaminase, elevation of in hepatitis C, **12**:231
Transplant, consideration of, in postpartum patient, **7**:296
See also *Hepatitis*

Loeffler's syndrome
Peripheral eosinophilia caused by, **1**:147

Loperamide
For diarrhea, **5**:112, 116

Lorazepam
For nausea and vomiting caused by cyclophosphamide for SLE, **12**:194
In panic disorder, **14**:114

OL
4
92
MI

For seizure control, **8**:211
For status epilepticus, **11**:184
Vs diazepam, **8**:185

Lovastatin
For cholesterol reduction, **2**:104

Lumbar facet syndrome
Diagnosis and treatment of, **10**:57

Lumbar puncture
For CNS infection in HIV, **10**:190
For headache
In elderly, **13**:62
Error in, **2**:181
With pseudotumor cerebri, **15**:76
Marking spot of, tricks for, **14**:96
In meningitis, **15**:158
Bacterial, **5**:35
Ruled out by, **6**:163
Cryptococcal, **9**:128; **12**:196
MRI before, with suspicion of epidural lesion, **13**:78
Seizure as indication for, **11**:117
For status epilepticus, **8**:182

Lung
Auscultation, in occupational asthma, **13**:31
Biopsy
For bronchiolitis obliterans, **5**:117
Bulla in, distinguished from pneumothorax in COPD, **4**:204
Calcification foci in, in PCP, **15**:142
Cancer
In celiac sprue, **6**:139
Diagnostic errors, **8**:203
Hemoptysis, caused by, **2**:227
Metastatic, brachial plexopathy caused by, **10**:118
For PCP diagnosis, **10**:180
Small-cell chemotherapy for, **5**:202
Smoking as cause of rise in, **5**:199
In solitary nodule, likelihood of, **9**:91, 94
Spinal metastasis from, **10**:118
Unexplained shoulder pain caused by, **12**:134, 139
Compliance, in acute toxic inhalation, **7**:248
Contusion, scapular fracture as flag for, **11**:110
Damage
In Pseudomonas infection, **13**:40
In sepsis, through neutrophil sequestration, **4**:147
In toxic inhalation, **7**:244, 251
Disease
Chronic, asphyxiation in, **7**:244
Drug-induced, **5**:121
Hypercapnia as sign of, **6**:84
Interstitial, advance planning for travel with, **9**:77
O_2 for
During hospitalization, **12**:216
Supplemental, in cystic fibrosis, **13**:45
Embolism, prolonged sitting as cause of, **9**:81
Expansion, in severe respiratory failure, **12**:217
Failure, in sepsis, **4**:144
Fibrosis
Paraquat poisoning as cause of, **3**:81
Function
In cystic fibrosis, 13:45
Decline in, **13**:45
In pancreatitis, criterion for judging, **4**:163
Idiopathic, prediction of flying problems with, **9**:82
Infection, hemoptysis caused by, **8**:230
Mucus, in cystic fibrosis, **13**:40
Overaeration, assisted ventilation as cause of, **4**:312
Parenchyma, pentamidine delivery to, **1**:210

Pericardial sac impingement on, **8**:39
Rheumatic disease in, **2**:147; **5**:117, 121
Scanning, in smoke inhalation, **15**:55
Toxicity to,
  Methotrexate, **12**:194
  O_2, **12**:229
Vascular congestion of, in heatstroke, **7**:322
See also *Edema; Pulmonary function testing; Pulmonary system;* specific diseases

Lupus erythematosus
Discoid
  Alopecia areata differentiated from, **7**:132
  Eyelids distorted by, **7**:39
  Factitial dermatitis differentiated from, **6**:108
  Tinea corporis differentiated from, **7**:185
Systemic
  Arthritis, **10**:67
    Adolescent, differentiated from, **7**:229
    Monoarticular, as first sign of, **10**:67
    Gonococcal infection in, **10**:102
    Misdiagnosed as flareup of, **14**:197
  Erysipelas differentiated from, **12**:62
  Nephritis from, **12**:191,
  Palpable spleen in, **8**:81
  Phototoxic dermatitis in, **7**:189
  Without renal impairment, **12**:191
  Rheumatic pulmonary disease in, **2**:147
  Steroid alternatives for, **12**:191
Varicella differentiated from, **8**:102

Lye
Poisoning with, **5**:194; **14**:93
  Stricture from,
    Carcinoma risk in, **5**:191
    Dysphagia caused by, **6**:70

Lyme disease
Diagnosis and treatment of, **11**:28
Myocarditis caused by, **8**:42

Lymphadenitis
Femoral hernia differentiated from, **5**:198

Lymphadenopathy
Airway obstruction accompanying, **6**:41; **7**:138
Congenital or posttraumatic, malabsorption caused by, **6**:123
  In herpetic gingivostomatitis, **14**:260
HIV
  Marker in infant or child, **10**:179
  As sign of, **7**: 138
  In third stage of HIV, **7**:142
Penile ulcer associated with, **6**:111
Percutaneous drainage of, **12**:92

Lymphocytosis
Peripheral, in lymphoid interstitial pneumonitis, **10**:187

Lymphogranuloma venereum
Penile ulcer caused by, **6**:112

Lymphokine
Immune system mobilized and regulated by, **5**:200

Lymphoma
Abdominal pain in, **6**:124
CNS, AIDS-related, **9**:128
Epidural metastasis from, **13**:78
High-grade, chemotherapy for, **5**:202
In HIV, **7**:143
Hodgkin's, pericarditis caused by irradiation for, **8**:36
Interferon for, **5**:200
Intestinal, in celiac sprue, **6**:139
Malignant

Arthralgia caused by withdrawal of steroids for, **10**:121
Femoral necrosis caused by steroids for, **10**:118
Metastatic, lumbosacral plexopathy caused by, **10**:118
Non-Hodgkin's
Herpetic neuralgia in, **10**:121
Neuropathy caused by treatment of, **10**:118
Splenomegaly as first sign of, **8**:78

Lysergic acid diethylamide (LSD)
Heat regulation impaired by, **7**:318

M

Macrocytosis
In alcohol abuse, **7**:72

Macroglobulinemia
Splenomegaly as first sign of, **8**:78

Magnesium
In alcohol withdrawal, **8**:175
In gastric decontamination, hypermagnesemia caused by, **10**:222
In preeclampsia, convulsions prevented by, **8**:100

Magnetic resonance imaging
See *Scanning*

Malabsorption
Causes of, **6**:124
Signs, symptoms, and causes of, **6**:123

Malalignment
Femoral, in overuse injury, **11**:154
Hip, gait abnormality caused by, **11**:170

Malaria
Splenomegaly caused by, **8**:77

Malleolus
Medial, x-ray variations in, **11**:243
Skiing injuries to, **16**:74

Mallory-Weiss tear
Gagging to stop hiccups as cause of, **15**:83
Ipecac as cause of, **10**:217
Stool guaiac test for, **12**:110

Malpractice
See *Medicolegal issues*

Mammography
In augmented breast, **6**:88, 99
In women over 50, **16**:52
Cost-effectiveness of, **5**:202
Nonpalpable and benign lesions detected by, **8**:225

Mandible
Hypoplasia of, **8**:102
Osteomyelitis of, **14**:175

Manic-depressive disorder
Lithium carbonate for, in suicidal adolescent, **12**:169

Mannitol
For cerebral edema after infarction, **13**:68
In electrical burn, **8**:167
In head injury, **8**:222
For retinal artery occlusion, **8**:118

MAO inhibitor
Toxic interactions with

OL
4
92
MI

Fluoxetine, **11**:136
Tyramine, **11**:216; **12**:204

Maprotiline
Toxicity of, **11**:136

Marathon
Medical management of, **11**:186

Massage
Deep muscle, before IM injection, **3**:164
For myofascial pain, **5**:171

MAST suit
For shock in electrical injury, **8**:164

Mastectomy
Pain after, **10**:118
Reconstruction after, **6**:101

Mastitis
Nursing, trick for relieving, **3**:163

Mastoiditis
Middle ear affected by, **5**:141
Myringotomy for, **5**:136

Measles
Diagnosis and treatment of, in immunocompromised child, **8**:124

Mediastinoscopy
For solitary pulmonary nodule, **9**:97

Mediastinum
Air in, esophageal perforation as cause of, **13**:61
Foreign body in, esophageal perforation as cause of, **13**:54
Fibrosis or metastasis in, dysphagia caused by, **6**:70
Masses in, dysphagia caused by, **5**:192
Radiation to, malignant pericarditis caused by, **10**:122
Widened, aortic tear signaled by, **11**:59

Medic-Alert
Anaphylaxis, precipitants listed on, **12**:154
On anticoagulant use as clue to broken heart valve, **8**:84
For traveler with endocrine disorder, **9**:83

Medicolegal issues
In AIDS treatment, **3**:118
In alleged rape, **7**:312
Blood alcohol level in trauma, **7**:72
Emergicenter admission, **5**:210
Mental status and patients' rights, **11**:208
In occupational asthma, **4**:209
Record keeping, **4**:154; **15**:95
Responsibility
HMO, **16**:8 (letter)
Physician vs system, **1**:35
In snakebite, difficulty of detecting, **15**:8 (letter)

Medroxyprogesterone acetate
For postmenopausal woman on estradiol, **14**:275
For sleep apnea, **6**:87

Meibomitis
Treatment of, **7**:34

Melanoma
Differential diagnosis of, **14**:268
Interleukin-2 for, **5**:200
Metastatic, **10**:118
Ocular, **4**:289
Risk factors for, **4**:288

OL
4
92
MI

Sun exposure as cause of, **7**:189

Melanosis
Acropustulosis differentiated from, **7**:132

Melkersson-Rosenthal syndrome
Oral steroid for, **14**:262

Memory
Loss of
  In Alzheimer's disease vs vitamin B_{12} deficiency, **10**:200
  CO exposure as cause of, **7**:257

Meniere's disease
Hearing loss caused by, **15**:174

Meningismus
In AIDS-related cryptococcal meningitis, **9**:128

Meningitis
Admission for, denied, **5**:210
Aseptic
  AIDS-related, **9**:128
  In retroviral syndrome, **9**:127
Bacteremia, occult, as cause of, in children, **16**:67, 70
Ceftriaxone for, lower rate of neurologic sequelae with, **8**:217
Carcinomatous, diagnosis of, **10**:118
Cryptococcal, AIDS-related, **9**:128; **12**:195
Diagnosis and treatment of, **5**:35
Fulminant from spinal needle penetration of epidural mass as cause of, **13**:78
Head injury differentiated from, **8**:222
Headache and altered mental status as only symptoms of, **13**:62
In Lyme disease, **11**:30
Meningococcal, **15**:157; **16**:70
Mucocele as cause of, **6**:46
Neuroleptic malignant syndrome differentiated from, **9**:54
Pneumococcal, **13**:92; **14**:119
Psychotic behavior caused by, **7**:162
Rapid slide test for, **8**:217
Ruling out in child, **4**:191; **8**:153
Seizure as only sign of, **11**:117
Status epilepticus caused by, **8**:182
Treatment delay as cause of, **1**:35
Types, differentiation of, **5**:41

Meningococcus
See *Neisseria*

Menopause
Estrogen replacement after, **14**:48, 275
Fibroadenoma regression after, **8**:226
Pap smear after, importance of, **7**:88
Tuboovarian abscess after, **15**:163

Menstruation
Abnormal, in gonococcal cervicitis, **10**:101
Catamenial pneumothorax associated with, **4**:208
Colposcopy contraindicated during, **6**:117
History, importance of, in adolescent, **4**:323
Pap smear contraindicated during, **7**:88
Postmenopausal, with estrogen replacement, **14**:48, 276

Mental retardation
Herpes simplex transmission as cause of, **10**:77

Mental status
Alcohol effect on, assessment in trauma, **13**:48
Altered
  AIDS-related CNS infection signaled by, **9**:128
  In bacterial meningitis, **5**:36

OL
4
92
MI

Cervical spine injury signaled by, **11**:145
Drug interactions as cause of, **12**:119
Electrical burn as cause of, **8**:168
In frostbite, **2**:131
Functional or organic, differential diagnosis of, **7**:162
In heatstroke, **7**:314
Hypothyroidism indicated by, **5**:67
Intracranial injury in, **13**:112
Hemorrhage, in hypertension, **12**:204
Intoxication as cause of, differential diagnosis of, **15**:84
Lavage for gastric emptying in patient with, **10**:217
In meningococcal meningitis, **15**:158
Meprobamate overdose as cause of, in elderly woman, **10**:142
Methylprednisolone as cause of, **12**:192
In neuroleptic malignant syndrome, **9**:54
Neurologic exam for, **8**:204
Patients' rights despite, **11**:208
In seizure, causes of, **8**:214
In sepsis syndrome, **1**:56
In sleep apnea, tracheostomy for, **6**:87
In varicella, **4**:300
In HIV, assessment of, **7**:143
In withdrawal, **8**:170

Meperidine
MAO inhibitor interaction with, **4**:320; **12**:204
For migraine vs methotrimeprazine, **10**:72
For pancreatic pain, **4**:166
In sickle cell crisis, contraindicated, **1**:138
Unpredictable pharmacology of, rare use for cancer pain caused by, **10**:130

Meprobamate
Overdose, **10**:142

6-Mercaptopurine
Pancreatitis caused by, **14**:161

Mercury
Blood level of, after battery ingestion, **13**:52
Poisoning, **3**:84; **14**:126, 131

Metabolism
Abdominal injury indicated by base deficit, **2**:91
Abnormalities in severe sepsis, **4**:147
Coma caused by imbalances of, **13**:70
Failure of, in status epilepticus, **8**:181
Organ failure caused by abnormalities of, **5**:216
In pancreatitis, criteria for judging, **4**:163

Metal
Toxicity of
In eye, **2**:145
Heavy, **5**:97

Metaproterenol
Acute, **13**:26
In anaphylaxis for bronchoconstriction, **12**:148
For asthma
In pregnancy, **13**:39

Metaraminol bitartrate
In anaphylaxis, for hypotension, **12**:148

Metastasis
Bone, cancer pain caused by, **10**:118
Brain, headache as sign of, **10**:121
CNS, pain syndrome in, **10**:118
Epidural
Back pain caused by, **13**:78
Spinal cord compression, **10**:122
Liver, painful shoulder as sign of, **10**:122
Lumbosacral plexus, pelvic pain caused by, **10**:131

OL
4
92
MI

Neck pain caused by, **8**:155
Nodal, in augmented breasts, **6**:88
Oral, **11**:170
Propensity for, tumorigenicity separate from, **5**:200
Shoulder pain caused by, **10**:122; **12**:139
Skull, headache caused by, **10**:118
Spine
  Cord compression with, **8**:203
  Sources of, **10**:118

Metatarsus adductus
Toe-in gait caused by, **11**:171

Methacholine challenge
Asthma diagnosed by, **4**:216, 227; **12**:40
  Occupational, **13**:31
Ceftriaxone for lower rate of neurologic sequelae with, **8**:217
In chronic cough, **7**:192

Methanol
Poisoning, **15**:83
  Visual loss caused by, **8**:112, 120

Methemoglobin
Cyanosis caused by, **7**:258

Methemoglobinemia
Cyanide toxicity treated by, **7**:260
In dapsone therapy, **10**:187
Lethal, failure to adjust soidium nitrite dose as cause of, **10**:141

Methotrexate
For asthma, **11**:235
Pneumonitis and interstitial fibrosis from, **5**:121
For SLE, **12**:191
Transvaginal instillation of, **12**:95

Methotrimeprazine
Contraindications to, **10**:74
For migraine, as alternative to narcotics, **10**:72

Methyl bromide
Poisoning, **3**:82

Methylene blue
Methemoglobin toxicity treated with, **7**:258

Methylergonovine
For migraine with hypotension, **3**:54

Methylphenidate
In cancer, opioid effects, to offset, **10**:131

Methylprednisolone
Anaphylactic reactions to contrast medium reduced by, **12**:154
For asthma, **13**:22
For herpes zoster of ear, **5**:140
For high-pressure injection injury, **14**:183
In optic neuritis, **8**:188
For SLE, **12**:191
For sore throat and lymphadenopathy, **6**:41
For spinal cord injury, **15**:213

4-Methylpyrazole
For methanol intoxication, **15**:83

Methylxanthines
See specific agents

Methysergide
For headache, as alternative to other agents, **16**:134
For migraine, **3**:54

Metoclopramide
Confusion or encephalopathy caused by, **13**:70
GI disturbances caused by, **1**:22
Sphincter contraction with, **5**:193

Metolazone
For hyperkalemia, error in use of, **12**:11 (letter)

Metoprolol
For MI, **16**:59
For unstable angina, **4**:137
  MI incidence reduced with, **9**:103

Metronidazole
For *C. difficile* colitis, **4**:85
For diarrhea
  Chronic, **5**:98
For giardiasis, **5**:115
E. histolytica, **5**:115
For intraluminal bacterial overgrowth, **6**:135
For mastoiditis, **5**:141
For meningitis, **5**:47
For trimethylamine fish odor, **14**:235
For sebaceous cysts, **2**:141

Microangiopathy
In diabetic foot lesion, **1**:89

Micrognathia
In sleep apnea, **6**:84

Microscopy
For UTI screening, **11**:220
  Vs dipstick testing, **2**:224

Midazolam
For anxiety, **14**:110
For status epilepticus, **11**:183

Middleton's maneuver
For splenomegaly diagnosis, **7**:78

Midodrine
For orthostatic hypotension, **15**:153

Migraine
AV malformation misdiagnosed as, **4**:297
In children, **15**:70
  Treatment of, **15**:80
Depression and anxiety with, **11**:215
Drug overuse as cause of, **16**:129
After head or neck trauma, **1**:105
Methotrimeprazine vs meperidine for, in ED, **10**:72
Panic disorder with, **14**:109
Prophylaxis for, **3**:53

Mineral oil
For head lice, **3**:164

Minimata disease
In mercury exposure, **3**:84
  Prenatal, **14**:131

Minnesota Multiphasic Personality Inventory
In chronic-pain syndrome in fibromyalgia, **5**:170

Minoxidil
For neuroleptic malignant syndrome, **9**:56

Mitral regurgitation
Emergency surgery for, **7**:127
Ventricular septal defect differentiated from, **7**:127

Mitral valve
Disease, **1**:111
Implant, fracture of, **8**:93

OL
4
92
MI

Regurgitation, S_3 significance in, **16**:53
Stenosis, thrombus risk with, **1**:111

MK-906
For prostatic hypertrophy, **10**:147

Mole
Family history of, in melanoma, **4**:288

Molluscum contagiosum
On face, as possible sign of HIV, **7**:138
Solitary keratoacanthoma differentiated from, **9**:46

Monilia
Dermatitis, perianal cellulitis differentiated from, **14**:156
Esophagitis, **5**:186

Monoamine oxidase inhibitor
Drug and food interactions with, **12**:203
Fluoxetine interaction with, **1**:32
For headache with depression and anxiety, **11**:215
Overdose, hospitalization for, **12**:204

Mononucleosis
Acute retroviral syndrome similar to, **9**:127
Diagnosis of, **8**:81
Labial genital ulcer caused by, **6**:112
Palpable spleen in, **8**:81
Penile ulcer caused by, **6**:111
Tonsillitis caused by, **6**:41

Monosodium glutamate
Adverse reactions to, **5**:98

Moraxella catarrhalis
In nosocomial pneumonia, **16**:97

Moricizine
For MI, danger of, in elderly, **16**:57

Moro's reflex
For hearing loss in infant, **8**:207

Morphine
For black widow spider bite, **14**:230
For cancer pain, **10**:123, 130
For diarrhea in AIDS, **3**:158
For pelvic pain, **10**:131
Rectal administration of, **10**:131
For sickle cell crisis, **1**:138
Switching from parenteral to oral, **10**:130

Morton's neuroma
Diagnosis and treatment of, **15**:37

Mosaicism
Cervical neoplasia associated with, **7**:92
Dysplastic process identified by, **6**:117

Motilin
Drug interactions with, **1**:21
GI toxicity caused by, **9**:52

Motility
Esophageal
Chest pain associated with disorder of, **5**:188
Studies of
Before antireflux procedure, **5**:193
In chronic cough, **7**:197
GI, lack of, activated charcoal contraindicated with, **10**:222
Small bowel, impaired, causes of, **6**:130

Motion sickness
Scopolamine for, **9**:85

Mouth
Alkaline corrosive injury to, **5**:194; **14**:94
Cancer, **11**:182
  Screening for, in elderly, **11**:170
Impetigo contagiosa around, **7**:177
Inspection of, in HIV, **7**:143
Ulcer
  Methotrexate as cause of, **12**:194
  Referred otalgia caused by, **5**:140

Mucous membrane
Alkaline corrosive injury to, **14**:94
Disease, malabsorption caused by, **6**:129
Edema, in asthma, **12**:31
Nasal, in occupational asthma, **13**:31
In Stevens-Johnson syndrome, **14**:259; **15**:136

Mucus
Airway plugging, **12**:40
  In lung, cystic fibrosis, **13**:40
Ear drainage of, in otitis media, **5**:141
  rh-DNase, for thinning, **13**:46
Secretion, cause of, **12**:142
  Stasis of, **12**:31
In toxic inhalation, unmovable, **7**:248

Multiple myeloma
Osteoporosis in, **10**:121
Spondylolysis differentiated from, **10**:37
In vertebral pain diagnosis, **8**:203

Multiple sclerosis
Optic neuritis with, **8**:186
Retrobulbar neuritis caused by, **8**:118

Mumps
Acute suppurative parotitis differentiated from, **14**:175
Iodide toxicity as cause of, **8**:179

Mupirocin
For bullous impetigo, **7**:178

Muscarine
Mushroom poisoning caused by, **5**:98

Muscle
Atrophy, systemic steroid as cause of, **13**:25
Contractions, tetanic, electrical injury as cause of, **8**:158
Contracture, ceftriaxone as cause of, **14**:256
Damage, in compartment syndrome, **15**:102
Deep massage of, before IM injection, **3**:164
Function tests, spine injury evaluated by, **4**:185
Paralysis of, for seizure, **8**:213
Spasm, in dystonic reaction, **16**:91

Muscle relaxant
For herniated nucleus pulposus, **10**:51
For intubation, **5**:17
For hyperserotonin syndrome, **12**:204
For muscle strain and spasm, **10**:54
See also specific agents

Mushroom
Poisoning, **5**:98

Mutism
Akinetic, neuroleptic malignant syndrome differentiated from, **9**:54

Myasthenia gravis
Oropharyngeal dysphagia caused by, **5**:186

Mycobacterium
Avium
  Complex, in AIDS, **13**:89

OL
4
92
MI

In fifth-stage HIV, **7**:143
In hand wound, **15**:105
Tuberculosis
As cause of respiratory symptoms in HIV, **10**:179
In health-care worker, aerosol administration to AIDS patients as cause of, **1**:213
See also *Tuberculosis*

Mycoplasma pneumonia
Bronchial asthma differentiated from, **12**:32
Diagnostic features, **5**:233
Erythromycin for, **8**:232

Mydriatic
For eye pain, **4**:250
See also specific agents

Myelofibrosis
Palpable spleen diagnostic of, **8**:78

Myelography
For epidural metastasis, **13**:78
Myelopathy and disk herniation diagnosed by, **13**:77

Myelopathy
Decompression for, **13**:77
Nerve-root impairment exam for, **8**:153
Spinal cord irradiation as cause of chronic, **10**:121

Myocardial infarction
Angioplasty for, **1**:239
Prophylactic, **4**:126
Anterior wall, clinical clues to sudden death from, **4**:318
Anaphylaxis differentiated from, **12**:145
Aortic dissection differentiated from, **12**:67
Assessing need for future intervention before hospital discharge, **5**:77
Cardiac enzyme analysis for detection of, **8**:61
Cardiogenic shock after, **5**:208
Cervical pain referred from, **8**:155
CHF caused by, **1**:230
Criteria for, **5**:236
Diaphoresis caused by, **7**:163
ECG and chest x-ray changes in, **7**:115
Heart valve fracture differentiated from, **8**:93, 94
Heat-induced, **7**:322
Inferior wall, thrombolysis for, **7**:118
O_2 use before blood gas test in, **12**:217
Pericarditis differentiated from, **8**:36
Physical exam for, **7**:110
Poor outcome in, causes of, **5**:209
Right-ventricular, **7**:127
Risk of, AHA charts for, **1**:156
Silent ischemia in, **2**:169
Status epilepticus as cause of, **13**:76
Suspected, O_2 for, **12**:215
Symptoms and signs of, **7**:110
Therapy for, **7**:116
Advances in, **1**:108
Unstable angina preceding, **9**:99
Heparin for, **9**:103
Ventricular function after
Arrhythmias, danger of treating, in elderly, **16**:57
Clinical clues vs electrophysiologic testing, **4**:243
Viral myocarditis differentiated from, **14**:188

Myocardial revascularization
For unstable angina, **4**:128

Myocarditis
In HIV, **8**:42; **10**:179

OL
4
92
MI

Percutaneous endomyocardial biopsy for, **8**:51
Treatment for, **8**:51
Viral
Causes of, **8**:42
Dilated cardiomyopathy as sequela of, **8**:42
MI differentiated from, **14**:189

Myoclonus
Intermittent, opioid as cause of, **10**:132
Nocturnal, daytime somnolence caused by, **11**:142

Myofascial pain
Tension headache caused by, **5**:159
Therapy for, **5**:170

Myoglobin
Dilution of, kidney failure prevented by, **8**:164
In urine, **8**:167

Myopia
Surgical correction of, **7**:60

Myositis
Clostridial, in electrical injury, **8**:167

Myringitis
Acute bullous, **5**:140

Myringotomy
Ear drainage in, **5**:145
For otitis media, **5**:136; **15**:169

Myxoma
Intracardiac, heart valve fracture differentiated from, **8**:94

N

Nafcillin
For gonorrheal arthritis, **7**:230

Naftifine hydrochloride
For tinea, **7**:178

Naloxone
In cancer, to correct high opioid dosage, **10**:130
For codeine-associated abdominal discomfort, **3**:158
Failure of, in drug abuse, as clue to another problem, **15**:82
In gamma-hydroxybutyrate overdose, **12**:203
For heroin body packer, **12**:207
In narcotic overdose, intraosseous route, **8**:208

Narcolepsy
Daytime sleep attacks caused by, **6**:84
Diagnosis and management, **11**:139

Neck
Abscess, percutaneous drainage of, **12**:95
Branchial cyst of, **13**:80
Cancer
Dissection for, pain after, **10**:118
Proton beam therapy for, **5**:200
Edema, suppurative parotitis as cause of, **14**:175
Hyperextension injury to, **15**:211
Lichen simplex chronicus on, **10**:194
Mass
Branchial sinus, as cause of, **11**:49
Laryngocele as cause of, **11**:49
Pain
Causes of, **8**:150
Cervical spine injury without, **11**:146
Decision tree for, diagnosis of, **8**:151
Decompression for, **13**:77
Diaphragm inflammation as cause of, **10**:122

OL
4
92
MI

In elderly, **13**:64, 77
Evaluation of, **8**:149
Nontraumatic, musculoskeletal cause for, **8**:153
In orthostatic hypotension, **15**:151
Referred pericardial, **8**:36
Reflex, asymmetric tonic, **8**:206
Short, in sleep apnea, **6**:84
Stiff
In AIDS-related CNS infection, **9**:128
In bacterial meningitis, **5**:36
In meningococcal meningitis, **15**:158
In MI, **7**:110
As sign of meningitis, **9**:127
Trick for ruling out, **4**:191
Veins
Distention of, CVPA estimated by, **8**:72
Pericardial tamponade as cause of, **8**:39
Pulsations of, in differential diagnosis of tachycardia, **8**:111
In traumatic tamponade or pneumothorax, **8**:40
Wry, in child, **8**:153
X-ray for foreign body in esophagus, **3**:135
See also *Spine*, cervical

Neck-shoulder-hand syndrome
RA associated with, **8**:155

Necrosis
Acute tubular, electrical injury as cause of, **8**:167
Avascular, in navicular bone fracture, **15**:110
Cervical carcinoma obscured by, **7**:95
Coagulation, acid burn to eye as cause of, **8**:123
Esophageal, lye ingestion as cause of, **5**:195
Femoral head, steroids as cause of, **10**:118
Hepatic, in heatstroke, **7**:322
Liquefaction, alkali burn to eye as cause of, **8**:123
Local, PCP vascular invasion with, **15**:142
Localized, in phototoxic dermatitis, **7**:189
Multiple-organ failure risk with, **5**:216
Myocardial, **7**:117
New CK-MB assay of, **8**:61
Penile, hemostasis after circumcision as cause of, **4**:323
Retinal, sudden visual loss from associated with, **8**:120
Small bowel, misdiagnosis of, **11**:176
Tissue
In high-pressure injection injury, **14**:180; **15**:92
Pancreatic abscess and fistula with, **12**:91

Nedocromil
For asthma, **13**:25

Needle stick
HIV testing after, **7**:141
Injury to medical personnel by, **7**:137
Pain in, trick for eliminating, **8**:131
Trick for minimizing, **15**:183

Neisseria
Gonorrhoeae
Antimicrobial resistance of, **10**:102, 105
Arthritis caused by, **7**:230
Bacteriuria "low count" caused by, **6**:146
Diagnosis and treatment for, **10**:101
In penile ulcer, **6**:112
Quinolone for, **6**:157
Susceptibility to, in SLE, **14**:197
UTI caused by, **6**:145
Meningitidis
In meningitis, **15**:157
Neurosensory hearing loss caused by, **8**:218
In occult bacteremia in children, **16**:70
Varied presentations of, **15**:157
See also *Gonorrhea*

DL
4
92
MI

Neomycin
Otic drops, **5**:136
Sensitivity to, **5**:141
For trimethylamine fish odor, **14**:235

Neonate
Anoxic encephalopathy in, **5**:213
Asthma in mother, adverse effects on, **13**:32
Bacterial meningitis in, **8**:217
Bullous impetigo in, **7**:177
Chorioamnionitis in, **1**:180
Seizure in, testing for, **12**:198
Hepatitis
  B in mother of, vaccination for, **14**:119
  C transmission to, **12**:231
Herpes simplex transmission to, **10**:77
HIV in, **10**:173
  Incidence of, **7**:137
  Poor prognosis for, **10**:173
Lyme disease in, congenital, **11**:41
Passively transferred serologic sensitivity
    differentiated from true infection in, **7**:141
Penile necrosis in, **4**:323
Retrolental fibroplasia in, **12**:228
S. agalactiae bacteriuria in, **6**:146
Scurvy in, maternal vitamin C megadoses as
    cause of, **4**:277
Umbilica granuloma in, trick for, **2**:141
UTI in, **11**:218
See also *Child*

Nephritis
Interstitial
  Exertional heatstroke as cause of, **7**:322
  Vitamin C megadoses as cause of, **4**:277
Lupus, methylprednisolone for, **12**:191

Nephrolithiasis
In cancer, groin pain referred from, **10**:122

Nephrotic syndrome
Pneumococcal vaccine for, **14**:120

Nerves
Damage to, in hand injury, **15**:92, 102
Electrical injury to, **8**:158

Netilmicin
Resistance to, **7**:303

Neuralgia
Foreign body sensation caused by, **6**:45
Herpetic, **10**:121
Postherpetic, **10**:123
Trigeminal, headache caused by, **13**:64

Neuritis
Aminoglycosides as cause of, **7**:304
In lumbosacral spine injury, **4**:176
Optic
  Steroids for, **8**:186
Retrobulbar, as precursor of multiple sclerosis,
    8:118
Tinel's sign, **4**:187
Visual loss caused by, **8**:112, 118

Neuroblastoma
Progressive tumor in, **5**:200

Neurodermatitis
Tinea corporis differentiated from, **7**:185

Neuroleptic malignant syndrome
Cause of, **9**:53
Differential diagnosis of, **9**:54

Neuroleptics

OL
4
92
MI

Dopamine blockade caused by, in malignant hyperthermia, **7**:324
Dystonic reactions from, **16**:91
Lip-licking dermatitis caused by, **14**:262
Neuroleptic malignant syndrome caused by, **9**:53
Reintroduction of, after, **9**:56
See also specific agents

Neurologic deficit
In bacterial meningitis, **5**:36
In central cord syndrome, **15**:212
In CO poisoning, **7**:258
Focal
AIDS-related CNS infection signaled by, **9**:128
CT scanning for, **13**:62
In gunshot wounds, **8**:151
In intracranial injury, **13**:112
In migraine, **15**:71
Permanent, status epilepticus treatment as cause of, **8**:211

Neurologic disease
Diagnosis of, in elderly, **13**:62
Eclampsia, as cause of, **7**:65
Headache associated with, misdiagnosis of, **2**:181
Nonfebrile seizure in, unnecessary lab work for, **12**:198

Neurologic dysfunction
Electrical injury as cause of, **8**:167
In fibromyalgia, **5**:159
In meningitis, **13**:92
Lower incidence of with ceftriaxone, **8**:217
In shellfish poisoning, **5**:97
Vertebral fracture associated with, **10**:38
In vitamin B_{12} depletion, **10**:198, 201

Neuropathy
Causes of, **1**:35
Diabetic
Cancer pain caused by, **10**:121
Foot, **1**:89
Visceral, **6**:130
In Lyme disease, **11**:30
Optic, vitamin B_{12} deficiency as cause of, **10**:200
Peripheral
Didanosine for HIV as cause of, **7**:144
Inability to sweat caused by, **9**:86
In malabsorption, **6**:127
Vitamin B_6 megadoses as cause of, **4**:277
Vincristine as cause of, **10**:118

Neurosurgery
Meningitis after, **5**:47

Neutropenia
Monotherapy for, **10**:82
Ticlopidine as cause of, **13**:67

Nevus
Dysplastic, as risk factor for melanoma, **4**:288

Niacin
Megadoses, **4**:277

Niacinamide
For *p*-nitrophenylurea poisoning, **3**:72

Nicardipine
For unstable angina, **4**:138

Nifedipine
For hypertension, **12**:204
For pancreatitis, **14**:165
Sublingual, ensuring correct dosage of, **15**:183
For unstable angina, **4**:138; **9**:103

Nikolsky's sign

Bullous pemphigoid differentiated from pemphigus vulgaris by, **5**:152

Nimodipine
For ischemic stroke, **13**:68

Nissen fundoplication
Reflux prevented by, **5**:191

Nitrate
For angina, **9**:103
  Unstable, **4**:137
For diastolic dysfunction, **1**:231
For silent ischemia, **2**:172
See also specific agents

Nitrites
In cyanide poisoning, **3**:83
Dipstick, for UTI, **2**:224
Methemoglobin, from exposure to, **7**:258

Nitrofurantoin
For cystitis, **4**:44
For UTI, **2**:45; **6**:158

Nitroglycerin
IV
  For MI, **7**:124
  For unstable angina, **4**:116, 137; **9**:103
Sublingual
  For angina, **9**:103
  In MI, **7**:116
Topical, for IV access, **1**:119

Nitrophenyluria
Poisoning, **3**:72

Nitroprusside
For aortic tear, **11**:56
For hypertension, **12**:204
For neuroleptic malignant syndrome, **9**:56

Nocturia
In cystitis, **6**:146

Noise
Cochlear degeneration caused by, **15**:165

Nolan-Beaty criteria
For endocarditis risk, **3**:165

Nonsteroidal anti-inflammatory drug
Asthma triggered by, **12**:32
Bleeding caused by, **14**:138
For cancer pain, **10**:123
For disk disease, **10**:51
Drug interactions with, **12**:116
Esophagitis caused by, **6**:72
Gastropathy caused by, **2**:108
For gout, **12**:230
For muscle strain and spasm, **10**:54
For osteoarthritis, acetaminophen vs, **1**:104
For pericarditis and myocarditis, **8**:51
For plantar fasciitis, **15**:34
Rectal bleeding associated with, **14**:243

Norepinephrine
In antidepressant toxicity, **11**:125
Release, increase in, diuretics as cause of, **10**:61
For sepsis, as alternative to dopamine, **4**:150
For shock, **5**:209

Norfloxacin
For gonorrhea, **10**:105
For UTI, **6**:158

Norwalk virus
Gastroenteritis caused by, **5**:95, 97

OL
4
92
MI

Nose
Chronic obstruction of, in sleep apnea, **6**:84
Drainage from, causes of, **6**:31
Emergencies, **6**:26
Foreign body in, **6**:34
  Removal of, **4**:191; **10**:94; **14**:96
Fractures, **4**:232; **6**:32
  Packing for, **4**:235
Impetigo contagiosa on, **7**:177
Irritation of hydrogen sulfide as cause of, **7**:261
In occupational asthma, signs in, **13**:31
Polyps of
  In cystic fibrosis, **13**:40
  Papilloma differentiated from, **13**:80
  In sleep apnea, surgery for, **6**:87
Rash, in erysipelas, **12**:61
Septum, abscess or necrosis, **4**:232

Nosebleed
See *Epistaxis*

Nucleus pulposus
Herniated
  Acute vs progressive injury to, **10**:45
  Axial loading stress as cause of, **10**:43
  Spondylolysis differentiated from, **10**:37
  Treatment of, **10**:51

Nutrition
In alcoholism, **8**:174
In COPD patients, **3**:48
In organ failure, **5**:225
Parenteral
  In celiac sprue, causative agent pinpointed by, **6**:139
  In cystic fibrosis, **13**:45
  In esophageal perforation, **13**:61
  After lye ingestion, **5**:195
  In nosocomial pneumonia, **16**:98

Nystagmus
In cyanosis, **8**:207
Horizontal, phenytoin toxicity as cause of, **7**:163
Inner-ear problem as cause of, **5**:146
Vertical, PCP as cause of, **7**:163

OL
4
92
MI

O

Obesity
In abused women, **6**:173
Cardiomegaly in, **9**:132
In elderly, screening for thyroid disease, **5**:68
Heart disease risk in, **1**:156
With migraine, **3**:54
Pregnancy masked by, **7**:69
Pulmonary embolism risk in, **14**:144
Spleen not palpable in, nuclear scan for, **8**:77
Splenic percussion sign less accurate in, **7**:86

Occlusion
Aortic, **14**:70
Coronary
  Myocardial PCO_2 rise after, **5**:209
  Thrombolysis after, **7**:117
In diabetic foot lesions, **1**:90
Retinal artery
  Temporal arteritis as cause of, **13**:64
  Visual loss caused by, **8**:112
Thrombus as cause of, **7**:109
Vertebrobasilar, **8**:223

Octreotide
For orthostatic hypotension, **15**:152
For pancreatitis, **14**:170

Odynophagia
Dysphagia differentiated from, **5**:186

Ofloxacin
For bacterial pneumonia, **4**:53
For gonorrhea, **10**:105
For Salmonella, **5**:115
For soft-tissue infection, **4**:238
For UTI, **6**:148

Oliguria
In eclampsia, **8**:99
In sepsis syndrome, **1**:56

Ophthalmia
Sympathetic, **4**:259

Opioids
For cancer, comparison of, **10**:124
Dosages and scheduling of, **10**:130
In heat disorders, **7**:321
Organ failure, **5**:216
Pain management with, **10**:124
Side effects from, **10**:131
Withdrawal from, **10**:132
  Differentiated from alcohol or sedative hypnotic withdrawal, **8**:170
See also specific agents

Orbit
Blowout fracture of, **5**:181

Orchidopexy
Techniques for and complications of, **8**:143

Orchiectomy
For testicular torsion, **4**:317

Organ failure
In classic heatstroke, **7**:322
In cyanide poisoning, **7**:259
Multiple

Status epilepticus caused by, **8**:181
Urgent management of, **5**:216
In retroperitoneal hematoma, **15**:191

Organic brain syndrome
Alcohol withdrawal as cause of, **7**:163

Organomegaly
As HIV marker, **10**:179

Organophosphate
Nerve gas, extreme toxicity of, **3**:65
In occupational asthma, **4**:216
Poisoning, **3**:62

Osteoarthritis
Cancer pain caused by, **10**:121
Hip, **4**:187
Knee, **1**:104
Neck pain caused by, **8**:155
Ruling out, in back pain, **10**:45
Tinnitus aggravated by, **15**:179

Osteochondritis dissecans
MRI diagnosis of, **7**:205

Osteoma
Cerumen impaction due to, **15**:169
Lumbosacral pain differentiated from, **10**:36
Stress fracture differentiated from, **4**:89

Osteomyelitis
In diabetic foot lesions, **1**:77
Group A beta-hemolytic streptococci as cause of, **13**:110
Mandibular, **14**:175
From occult bacteremia, **16**:67
Stress fracture differentiated from, **4**:89
Vertebral, **3**:180; **8**:203

Osteopenia
Malabsorption as cause of, **6**:127

Osteophyte
Cerumen impaction due to, **15**:169
Formation, stabilization of intervertebral joint by, **10**:44
Nerve root impingement caused by, **10**:45
Posterior, in cervical spine spondylosis, **12**:134

Osteoporosis
Cancer pain caused by, **10**:121
Estrogen for, after menopause, **14**:275
Euthyroid sick syndrome treatment as cause of, **5**:74
Fracture in
Calcaneal stress, **7**:330
Orthostatic hypotension as cause of, **15**:152
Status epilepticus as cause of, **13**:76
Steroids as cause of, **13**:25

Otitis
Externa
Differentiated from cellulitis or chondritis, **5**:139
Ear wick insertion for, **3**:162
Gentamicin for, **3**:163; **8**:8 (letter)
Pain in, **5**:136
Interna, with vertigo, **5**:146
Media
Diagnosis and treatment of
In adult, **2**:67
In child, **2**:70
In infant, **4**:300
Fever with, **10**:190
Hearing loss from, **5**:134; **15**:169
In HIV, **10**:179
From occult bacteremia, **16**:67

OL
4
92
MI

Perforated, antibiotic for, **5**:141
Serous, **5**:146
In asthma, **12**:50
S. pneumoniae as cause of, **14**:119

Otomycosis
Diagnosis and treatment of, **5**:139, 145

Otorrhea
In temporal bone fracture, **5**:147
Tympanic membrane patching contraindicated in, **15**:173

Otosclerosis
Hearing loss caused by, surgery for, **15**:173

Otoscope
Pneumatic, for otitis media, **5**:134
Tricks for use of, **15**:183

Ototoxicity
Aminoglycoside, **7**:304

Ovary
Metastatic cancer in, **10**:118
Percutaneous drainage in, **12**:95

Oxiconazole nitrate
For tinea pedis, **7**:178

Oximetry
Exercise, in rheumatoid interstitial lung disease, **5**:122
In pulmonary edema, **2**:60
Pulse
Advantages and disadvantages of, **12**:220
Arterial oxygenation monitored by, **12**:216
In head injury, **8**:221

Oxycodone
For cancer pain, **10**:124

Oxygen
For acetonitrile poisoning, **10**:141
For asphyxiation, **7**:244
Deficit, measurement of, **5**:208
Equipment, types of, **10**:165
Extraction, in sepsis, **4**:147
Free radicals, implicated in organ failure, **5**:216
For head injury, **12**:216
Hyperbaric
For CO poisoning, **7**:258
Hazards of, **12**:229
Monitoring, pulse oximetry for, **12**:220
Nocturnal desaturation of, in cystic fibrosis, **13**:45
For sickle cell disease, contraindicated, **1**:138
Supplemental
During air travel
With congenital heart disease, **9**:76
With respiratory problems, **9**:77
For anaphylaxis, **12**:146
For heart valve fracture, **8**:94
For hypoxemia, **13**:45
Therapy
For asthma, **9**:108
Criteria for, **12**:217
In electrical injury, **8**:164
Emergency, **12**:215
Home, **10**:162
Low-flow, **12**:216
Medicare requirements for, **10**:165
For lung disease, **12**:216
For MI, **7**:116
For organophosphate exposure, **3**:66
For pneumothorax, **4**:203
For rheumatoid interstitial lung disease, **5**:122
Routes for, **12**:217

OL
4
92
MI

For smoke inhalation, **15**:55
In spinal cord injury, **15**:213
In toxic inhalation, **7**:248
Toxicity of, **12**:228
Transtracheal, in cystic fibrosis, **13**:45

P

Pacemaker
For atrial fibrillation, **14**:219
For bundle-branch with AV block, **7**:128

Paget's disease
Conductive hearing loss in, **15**:174
In differential diagnosis of nonmechanical vertebral pain, **8**:203
Neck pain caused by, **8**:155
Shoulder pain caused by, **12**:139

Pain
Changing pattern of, evaluation of, **4**:299
Chronic, maladaptive behavior in, **8**:196
"Growing," in child and adolescents, **3**:180
In malingering or factitious illness, **8**:199
See also specific causes and sites

Paint removal
Painless, trick for, **5**:50

Palate
Carcinoma, squamous cell, **11**:182
Cleft, accessory tragi with, **8**:102

Palpation
Of Achilles tendon rupture, **9**:120, 121
Apical impulse, precordial percussion vs, **9**:131
Breast, implant interfering with, **6**:88
Face, in possible blowout fracture, **5**:182
Globe, for occult rupture, **5**:182
Of nose, fractured, **4**:236
Prostate, **9**:33
For balloon positioning, **10**,147
For spine injury
Cord, **15**:211
Lumbosacral, **4**:188
Splenic, maneuvers for, **8**:73
Splenomegaly not detectable by, **8**:77

Palsy
Cranial nerve, in bacterial meningitis, **5**:36
Facial, in Lyme disease, **11**:30

Pancreas
Abscess of, **12**:88, 91
Duct of, leakage of, **12**:92
Injury to
Electrical, **8**:168
Ruling out, in blunt trauma, **15**:194
Insufficiency of
In cystic fibrosis, nutritional management of, **13**:45
Malabsorption caused by, **6**:123
Lye ingestion injury to, **5**:195
Pseudocyst in, infected, **12**:88

Pancreatitis
Alcoholic
Acute, **10**:171
Chronic, **5**:56
Diagnosis of, **4**:163; **5**:55; **14**:159
Didanosine, **7**:144
In heatstroke, cause of, **7**:322
Idiopathic, in cystic fibrosis, **13**:40
In retroperitoneal hematoma, **15**:191
From sludge, **14**:165

Pancuronium

OL
4
92
MI

For anesthesia in penetrating chest injury, **8**:72
For strychnine poisoning, **3**:71

Panic disorder
Clinical clues to, **14**:110
Differential diagnosis of, **8**:192; **14**:106, 110
Drugs for, **14**:113
Symptoms of, **8**:192

Pap smear
Abnormal, colposcopy for, **6**:116; **7**:92
Accuracy of, improvement of, **7**:87
Bethesda system for reporting, **7**:92
Cytologic classifications for, **7**:88
In HIV, **7**:143
Patient instructions and physician guidelines for, **7**:91
Of penile ulcer base, **6**:112
In tuboovarian abscess, **15**:164

Papain
Contraindicated for meat impaction, **3**:140

Papilledema
Headache with, misdiagnosis of, **2**:181
In status epilepticus, **8**:182

Papilloma
Benign, accessory tragi differentiated from, **8**:102
Inverting, nasal polyps differentiated from, **13**:80

Paracentesis
Anterior chamber, for central retinal artery occlusion, **8**:118
Fluid aspiration by, for ascites, **14**:78

Paraldehyde
For seizures, **8**:213

Paralysis
In aortic occlusion, **14**:70
Bladder, in spinal shock, **15**:207
Facial, in temporal bone fracture, **5**:147
Neuromuscular, aminoglycosides as cause of, **7**:304
Organophosphates as cause of, **3**:69
For refractory seizures, **8**:213
In self-induced vomiting, **7**:309
Sleep, in narcolepsy, **11**:139
Vocal cord, **6**:44

Paramyxovirus
In hepatitis, **15**:129

Paraplegia
Epidural mass as cause of, **13**:78
In parenteral drug abuser, **4**:318

Paraquat
Poisoning, **3**:72

Parasitophobia
Diagnosis and treatment of, **1**:85

Paresthesia
In aortic occlusion, **14**:70
In disk herniation, **10**:46
Dysphagia related to, **6**:69
Lumbosacral spine injury, assessment of, **4**:176
In self-induced vomiting, **7**:309

Parkinson's disease
Neuroleptic malignant syndrome differentiated from, **9**:54
Psychomotor retardation in depression differentiated from, **8**:192

Paronychia

OL
4
92
MI

Treatment of, **15**:105

Parotitis
Acute suppurative, differential diagnosis and treatment of, **14**:175
As HIV marker, **10**:179

Pars interarticularis
Injury to, **10**:35
Stress fracture in, spondylolysis caused by, **10**:27

Patching
Of both eyes, for blunt trauma, **5**:182
After eye instillation of cyanoacrylate adhesive, **9**:62

Patrick's test
For hip joint symptoms, **4**:187

PCP
See *Pneumonia, P. carinii*

Pediatric concussion syndrome
Evaluation of, **8**:223

Pediculosis
Impetigo contagiosa complicating, **7**:177

PEEP
See *Positive end-expiratory pressure*

Pellegrini-Stieda disease
X-ray diagnosis of, **7**:207

Pelvic exam
For abdominal pain, **1**:49
For adolescent rape victim, **3**:103
Bladder injury, **4**:348
Failure to perform, cancer risk caused by, **7**:85
In HIV, **7**:143
Lumbosacral spine injury in woman ruled out by, **4**:188
For pyelonephritis, **3**:26
For UTI diagnosis, **11**:218

Pelvic inflammatory disease
Appendicitis misdiagnosed preoperatively as, **4**:343
Clinical diagnosis of, **1**:49
Gonococcal or chlamydial infection as cause of, diagnosis and treatment of, **10**:101
As risk factor for ectopic pregnancy, **1**:93

Pelvis
Abscess of, **12**:95
Fractured, **4**:347
  CT scanning for, **9**:125
  Retroperitoneal hematoma caused by, **15**:121
  Teardrop bladder caused by, **4**:348
Male anatomy of, **9**:26
Pain in,
  In abused woman, **6**:172
  In cystitis, **6**:146
  Lumbosacral plexus metastasis as cause of, X-ray of, for hip pain, **4**:357

Pemphigoid
Bullous, differentiatial diagnosis of, **5**:152

Pemphigus vulgaris
Bullous pemphigoid differentiated from, **5**:152

Penicillamine
For arsenic poisoning, **3**:84
Bronchiolitis obliterans caused by, **5**:121
For mercury poisoning, **14**:131
For pulmonary disorders in scleroderma, **2**:150

OL
4
92
MI

Penicillin
For bacterial meningitis, **5**:47
Enterococcal resistance to, **10**:93
For gonococcal infection, disseminated, **10**:108
  Resistance to, **10**:101, 105
Griseofulvin interaction with, **7**:179
For impetigo contagiosa, **7**:178
For Lyme disease, **11**:42
For meningococcal infection, **15**:157
For occult bacteremia, **16**:70
For perianal cellulitis, **14**:156
For pneumococcal disease, **14**:120
For pyelonephritis in pregnancy, **3**:30
For sepsis **4**:153; **10**:68
For streptococcal disease, **7**:300
  Endocarditis, **7**:236; **15**:154
  Group A beta-hemolytic, **13**:110
    Erysipelas, **12**:62
  S. pneumoniae sepsis in RA, **10**:68
For UTI, **6**:149
For Vincent's angina, **6**:41

Penis
Glans, strangulation of, **4**:323
Painful, error in diagnosis of, **12**:103
Ulcer, diagnostic protocol for, **6**:111

Penlight
For eye exam, **7**:33

Pentamidine
AIDS prophylaxis with, **1**:217
Pancreatitis caused by, **14**:161
For PCP, **7**:153; **9**:128; **10**:180, 182
  Prophylaxis, **1**:209
  X-ray findings affected by, **15**:141

Pentazocine
For pancreatic pain, **4**:166

Pentobarbital
Coma, for status epilepticus, **8**:185
For intubation in blunt trauma, **12**:73

Percussion
Abdominal, **14**:78
  Ascites differentiated from ovarian cyst by, **14**:78
Chest, postural drainage with, for cystic fibrosis, **13**:42
Precordial, performance of, **9**:131

Pericardiotomy
For hemopericardium, **8**:40

Pericarditis
Causes of, **8**:36
  Autoimmune, **8**:35
  Malignant, **10**:122
  Viral, **8**:35
Chest pain caused by, **8**:36
Differential diagnosis of, **8**:36, 41; **12**:67
In heatstroke, **7**:322
MI as cause of, **8**:35
Tamponade caused by, **8**:39
Trauma or surgery preceding, **8**:36

Pericardium
Fibrosis of, pericarditis as cause of, **8**:39
Functions of, **8**:35
Inflammatory response of, causes of, **8**:36
Referred pain from, **8**:35
See also *Tamponade*

Periosteum
Proliferation, in stress fracture, **4**:90
Reaction, as sign of child abuse, **4**:287

OL
4
92
MI

Peripheral eosinophilia syndrome
Diagnosis and treatment of, **1**:145

Peristalsis
In dysphagia, **5**:188

Peritonitis
Antibiotic as cause of, **4**:80
Colon perforation as cause of, **12**:77
Lye ingestion as cause of, **5**:195

Personality disorder
Borderline, pain behavior in, **8**:199

Pesticide
Poisoning, diagnosis and treatment of, **3**:61

Peutz-Jeghers syndrome
Vs malignant melanoma, on lips, **14**:268

Phalloidine
Mushroom poisoning caused by, **5**:98

Phantom-leg syndrome
Anterior cruciate ligament rupture caused by, **4**:327

Pharyngeoconjunctival fever
Epidemic keratoconjunctivitis differentiated from, **14**:280

Pharyngitis
Adenoviral, **14**:282
Bacterial, **6**:41
Streptococcal
  Group A beta-hemolytic, **13**:110
  In scarlet fever vs Kawasaki disease, **12**:210

Pharynx
Exam, after nose packing, **6**:28
Gonorrhea of, oral sex as cause of, **10**:102
Lye ingestion injury to, **5**:194
Muscle spasm in, in dystonic reaction, **16**:91

Phencyclidine hydrochloride
Altered mental status caused by, in child, **8**:214

Phenelzine
For headache disorder with depression and anxiety, **11**:215
Interaction of, with dextromethorphan, **12**:203

Phenobarbital
For seizure, **13**:76
  Disadvantages of, **8**:211
For status epilepticus, **8**:185
  Benzodiazepine with, danger of, **8**:185
  Midazolam as alternative to, **11**:183

Phenol
For ingrown toenail, **15**:46

Phenothiazine
For cancer, cautious use of, **10**:131, 132
For heatstroke, contraindicated, **7**:324
Phototoxic dermatitis induced by, **7**:189
Toxicity, similar to tricyclic, **11**:126

Phenoxybenzamine
For benign prostatic hyperplasia, **10**:147

Phentolamine
To elucidate cold pressor challenge in CAD, **9**:101
For ischemia due to epinephrine, **4**:312
For MAO inhibitor–caused hypertension, **12**:204

OL
4
92
MI

Phenylephrine
For nasal foreign body removal, **4**:191
For nose packing, **6**:28
For sinusitis, **6**:32
For spinal cord injury, **15**:213

Phenylpropanolamine
Heat regulation impaired by, **7**:318
OTC, for weight loss, toxicity of, **12**:104

Phenytoin
For digoxin toxicity, **11**:123
Displacement of, from protein binding, **1**:22
For head injury, **8**:222
Midazolam as alternative to, **11**:183
For seizure control **8**:211; **13**:76
For status epilepticus, **8**:182
Toxicity of, **7**:163
In tricyclic antidepressant toxicity, contraindicated, **11**:119

Pheochromocytoma
Paniclike symptoms caused by, **14**:110

Phlebitis
Erythromycin associated with, **5**:234

Phlebotomy
For ischemic stroke, **13**:67

Phobia
Panic disorder differentiated from, **14**:106

Phosgene
Lung damage caused by, **7**:251

Phosphorus
Poisoning, **3**:72
Serum, decreased in legionnaires' disease, **5**:231

Photodynamism
For tumor cell destruction, **5**:200

Photoonycholysis
In phototoxic dermatitis, **7**:189

Photophobia
In AIDS-related cryptococcal meningitis, **9**:128
Eye problems associated with, **7**:33
In migraine, **10**:72
Rarely indicating, in elderly, **13**:62

Photosensitivity
Delayed, causes of, **7**:191
Immediate, drugs as cause of, **7**:190
Phototoxic, **7**:189
Berlock dermatitis caused by, **2**:52
Porphyrin metabolism abnormalities predisposing to, **8**:102
Ultraviolet A and B triggering, **7**:189

Physical conditioning
Before marathon, **11**:202
Lack of, as leg injury risk, **11**:154

Physical therapy
For fibromyalgia, **5**:172
For myofascial pain, **5**:171
For psychogenic musculoskeletal pain, **6**:78
For spine injuries, **10**:36, 54

Physiotherapy
Chest, for cystic fibrosis, **13**:45

Physostigmine
For tricyclic toxicity, side effects of, **11**:135

Pinch test

In differential diagnosis of chondritis, **5**:139

Pinna
Lacerated, **5**:147

Pinprick test
For pain sensation loss in vitamin B_{12} deficiency, **10**:201

Piperacetazine
Neuroleptic malignant syndrome caused by, **9**:53

Piperacillin
In cystic fibrosis, for pulmonary exacerbation, **13**:41
For gram-negative nosocomial pneumonia, **10**:91
For granulocytopenia, **10**:84

Pituitary
Failure, TSH falsely diminished in, **5**:68

Pityriasis rosea
Tinea corporis differentiated from, **7**:185

Pityrosporum orbiculare
Tinea versicolor caused by, **9**:46

Placenta
Abruptio, in differential diagnosis in pregnant women, **12**:103
Percreta, ruptured uterus caused by, **12**:103

Plaque
Rupture, MI and unstable angina stemming from, **9**:100

Plasma
Few uses for, **5**:62

Platelet
Adhesion, vasospasm in CAD promoted by, **9**:100
Aggregation, aspirin for, in unstable angina, **9**:103
Count
  In HIV, **7**:143
  Interferon therapy monitored by, **15**:130
  In Kawasaki disease, **12**:213
  Low
    Liver biopsy contraindicated with, **7**:297
    As warning sign of preeclampsia, **8**:100
  With palpable spleen, **8**:77
Transfusion, guidelines for, **5**:66

Platysma
Intact or breached, treatment according to, **8**:150

Plesiomonas
Bacterial diarrhea from, **5**:92
Drugs for, **5**:115

Plethysmography
Impedance, for pulmonary embolism, **14**:146

Pleura
Abrasion and apical excision in, in spontaneous pneumothorax, **4**:203
Disease of, in RA, **2**:147; **5**:121

Pleural effusion
See *Effusion*

Pleural space
Foreign body in, spontaneous esophageal perforation as cause of, **13**:54
Sclerosing agent for, to prevent recurrent pneumothorax, **4**:208

OL
4
92
MI

Pleurisy
Causes of, **8**:36
In SLE, **12**:194

Pleurodesis
Chemical, to prevent recurrent pneumothorax, **4**:208
Open, for spontaneous pneumothorax, **4**:203

Plexopathy
Cancer metastasis as cause of, **10**:118

Plexus
Fibrosis of, irradiation for cancer as cause of, **10**:121
Metastatic infiltration of, treatment of pain from, **10**:131

Plicatic acid
In occupational asthma, **4**:216

Pneumatic antishock garment
See *MAST suit*

Pneumatic compression
Leg, for pulmonary embolism prophylaxis, **14**:152

Pneumococcus
Epiglottitis caused by, **6**:43
In meningitis, **13**:92; **15**:156
In nosocomial pneumonia, **10**:91
Polyvalent vaccine for, **5**:173
  For child at risk, **14**:119
  For elderly, **14**:53

Pneumoconiosis
Nonpleural, **5**:117

Pneumocystis
Extrapulmonary, TMP-SMX or oral dapsone vs aerosolized pentamidine for, **7**:153

Pneumocystis carinii
See *Pneumonia, P. carinii*

Pneumomediastinum
Recurrent vomiting from ipecac as cause of, **10**:217

Pneumonectomy
Transthoracic needle aspiration biopsy contraindicated after, **9**:94

Pneumonia
Aspiration
  Achalasia caused by, **5**:192
  Gastric lavage as cause of, **10**:221
  Legionnaires' disease differentiated from, **5**:231
  In neuroleptic malignant syndrome, **9**:54
  Status epilepticus as cause of, **13**:76
Atypical, clues to, **5**:227, 231
From bacteremia, occult, **16**:67
Bronchial, in cystic fibrosis, **13**:40
Community-acquired, **8**:232; **9**:49
In diabetes, complications of, **4**:298
As HIV marker, **10**:179
Hospitalization for
  O_2 during, **12**:216
  Oral treatment during, **4**:53
Hypersensitivity, bronchial asthma differentiated from, **12**:32, 50
Idiopathic chronic eosinophilic, **1**:145
Klebsiella, legionnaires' disease differentiated from, **5**:231
In neonatal bullous impetigo, **7**:178
Nonresolving, cystic fibrosis signaled by, **13**:40

Nosocomial
P. aeruginosa, criteria for diagnosis of, **10**:90
Prevention and management of, **16**:97
P. carinii
Breakthrough atypical, **7**:153
In infant or child, **10**:180
In HIV
Advanced **9**:127
Early, **1**:217
Fatal, **10**:173
Hypoxemia in, **10**:179
Lymphoid interstitial pneumonitis differentiated from, **10**:180
Prophylaxis for, **1**:209, 217; **10**:182
Toxoplasmosis prophylaxis for, **2**:199
Transmission risk in, **10**:180
X-ray findings in, **15**:141
Pleuritic chest pain as sign of, **8**:36
Pneumococcal, vaccination for, in COPD, **3**:48
Pus aspiration as cause of, in suppurative parotitis, **14**:175
Sickle cell crisis triggered by, **4**:108
Tracheobronchitis as cause of, **12**:229
In varicella, **16**:94
Viral or Mycoplasma, bronchial asthma differentiated from, **12**:32

Pneumonitis
Aspiration, dysphagia in esophageal carcinoma as cause of, **5**:191
Carrington's, **1**:145
Diagnosis of, **10**:187
Lymphoid interstitial
HIV, **10**:179
PCP differentiated from, **10**:180
Measles complicated by, **8**:124
Methotrexate as cause of, **5**:121

Pneumoperitoneum
After colon sigmoidoscopy, **12**:81

Pneumothorax
Catamenial, **4**:208
Flying contraindicated with, in COPD, **9**:81
Gastric lavage as cause of, **10**:221
Iatrogenic, **4**:208
Nonoperative management of, **4**:207
In PCP, **15**:141
Spontaneous
In COPD, **4**:203
Pleuritic chest pain caused by, **8**:36
Recurrence rate in, **4**:207
Tension
Anaphylaxis differentiated from, **12**:145
Diagnosis and treatment of, **4**:208
Pericardial tamponade differentiated from, **8**:40
Transthoracic needle aspiration biopsy complicated by, **9**:94
Traumatic, **4**:208
True vs skinfold, **8**:238
Vomiting from ipecac as cause of, **10**:217

Poison ivy
Advice for patient with, **7**:172
Dermatitis caused by, **7**:171

Poisoning
Alkaline, **14**:93
GI decontamination for, choices of, **10**:212
Hotlines directory, **2**:212
Psychotic behavior caused by, **7**:162
See also *Toxicity*; specific toxins

Polycythemia
As sequela of sleep apnea, **6**:84
Vera, palpable spleen diagnostic of, **8**:78

OL
4
92
MI

Polyethylene glycol
Whole-bowel irrigation with, **10**:223; **14**:126

Polymerase chain reaction
In hepatitis, **15**:126, 129
For HIV, **10**:179
Passively transferred serologic sensitivity differentiated from true infection by, **7**:141
To test for infection after needlestick injury, **7**:141

Polymyalgia rheumatica
In temporal arteritis, **13**:64

Polymyxin B
For nosocomial pneumonia prophylaxis, **16**:102

Polyneuropathy
Organophosphates as cause of, **3**:69

Polyp
Cervical, in pregnancy, misdiagnosis of, **11**:175
Colonic, cancer risk associated with, **14**:237
Hemorrhoidal bleeding differentiated from, **10**:207
Intestinal, in Peutz-Jeghers syndrome, **14**:268
Nasal
In cystic fibrosis, **13**:40
Inverting papilloma differentiated from, **13**:80
In occupational asthma, **13**:31

Polysomnography
For sleep disorders, **6**:85; **11**:139

Polystyrene sulfonate
Sodium, in potassium overdose, **14**:126

"Popeye" sign
In rupture of biceps tendon, **9**:119

Porphyrin
Metabolism, in photosensitivity reactions, **8**:102

Positive end-expiratory pressure
For ARDS, **7**:252
Auto-, in COPD patient on assisted ventilation, **4**:312
For lung expansion in respiratory failure, **12**:217

Postpartum period
Acute fatty liver in, **7**:296

Posttraumatic syndrome
Migraine associated with, treatment for, **1**:108

Posture
Asymmetric, in infant, **8**:206
Epiglottitis signaled by, in child vs adult, **14**:56
Imbalance, as sign of cerebellar hemorrhage in elderly, **13**:64
Poor, myofascial pain and fibromyalgia caused by, **5**:172

Potassium
Chloride
Esophageal stenosis caused by, **6**:72
For self-induced vomiting, **7**:310
Decreased by orthostatic hypotension therapy, **15**:153
Extracellular, in spinal shock, **15**:207
Hydroxide, skin scrapings of tinea versicolor prepared with, **9**:46
Iodide, toxicity of, **8**:176
Levels, for digoxin toxicity prognosis, **11**:120
Monitoring, during methylprednisolone treatment, **12**:191
Permanganate solution, for tinea pedis infection, **7**:180

OL
4
92
MI

Retention, causes of, **10**:62
Urine, in self-induced vomiting, **7**:310

Povidone-iodine
For cat bite, **4**:198
For foot injuries, **15**:34, 37, 38
For joint aspiration of, **10**:71

Pralidoxime
For organophosphate poisoning, **3**:65

Prazosin
For benign prostatic hyperplasia, **10**:147

Prednisone
In asthma
  Dosage increases during travel, **9**:83
  With methotrexate to reduce dependence, **11**:235
  Recurrent, **13**:22
  Short course of, for infant, **6**:144
For chronic cough, **7**:192
For cystic fibrosis, alternate—day, **13**:42
For disk disease, **10**:51
For hepatitis A, **15**:116
For kerion in tinea capitis, **7**:185
For lymphoid interstitial pneumonitis, **10**:187
For myocarditis and dilated cardiomyopathy, low— dose, **8**:51
For neurosensory hearing loss, **5**:146
NSAIDs with, gastropathy associated with, **2**:108
Optic neuritis attacks with, **8**:186
For rheumatoid interstitial lung disease, **5**:122
For SLE, low dose, **12**:191
For sore throat and lymphadenopathy, **6**:41

Preeclampsia
In acute fatty liver of pregnancy, **7**:297
Detection of, **8**:99
Differential diagnosis of, **8**:100
Risk of, **8**:100

Pregnancy
Acute fatty liver of, **7**:297
Acyclovir for herpes simplex contraindicated for starting, **10**:81
Appendicitis during, surgery for, **9**:129
Bladder injury in, **4**:347
Chlamydia in, **3**:151; **10**:105
Colposcopy during, **6**:116
Diabetes in
  Criteria for, **4**:266
  Screening for, **2**:63
Diethylstilbestrol during, as cervical cancer cause, **6**:116
Ectopic
  Atypical signs of, **1**:93
  Percutaneous drainage of, **12**:95
  From PID scarring, **10**:101
ED care of, negligent, **5**:213
Endocervical curettage contraindicated in, **7**:98
Gonorrhea in, **10**,105, 108
Hepatitis in
  C, perinatal transmission from, **12**:231
  E, in third trimester, **15**:119
Herpes screening in, **15**:184
HIV transmission to fetus during, **7**:137
Hypertension induced by, **8**:99
Intra-amniotic infection in, **1**:178
Iodide early in, cretinism caused by, **8**:179
Ipecac contraindicated for gastric emptying late in, **10**:214
Iron poisoning in, **14**:105
Methotrexate teratogenicity in, **11**:236
Polyp passage during, misdiagnosis of, **11**:175
Prevention of, in adolescent rape victim, **3**:103
Pulmonary embolism risk in, **14**:144

OL
4
92
MI

Pyelonephritis in, **3**:25; **6**:146
S. agalactiae bacteriuria in, consequences of, **6**:146
Stillbirth in, calculating risks of, **15**:62
UTI in, diagnosis and management of, **2**:46
See also *Cesarean section; Eclampsia; Placenta; Preeclampsia*

Presbycusis
Differentiated from other hearing loss causes, **15**:165
Prevention of, **15**:179

Prescription
Plastic templates of, time saved and error reduced with, **3**:157

Pressure dressing
For auricular hematoma, **5**:148
For breast biopsy, **6**:102
For hand injury, **15**:92

Pressure-volume loop
In CHF diagnosis, **1**:223

Probenecid
Interaction with other drugs, **1**:22

Procainamide
Pericarditis caused by, **8**:36
For wide-QRS tachycardia, **8**:107

Prochlorperazine
In alcohol withdrawal, contraindicated, **8**:169
For migraine, **10**:72
Suppositories, for nausea, in traveling diabetic, **9**:85

Proctitis
Rectal intercourse as cause of, **5**:96
Sigmoidoscopic, diagnosis of, **5**:110

Proctosigmoidoscopy
After foreign body removal, **3**:142

Progesterone
For low uterine cancer risk in estrogen replacement, **14**:48

Proparacaine
For eye pain, **4**:250

Propofol
For seizures, **8**:213

Propoxyphene
For cancer pain, **10**:124

Propranolol
For atrial fibrillation after cough CPR, **12**:171
For migraine, **3**:53
  Posttraumatic, **1**:108
  Prophylaxis, **15**:80
For unstable angina, **4**:137

Proptosis
From retrobulbar hemorrhage, **4**:260

Prostaglandin
For gastropathy prophylaxis, **2**:108
In organ failure, **5**:216

Prostate
Cancer
  Benign disorders differentiated from, **9**:33
  Knee pain in, **10**:122
  Mortality in, causes of, **9**:25
  Spinal metastasis with, **10**:118

Enlarged
Dihydrotestosterone as cause of, **10**:147
Nonsurgical options for, **10**:144
Exam, for acute pyelonephritis, **3**:26
Infection
Chronic, **6**:157
UTI associated with, **6**:146
Massage, painful in chronic prostatitis, **9**:39

Prostatitis
Acute, **9**:35
Chronic, leukocytes in, **9**:39

Proteinuria
Methylprednisolone for, **12**:192
Persistent elevations of, preeclampsia defined by, **8**:100

Proton beam
Therapy, for head and neck cancer, **5**:200

Protriptyline
For sleep apnea, **6**:87

Pruritus
In acropustulosis of infancy, **7**:132
In exercise-induced anaphylaxis, **12**:154
In hepatitis A, **15**:116
Hymenoptera sting as cause of, **7**:172, 177
Lichen simplex chronicus
As cause of, on neck, **10**:194
From scratching for, **14**:265
Poison ivy as cause of, **7**:172
In sickle cell treatment, **1**:139
Tinea as cause of, **7**:178, 180
In varicella, **8**:102; **16**:94

Prussian blue
For thallium poisoning, **3**:71

Pseudocoarctation syndrome
Hypertensive agent contraindicated for, **11**:59

Pseudocyst
Pancreatic, infected, emergency percutaneous drainage and antibiotic for, **12**:88

Pseudofolliculitis barbae
Differential diagnosis and treatment of, **15**:143

Pseudogout
Acute monoarticular arthritis as first sign of, **10**:67
Synovial fluid analysis for, **10**:68

Pseudomonas
Corneal ulcer caused by, **7**:235
In cystic fibrosis, **13**:40
Decreased incidence of, **10**:84
In electrical injury, risk for, **8**:167
Epididymitis and UTI caused by, **6**:145
In HIV, **10**:179
Toxin, for therapy, **7**:154
In neutropenia with fever, **10**:82
In nosocomial pneumonia, **10**:90; **16**:97
Ocular surface disease caused by, **6**:142
Systemic infection due to, **7**:300

Pseudosubluxation
Humeral, true dislocation differentiated from, **12**:126, 133

Pseudotumor
Cerebri, **15**:76
Solitary pulmonary nodule diagnosed as, **9**:91

Psittacosis
Diagnostic features of, **5**:233

OL
4
92
MI

Legionnaires' disease differentiated from, **5**:234

Psoriasis
Guttate, **15**:136
Lichen simplex chronicus differentiated from, **10**:194
On periorbital skin, **7**:39
Tinea differentiated from, **7**:180, 185

Psychogenic pain disorder
Psychotherapy for, **8**:195

Psychosis
Mercury poisoning as cause of, **3**:84
As suicide risk, **2**:201

Psychosomatic disorder
In adolescent rape victim, **3**:109

Ptosis
Of eyelids, **7**:33
Methanol poisoning as cause of, **8**:120

Puestow procedure
For ductal enlargement in pancreatitis, **14**:170

Puffer fish
Poisonings, **5**:97

Pulmonary edema
See *Edema*

Pulmonary function testing
For abnormal arterial blood gases, **6**:85
In asthma
  Cold air and exercise challenge, **12**:32
  To confirm airway obstruction and quantitate reversibility, **12**:37
  Methacholine challenge, **12**:40
Bronchiolitis obliterans suggested by, **5**:117
In peripheral eosinophilia, **1**:145
See also specific tests

Pulmonary infiltrate
As sign of PIE syndrome, **1**:146

Pulmonary nodule
Solitary, clinical challenge of diagnosing, **9**:92

Pulmonary system
Failure of, **5**:225

Pulsus paradoxus
In pericardial tamponade, **8**:40

Punctation
Cervical intraepithelial neoplasia associated with, **7**:92
Dysplastic process during colposcopy identified by, **6**:117

Punctum
Lacrimal, closure of, in keratoconjunctivitis sicca, **7**:39

Pupils
Asymmetry of, intracranial injury suggested by, **13**:112
Dilation of
  For pain relief, **5**:185
    Contraindicated, **8**:117
  As sign of subdural hematoma, **11**:176
Reaction
  Penlight exam of, **7**:33
Shape disruption, occult globe penetration suggested by, **5**:182

Pupillary response

L
4
92
MI

In acute visual loss, **8**:114
Tests of, **8**:207

Purpura
In malabsorption, **6**:124
Thrombocytopenic, in HIV, **7**:144

Pyelonephritis
Bacteremia in, incidence of, **3**:25
Cystitis as precursor to, **3**:25
In diabetic with pneumonia, **4**:298
Diagnosis and treatment of, **3**:25
Drug therapy for, **3**:29
Hospitalization for, **3**:29
In pregnancy, **3**:25
  Asymptomatic bacteriurias cause of, **6**:146
Recurrent, elimination of, **2**:46
In upper UTI, **6**:146
  Complications of, **6**:147
Urinalysis for, **3**:26
UTI differentiated from, **11**:218

Pyoderma
Gangrenosum, parasitosis differentiated from, **3**:86

Pyrazinamide
For TB in HIV, **8**:231

Pyrimethamine
For AIDS-related toxoplasmosis, **9**:128
For PCP prophylaxis, **2**:199

Pyuria
Misdiagnosis of temporal arteritis because of, **4**:320
As UTI marker, **11**:220

Q

Q fever
Diagnostic features of, **5**:233
Legionnaires' disease differentiated from, **5**:234

Quadriplegia
Metabolite abnormalities in, misdiagnosis of, **2**:178
Spinal cord compression cause of, **13**:78

Quinacrine
For giardiasis, **5**:115

Quinidine
For atrial fibrillation, **14**:214
Digoxin interaction with, **1**:31
In digoxin toxicity, contraindicated, **11**:123
Esophageal stenosis from, **6**:72

Quinolones
For asthma in pregnancy, **13**:39
For cystitis, **4**:44
For diarrhea, **5**:115
  Traveler's, **5**:116
Drug interactions with, **1**:32; **6**:156
For gonorrhea in penicillin allergy, **10**:105
For nongonococcal urethritis, **6**:155
For nosocomial pneumonia prophylaxis, **16**:102
For soft-tissue infections, alternatives to, **4**:238
For UTI, **2**:45
See also specific agents

Quinsy
See *Abscess*, peritonsillar

L
4
92
MI

R

Rabies
In dog or cat bite, treatment of, **15**:143

Radiation therapy
Breast
  Augmentation contraindicated in, **6**:101
  After lumpectomy or partial mastectomy, **5**:205
In cancer, fibrosis and myelopathy after, **10**:121
Chest, pericarditis caused by, for Hodgkin's lymphoma, **8**:36
For epidural metastasis, **13**:78
Mediastinal, malignant pericarditis caused by, **10**:122
For Pancoast tumor, preoperative, **9**:97
Rectal, preop and postop, **5**:205
For solitary pulmonary nodule in patient unable to withstand surgery, **9**:94
Total lymphoid, in bone marrow transplantation, **8**:51

Radioallergosorbent test
For allergy prediction, **12**:154
For anaphylaxis risk, for hymenoptera sting, **11**:233
Antigen-specific IgE measured by, **12**:50
In occupational asthma, **4**:227; **13**:31

Ramsay Hunt syndrome
Treatment for, **5**:140

Ranitidine
Confusion or encephalopathy caused by, **13**:70

Ransom's criteria
For pancreatitis prognosis, alternatives to, **14**:166

Rape
Adolescent, **3**:98
Simple test for proving, **7**:311
See also *Sexual abuse*

Rapid slide test
For bacterial meningitis, **8**:217

Rash
In erysipelas, **12**:61
From fluconazole, **12**:196
In Kawasaki disease, **12**:210
Measles, absent or atypical, in immunocompromised child, **8**:124
In meningococcemia, **15**:158
In potassium iodide overdose, **8**:176
In SLE, **12**:194
In streptococcal infection, absence of classic, **13**:110
TMP-SMX as cause of, **10**:182
Vesicular, varicella vaccine as cause of, **14**:124

RAST
See *Radioallergosorbent test*

Reactive airways dysfunction syndrome
Clinical criteria for diagnosis of, **4**:210

Recombinant immunoblot assay
Hepatitis C confirmed by, **12**:231; **15**:126

OL
4
92
MI

Rectum
Cancer of, radiation for, **5**:205
Digital exam of, **12**:109
Annual, to detect early prostate cancer, **9**:25
Lumbosacral spine injury ruled out by, **4**:188
Positions for and method of, **9**:34
For stool sampling, **14**:243
Foreign body in, removal of, **3**:142
Inflammation of, in homosexual men, pathogenic causes of, **5**:96
Injured, as sign of child abuse, **4**:284
Periodic inspection of, in HIV, **7**:143
Trauma to, in bladder injury, **4**:347

Reflexes
Bulbocavernous, in spinal cord injury, **15**:207, 211
Cremasteric, retractile testis caused by, **8**:139
Deep tendon
Absent, after spinal shock, **15**:207
Assessment of, **4**:185
In spinal cord injury **15**:211
Esophageal, as sign of dysphagia, **5**:188
Gastroesophageal
Chronic cough associated with, **7**:197
In dysphagia, **6**:69, 70
Surgery for, **11**:105
Hepatojugular, pericardial tamponade as cause of, **8**:39
Neck, asymmetric tonic, in early infancy, **8**:206
Pupillary
Abnormal, in intracranial injury, **13**:112
In blowout fracture, **5**:182
Testing for, in child, **8**:207

Reflux
Gastric, prevention of, **5**:191
As nosocomial pneumonia prevention, **16**:98

Regurgitation
Mitral, thrombus risk associated with, **1**:111
Nasal, oropharyngeal dysphagia associated with, **5**:188

Rehabilitation
See *Physical therapy*

Rehydration
For diarrhea in children, **16**:123

Reiter's syndrome
After genital or lower GI infection, **7**:230

Renal system
Failure of, **5**:225

Respiratory arrest
From electrical injury, **8**:15
From seizure treatment, **8**:211

Respiratory failure
In asthma, **9**:107
Allergen exposure as risk factor for, **12**:47
In cystic fibrosis, causes of, **13**:40
Face mask ventilation for, **2**:57
In ICU, special equipment for, **12**:216
Kyphoscoliosis or amyotrophic lateral sclerosis predisposing to, **9**:82
In neuroleptic malignant syndrome, **9**:54
Poor outcome in, causes of, **5**:209
In smoke inhalation, **15**:55

Retina
Central artery occlusion
Management of, **8**:118
Temporal arteritis as cause of, in elderly, **13**:64
Visual loss caused by, **8**:112, 117

OL
4
92
MI

Cytomegalovirus of, in HIV, **7**:143
Detachment
Blindness caused by, **7**:35
Blunt trauma as cause of, **5**:182
Causes of, **8**:118
Treatment for, **7**:57
Hemorrhage of, in child abuse, **8**:207
Neovascularization of, high O_2 concentrations as cause of, **12**:228
Methanol toxicity to, **8**:120

Retinitis
Vision loss caused by, **8**:120

Retinoblastoma
Chromosomal abnormalities as cause of, **5**:199

Revascularization
Coronary
Criteria and options for, **1**:237
For silent ischemia, **2**:177

Rewarming
After frostbite, **2**:121, 132

Rhabdomyolysis
In exertional heatstroke, **7**:322
In malignant hyperthermia, **7**:324
In neuroleptic malignant syndrome, **9**:54
Differentiated from, **9**:56

Rhabdomyosarcoma
Embryonal, combination chemotherapy for, **5**:202
Paraplegia caused by, **4**:318

Rheumatic fever
Acute adolescent, arthritis differentiated from, **7**:229

Rhinitis
Allergic
Exercise-induced asthma in, **13**:32
Filter changing to avert, **11**:99
Otitis media caused by, **15**:169
In occupational asthma, **4**:224

Rhinoplasty
After fracture, **4**:237

Rhinorrhea
Causes of, **6**:31

Rhinotomy
Lateral, for inverting papilloma, **13**:80

Rhonchus
In cystic fibrosis, **13**:41
Lower airway injury from toxic inhalation as cause of, **7**:248, 252

Rib
Fracture
In aortic shear injury, **6**:165
Scapular fracture as flag for, **11**:110

Ribavirin
For measles in HIV, **8**:124

Rickettsia
Acute myocarditis caused by, **8**:42

Rifampin
For legionnaires' disease, **5**:234
For *M. avium* complex infection in AIDS, **13**:89
For meningococcal disease, **15**:162
For TB in HIV, **8**:231

DL
4
92
MI

Rinne tuning fork test
For conductive hearing loss, **15**:174
For serous otitis media, **5**:146

Rocky Mountain spotted fever
Kawasaki disease differentiated from, **12**:210

Rodenticide
Poisoning, **3**:70, **14**:125

Rosacea
Facial, with chronic conjunctivitis, **7**:34
Keratitis, vision loss caused by, **7**:35

Rose bengal stain
For keratoconjunctivitis sicca, **7**:35

Rotator cuff
Complete tears of, **12**:133, 139
Fibrosis, **12**:136

Rotavirus
Gastroenteritis and diarrhea caused by, **5**:92
Rotazyme test for, **5**:109

Rotazyme test
For rotavirus, **5**:109

Rovsing's sign
For appendicitis during pregnancy, **9**:130

Running
Knee injuries in, **11**:171
Leg injuries from, **11**:153
Marathon, medical management for, **11**:186
Stress fracture in pars interarticularis from, **10**:27

Rupture
Aorta clamping in shear injury to avoid, **6**:165
Achilles tendon, **9**:120, 121
Aneurysmal, Beck's triad in , **8**:40
In aortic dissection, **12**:72
Appendiceal, **4**:333
Baker's cyst, DVT differentiated from, **6**:169
Biceps tendon, **9**:119, 121
Bladder, **4**:347
Of breast implant, **6**:88
Of cocaine "body packet" in GI tract, **3**:141; **12**:207
Eye globe
  Blowout fracture as cause of, **5**:185
  Diagnosis and treatment of, **4**:258
  Trauma as cause of, **8**:120
Of interventricular septum after MI, **7**:127
Intrapericardial aortic or ventricular aneurysm, Beck's triad in, **8**:40
Knee ligament
  MRI diagnosis of, **7**:206
  Segond fracture as sign of, **9**:121, 125
  From skiing, **4**:324
Labyrinthine membrane, **15**:177
Liver, fatty liver of pregnancy differentiated from, **7**:297
Peritoneal, **4**:348, 351
Plaque
  MI and unstable angina stemming from, **9**:100
  Occlusive thrombi caused by, **7**:109
Quadriceps tendon, **7**:214
Retropharyngeal abscess, **6**:46
Tendon, in hand injury, **15**:91, 97
Of tuboovarian abscess, **15**:164
Tympanic membrane, in electrical injury, **8**:168
Uterine, placenta percreta as cause of, misdiagnosis of, **12**:103

Russian comfrey
Toxicity of, **4**:281

L
4
92
MI

Salicylate
In alcohol withdrawal, contraindicated, **8**:173
Decreased absorption of, causes of, **10**:222
Esophagitis caused by, **6**:72
In hyperthermia, overdose of, **7**:321
Poisoning, **8**:176
In suicide attempt, **7**:69

Saline
For alcohol withdrawal, **8**:174
In breast implant, **6**:90
  Dilution of packed red cells with, **5**:66
In electrical injury, **8**:164
Infusion
  For potassium overdose, **14**:125
  For self-induced vomiting, **7**:310
  For SLE, after cyclophosphamide infusion, **12**:194
  For status epilepticus, **8**:182
Injection, to reduce IV injection pain, **8**:131
Irrigation with
  After abscess drainage, **12**:86
  For chain saw wound, **13**:104
  For chemical burn to eye with, **8**:123
  Ear, **15**:169
  For fishhook wounds, **5**:180
  For tarsorrhaphy, **9**:59

Salivary gland
Enlargement of
  In lymphoid interstitial pneumonitis, **10**:187
  Oral cancer signaled by, **11**:181

Salmonella
Diabetic susceptibility to, **2**:107
In food-borne diarrhea, **5**:92, 96
Sepsis, **5**:115

Salmonellosis
Diabetic susceptibility to, **2**:107

Sarcoidosis
Adolescent arthritis differentiated from, **7**:229
Palpable spleen in, **8**:81
Pericarditis related to, **8**:35
Peripheral eosinophilia caused by, **1**:147
Restrictive cardiomyopathy as cause of, **8**:41
Vision loss associated with, **8**:120

Sarcoma
Kaposi's, in HIV disease, **7**:142; **9**:127
Osteogenic
  Chemotherapy and radiation for, **5**:202
  CT densitometry reference phantom unreliable in, **9**:93

Saurine
Scombroid poisoning caused by, **5**:97

Saxitoxin
Toxic reaction to, **5**:97

Scabies
Erosio interdigitalis blastomycetica differentiated from, **5**:152
Impetigo contagioso complicating, **7**:177
Penile ulcer caused by, **6**:111

Scalp
Laceration of, **4**:310
Pain, temporal arteritis as cause of, **4**:320
Wound, in chain saw injury, **13**:104

Scanning
Bone

OL
4
92
MI

Cervical, **8**:151; **12**:134; **13**:77
Lumbosacral, **4**:188; **10**:35
For testis detection, **8**:139
Nuclear, in splenomegaly, **8**:77, 81
Radiofibrinogen, in utility of, **14**:146
Radionuclide, for myocarditis, **8**:51
Thallium
In CAD, **1**:70
In myocardial ischemia, **5**:78
For perfusion defect, **4**:305
Ventilation-perfusion, for pulmonary embolism, **14**:146
Xenon-133 ventilation lung, in smoke inhalation, **15**:55
See also *Scintigraphy; Ultrasonography*

Scapula fracture
Axial CT for, **12**:125, 126
Axillary view for, **12**:124
With cervical spine trauma, **15**:208
Pulmonary contusion and rib fracture with, **11**:110

Scarlet fever
Kawasaki disease differentiated from, **12**:210

Scarring
Atrophic, in phototoxic dermatitis, **7**:189
Chain saw wound as cause of, **13**:105
Corneal ulceration as cause of, **7**:235
Ecthyma as cause of, **7**:177
Esophageal
Button battery as cause of, **13**:53
Previous, nonsurgical approach for esophageal perforation with, **13**:61
Hypertrophic, reduction of, **15**:183
Tubal, PID as cause of, **10**:101

Schatzki's ring
Dysphagia caused by, **5**:191

Schilling test
For intraluminal bacterial overgrowth, **6**:130

Schirmer test
For keratoconjunctivitis sicca, **7**:35

Schistosomiasis
Palpable spleen in, **8**:81

Schizophrenia
Alcohol dependence in, **8**:174
Command hallucinations to kill in, **7**:163

Schmorl's node
Diagnosis of, **10**:43

Sciatica
Tinel's sign for diagnosis of, **4**:187

Scintigraphy
Gallium, in *P. carinii* pneumonia on, **9**:128
For silent ischemia, **2**:170

Sclera
Invasion of, by contact lens ulcer, **7**:235
Wegener's granulomatosis of, **7**:39

Scleroderma
Achalasia differentiated from, **5**:192
Intraluminal bacterial overgrowth caused by, **6**:129
Pericarditis related to, **8**:35
Pulmonary dysfunction in, **2**:150

Sclerosis
Amyotrophic lateral, respirator use in, during travel, **9**:82

OL
4
92
MI

Sclerotherapy
Dysphagia caused by, **6**:70
Hemorrhoid treated by, **10**:207
Transcatheter, for lymphocele, **12**:92

Scoliosis
In lumbosacral spine injury, **4**:185

Scopolamine
For CNS vertigo, **5**:146
For motion sickness, in traveling diabetic, **9**:85

Scorpaenidae
Sting, **10**:209

"Scotty dog sign" of Lachapelle
Fracture of pars interarticularis indicated by, **10**:35
In isthmic spondylolisthesis, **10**:28

Scurvy
Infant, maternal vitamin C megadoses as cause of, **4**:277

Seborrhea
New-onset, HIV signaled by, **7**:138

Secretin test
For pancreatitis, **14**:169

Sedation
In alcohol withdrawal, **8**:175
In cancer, tolerance to, **10**:131
In head injury, **8**:221
Mental status evaluation affected by, **8**:211
In migraine, **10**:74
OTC drug for, poisoning with, **14**:203
In sleep apnea, avoidance of, **6**:86
In unstable angina, **9**:103
See also specific agents

Sedative hypnotic
Overdose, gastric emptying not always needed for, **10**:224
Withdrawal, alcohol and opioid differentiated from, **8**:170

Seizure
AIDS-related CNS infection signaled by, **9**:128
In alcohol withdrawal, **8**:173
In altitude sickness, **9**:78
Anaphylaxis differentiated from, **12**:145
In bacterial meningitis, **5**:36; **8**:218
In CO poisoning, **7**:257
Cyanide poisoning as cause of, **7**:259
In eclampsia, **8**:99
Gamma-hydroxybutyrate overdose as cause of, **12**:203
Goldenseal megadoses as cause of, **4**:281
Grand mal, metastasis signaled by, **10**:121
In heatstroke, **7**:323
In head injury, **8**:222
Herpes simplex as cause of, **10**:77
Hydrogen sulfide exposure as cause of, **7**:260
Hyperbaric O_2 as cause of, **12**:229
Ipecac contraindicated for gastric emptying in, **10**:214
Isoniazid overdose as cause of, **10**:142
Lab tests for, overuse of, in child, **12**:197
Lindane poisoning as cause of, **3**:62
Lorazepam for, **10**:142
Meningitis indicated only by, **11**:117
Meperidine as cause of, in patient with impaired kidney function, **10**:130
Methemoglobin as cause of, **7**:258
Oil of wintergreen as cause of, **8**:176
Opioids as cause of, **10**:132

OL
4
92
MI

Partial complex, paniclike symptoms caused by, **14**:110
Predictors of, **11**:131
Refractory, **11**:183
Sodium azide as cause of, **8**:176
Strychnine poisoning as cause of, **3**:71
Subdural hematoma signaled by, error in management of, **11**:176
Theophylline toxicity as cause of, **4**:294
Tonic-clonic
Heat production increased by, **7**:318
In verapamil overdose, **7**:69
Tricyclic toxicity as cause of, **11**:119
See also *Epilepsy; Status epilepticus*

Selenium
Megadoses, **4**:277

Senna
Toxicity of, **4**:281

Sensitization
To specific agent, in occupational asthma, **4**:227

Sensory deficit
After frostbite, **2**:132
After spinal shock, **15**:207

Sepsis
Antibiotics as cause of, **4**:80
Candidal, **5**:225
Catheter, risk of, in HIV, **10**:190
In Crohn's disease, **12**:92
Diaphoresis caused by, **7**:163
In elderly, **4**:143
In esophageal perforation, **13**:54
Gram-negative, in UTI, **6**:147
In heatstroke, **7**:322
High O_2 concentrations for, **12**:216
In neuroleptic malignant syndrome, **9**:53, 56
Syndrome, diagnosis and management of, **1**:55; **2**:183; **4**:147
Uncontrolled, high risk for multiple-organ failure, **5**:216
Workup for, in occult bacteremia, **16**:70
See also *Shock*, septic

Septicemia
Group A streptococcal, **2**:156
In HIV, **7**:142
Meningococcal, **15**:158
In rheumatoid arthritis, **10**:68

Serratia
In nosocomial pneumonia, **16**:97

Serotonin
In antidepressant toxicity, **11**:125
In MAO inhibitor interactions, **12**:204
In organ failure, **5**:216

Serum sickness
Arthritis differentiated from, **7**:229

Sever's disease
Diagnosis and management of, **11**:162

Sexual abuse
Of children, **4**:287
Unreported, GI disorders from, **6**:171
HIV transmission through, **10**:174

Sexual dysfunction
In abused women, **6**:173
In advanced cancer, **9**:26

Sexually transmitted disease
In adolescent rape victim, **3**:103

OL
4
92
MI

Arthritis caused by, **7**:229
Clinic, genital herpes screening in, **15**:184
History of, in AIDS screening, **7**:138
Misdiagnosis of, in penile swelling, **12**:103
Quinolone for, **6**:157
During pregnancy, **3**:151
Prostate cancer associated with, **9**:39
UTI associated with, **4**:30; **6**:145
See also specific diseases

Shellfish
Norwalk virus in, gastroenteritis from, **5**:95
Paralytic poisoning by, **5**:97
Cholera from, **5**:92

Shigella
Diarrhea from, **5**:92, 96
Flexneri, Reiter's syndrome from, **7**:230

Shigellosis
TMP-SMX for, **5**:115

Shinsplint
Causes and diagnosis of, **11**:155

Shock
From alkaline corrosive ingestion, **14**:95
Anaphylactic
  In beta blockade, difficulty of treating, **12**:153
  Signs of, **12**:145
Cardiac output failure as cause of, **8**:92
Cardiogenic
  In chain saw injury, **13**:103
  In ED patients, **5**:237
  Heart muscle PCO_2 increase during, **5**:209
  MI with
    Anaphylaxis differentiated from, **12**:145
    Large infarcts as cause of, **7**:110
  Thrombolysis and angioplasty for, **1**:240; **7**:127
Circulatory
  From cardiac output decrease, **5**:207
  Tissue injury after, **5**:216
Direct-current, for atrial fibrillation cardioversion, **14**:214
Disseminated TB or histoplasmosis, **4**:273
Gram-negative, **7**:299
  Etiology of, **1**:55
In hand injury, **15**:95
Hemorrhagic, **5**:208
Hypovolemic
  With hemorrhage, **5**:62, 65
  Lactate levels in, **5**:208
  Muscle PCO_2 increase after, **5**:209
  Prevention or reversal of, **8**:72
  In retroperitoneal hematoma, **15**:191
Monoclonal antibody for, **5**:226
In multiple organ failure, **5**:226
Neurogenic, in spinal cord injury, **15**:213
Obstructive, in pericardial tamponade, **8**:39
Rehydration for, in children, **16**:127
Septic
  Anaphylaxis differentiated from, **12**:145
  Cardiac output reduced in, **5**:208
  Diagnosis and management of, **2**:183
  Hypotension in, **1**:55; **4**:144
  Organ deterioration from, **5**:216
  Risk factors in, **4**:148
From snake bite, **10**:60
Spinal, after cord trauma, **15**:207
Toxic
  Anaphylaxis differentiated from, **12**:145
  Strep septicemia similar to, **2**:156
Traumatic, poor outcome in, **5**:209

Shoe
Covering, trick for, **11**:102
Improper, leg injury to runner caused by, **11**:153

OL
4
92
MI

Shoulder
Fractured, AP vs axillary view of, **9**:125
Painful
  In cancer, liver metastasis signaled by, **10**:122
  Differential diagnosis of, **12**:124
  From humeral fracture, **9**:114, 119
  Pericardial pain referred to, **8**:36
  In temporal arteritis, **13**:64
Sports trauma to, **12**:122
  In skiing, **16**:82

Shy-Drager syndrome
Orthostatic hypotension associated with, **15**:153

Sick sinus syndrome
Atrial fibrillation with, **14**:214

Sickle cell disease
Adolescent arthritis differentiated from, **7**:229
Anemia in
  Pneumococcal vaccine for child with, **14**:119
  Variants of, **14**:119
Crisis
  Causes and management of, **1**:131
  Infection in with, **1**:138; **4**:108
See also *Anemia*

Sigmoidoscopy
Colitis diagnosed by, **4**:84
Colon perforation after, **12**:77
Hemorrhoid differentiated from other bowel
    disease by, **10**:207
For colorectal cancer, **14**:237
For proctitis or proctocolitis, **5**:110

Silver nitrate
For fire ant bite, **3**:159
For umbilica granuloma in neonate, **2**:141

Sinus
In asthma, evaluation of, **12**:50
Branchial, **11**:49
Fracture
  Maxillofacial, **6**:46
  Orbital emphysema suggesting, **5**:182
Sphenoid, metastasis to, **10**:118

Sinusitis
Antibiotics for, **6**:32
In asthma, **12**:50
Chronic
  With chronic cough, **7**:192
  In cystic fibrosis, **13**:40
  In HIV, **10**:190
From nasal papilloma, **13**:80
Otitis media
  Caused by, **15**:169
  As sequela, **2**:67
Purulent drainage as sign of, **6**:31
From *S. pneumoniae*, **14**:119

Sitz bath
After hemorrhoid excision, **10**:208

Skiing
Injuries from, **4**:324; **15**:110; **16**:73
  Prevention of, **16**:83

Skin
Abrasions, in skiing, **16**:83
Acute disorders of, in summer, **7**:171
Anaphylactic reactions of, **12**:146
Appearance of
  In aortic occlusion, **14**:70
  In CO poisoning, **7**:257
  In Lyme disease, **11**:30
  In MI, **7**:110

OL
4
92
MI

Cancer, pain after, **10**:137
Decontamination, for organophosphate exposure, **3**:66
Desquamation, from vitamin A megadoses, **4**:278
Diaphoretic, trick for adhesion to, **1**:119
Disease, eye disorders correlated with, **7**:33
Graft, in AIDS screening, **7**:138
Infection, **4**:238
Lesion
  In child abuse, **4**:287
  Inspection of, in HIV, **7**:143
  Self-induced, **6**:108
  Trick for removing, **3**:163
Premature aging of
  From chronic sun exposure, **7**:189
  In smoker, **14**:47
Rash
  Aminoglycosides as cause of, **7**:304
  From fluconazole, **12**:196
  In Kawasaki disease, **12**:210
  In SLE, **12**:194
Tags
  Accessory tragi differentiated from, **8**:102
  After hemorrhoidectomy, **10**:203
Tinea infections, diagnosis and treatment of, **7**:178
Trimethylamine fish odor excreted via, **14**:232
Wet, easy conduction of electricity into the body caused by, **8**:158
See also specific disorders

Skin tests
In anaphylaxis, **12**:154
  From sting, **11**:233
In asthma
  For allergy, **12**:50
  Occupational, **13**:31
In PCP, **15**:142
Workplace allergen documented by, **4**:224

Skull
Fracture
  Ear trauma caused by, **5**:147
  Risk of intracranial injury with, **13**:112
Metastasis to, **10**:118

Sleep
Arterial O_2 lowered by, **9**:81
Disorders, **6**:83; **9**:77; **11**:139
Disturbance
  In depression, **8**:192
  From rebound headache, **16**:129, 135
REM, in hypersomnolence, **6**:84
See also *Apnea*

Slit lamp
Exam
  For blowout fracture, **5**:182
  For corneal ulcer, **7**:235
  For hyphema, **8**:123
  For ocular melanoma, **4**:289
Magnification with
  For cyanoacrylate adhesive tarsorrhaphy, **9**:62
  For foreign body removal, **3**:158

Smoking
In asthma, **13**:29
Cancer risk from
  Cervical, **6**:115
  Esophageal, **5**:191
  Oral, **11**:170
  Solitary pulmonary nodule, **9**:91
Clove cigarettes, dangers of, **4**:282
In elderly, benefits of quitting, **14**:49
Emphysema caused by, **3**:36
In hemoptysis, **8**:227

DL
4
92
MI

In ischemic stroke, **13**:67
Misdiagnosis of pneumonia type in man with history of COPD and, **5**:231
In obstructive lung disease, **5**:117
Pulse oximetry inaccurate in, **12**:228
Reduction of, goal for, **5**:199
Trick to discourage, **1**:119

Snakebite
See *Bites*

Snoring
In sleep apnea, **6**:84

Sodium monofluoroacetate
Poisoning, **3**:72

Sodium nitrite
For cyanide poisoning, **7**:260
Methemoglobinemia from, **10**:141

Sodium thiosulfate
For cyanide poisoning, **7**:260

Somatization
In abused women, **6**:173
In panic disorder, **14**:109

Somatization disorder
Avoidance of treatment for, **8**:194
Diagnostic criteria for, **8**:192

Sorbitol
In activated charcoal preparation, multiple dosing contraindicated with, **10**:222
For aniphylaxis, **12**:154
Dehydration from, **10**:222
For potassium overdose, **14**:126

Spectinomycin
IM, for gonorrhea, **10**:105
N. gonorrhoeae resistance to, in Southeast Asia, **10**:101

Spherocytosis
Hereditary, **8**:77
Pneumococcal vaccine before splenectomy in, **14**:120

Sphincter of Oddi
Hypertension of, **14**:165

Spinal cord
Compression
In disk herniation, **13**:77
Epidural, **10**:118, 122
From malignant rhabdomyosarcoma, **4**:318
Injury
Aortic occlusion misdiagnosed as, **14**:70
Emergency treatment for, **15**:203, 213
Shock after, **15**:207
Irradiation, chronic myelopathy caused by, **10**:121

Spine
Axial loading stress on, **10**:43
Cervical
Disk disease in, **8**:153
In electrical injury, immobilization of, **8**:164
Spondylosis of, **12**:139
Trauma to, **8**:149; **11**:145; **15**:203
C2 ring, **16**:113
Intubation method not dictated by, **12**:73
Tumor of, **8**:155
Diskitis of, in child, **3**:178
Fracture of, **10**:37
CT scanning for, **9**:125
Laminar, **10**:38

L
4
92
MI

Status epilepticus in elderly as cause of, **13**:76
Iliac, avulsion of, **1**:250
Injury, aortic occlusion misdiagnosed as, **14**:70
Lumbosacral
Injury to, **4**:169
Visceral symptoms in, **4**:173
Osteoporosis of, estradiol vs cyclic etidronate for, **14**:276
Pars interarticularis stress fracture in, **10**:27
Spondylolisthesis in, **10**:28
Metastasis sources, **10**:118; **13**:78
See also *Back*

Spirometry
In asthma, **12**:37; **13**:21
Exercise-induced, **13**:32
Occupational, **13**:31
In chronic cough, **7**:197
In smoke inhalation, **15**:55

Spleen
Abscess, **12**:92
Cancer, **10**:122
Cyst, **12**:92
Lye injury to, **5**:195
Palpation, three maneuvers for, **8**:73
See also *Splenomegaly*

Splenectomy
Pneumococcal vaccine before, **14**:120

Splenomegaly
Causes of, **8**:73
Percussion and palpation for, **7**:78;**8**:77

Spondylitis
Ankylosing, **10**:42

Spondylolisthesis
Diagnosis and management of, **10**:27
In lumbosacral spine injury, **4**:185
Progressive, risk factors for, **10**:38
X-ray classification of, **10**:28

Spondylolysis
In lumbosacral spine injury, **4**:185
From pars interarticularis stress fracture, **10**:27

Spondylosis
Ankylosing, neck pain from, **8**:155
Cervical spine, **12**:139; **15**:203

Sprain
Ankle, **11**:164; **16**:74, 75
Knee, **4**:331; **16**:74, 75
Lumbosacral, **10**:57
In skiing, **16**:73

Stapedectomy
For otosclerosis, 173

Staphylococcus
Aminoglycoside activity against, **7**:300
In angular cheilitis, **14**:260
Aureus
Bacteremia from, endocarditis in, **3**:165; **9**:128; **15**:154
In electrical injury, **8**:167
Impetigo from
Bullous, **7**:177
Contagiosa, **3**:88
In nosocomial pneumonia, **10**:91; **16**:97
Penicillin-resistant, in joint infection, **15**:105
In suppurative parotitis, **14**:175
Catheter sepsis caused by, **10**:190
Cervical adenitis in children caused by, **6**:46
Coagulase-negative, in endocarditis, **15**:156
In cystitis, **6**:148

L
4
92
MI

In epiglottitis, **6**:43
In food poisoning **5**:98
Saprophyticus, epididymitis and UTI from, **6**:146

Status epilepticus
Aggressive therapy for, **8**:181
Differential diagnosis of, **8**:182, 210
In elderly, **13**:76
Intubation for, **8**:213
Isoniazid as cause of, **10**:141
Midazolam for, **11**:183

Steatorrhea
In malabsorption, **6**:127
In pancreatitis, **14**:166

Steeple sign
In croup, **6**:43

Steroids
Cardiotoxicity of, **9**:108
Discontinuance of, instructions for, **11**:99
Sepsis from, **4**:143
See also specific agents, disorders

Stethoscope
As amplifier for deaf patient, **11**:99
Diaphragm
  Trick for replacing, **1**:119
  Trick for warming, **16**:46

Stevens-Johnson syndrome
Characteristics of, **14**:259; **15**:136

Stillbirth
Predicting risk of, **15**:62

Sting
Anaphylaxis from, management of, **11**:230
Bee, **4**:311
  Hymenoptera, **7**:172; **12**:142
Tropical fish, **10**:209
See also *Bite*

Stocking
Elastic, for orthostatic hypotension, **15**:153

Stomatitis
Aphthous, **14**:259
From malabsorption, **6**:127
Sore throat from, **6**:41

Strabismus
Surgery for, **7**:57

Streptococcus
Agalactiae, bacteriuria in pregnancy from, **6**:146
Alpha-hemolytic, in endocarditis, **15**:154
Angular cheilitis from, **13**:109; **14**:260
Impetigo contagiosa caused by, **7**:177
Endocarditis from, **7**:236
Epiglottitis from, **6**:43
In erysipelas, **12**:62
Penicillin plus aminoglycoside for, **7**:300
Perianal cellulitis from, **14**:156
Pharyngitis caused by, **6**:41
Pneumoniae
  Erythromycin for, **8**:232
  In HIV, **10**:179
  Immunization against, **14**:119
  Legionnaires' disease differentiated from, **5**:231
  Meningitis from, **13**:92
  Neurosensory hearing loss in meningitis caused by, in child, **8**:218
  In nosocomial pneumonia, **16**:97
  In occult bacteremia, **16**:70
  In otitis media, **2**:67, 70

OL
4
92
MI

Septicemia from, **2**:156

Streptokinase
In MI, **7**:117
For pulmonary embolism, **14**:146
For unstable angina, **9**:104

Streptomycin
In HIV, **8**:231

Stridor
In alkaline corrosive ingestion, **5**:195; **14**:95
In smoke inhalation, **15**:50
In upper airway injury, **7**:248
Wheezing differentiated from, **6**:42

Stroke
In coma, **13**:69
Dysphagia with, **5**:188
Heat regulation limited by, **7**:318
Ischemic, **13**:62, 64
Prevention, **1**:167; **13**:67; **14**:26
Risk, AHA chart for, **1**:156
Seizures with, **13**:75
Status epilepticus from, **8**:182
From temporal arteritis, **13**:64
Thromboembolic, atrial fibrillation as risk for, **14**:213
In thromboembolysis, **7**:71

Strychnine
Poisoning, **3**:71
Neuroleptic malignant syndrome differentiated from, **9**:56

Stye
See *Hordeolum*

Succinylcholine
In blunt trauma, **12**:73
In penetrating chest injury, **8**:72
In malignant hyperthermia, muscle contraction from, **7**:324
For tick removal, **2**:141

Sucralfate
Quinolone interaction with, **1**:32
For stress bleeding, to reduce risk of nosocomial pneumonia, **16**:101

Suicide attempt
"Accident" as, **14**:223
Alkaline corrosive ingestion in, **5**:194; **14**:95
In depression, **8**:192
Iodine in, **8**:179
Iron ingestion in, **14**:105
Isoniazid in, **10**:141
Lye ingestion in, **5**:194
Oral potassium in, **14**:105
Verapamil in, **7**:69
Warning signs of, **2**:201; **12**:155

Sulconazole nitrate
For tinea, **7**:178

Sulfadiazine
For AIDS-related toxoplasmosis, **9**:128
For PCP prophylaxis, **2**:199

Sulfite
Asthma triggered by, **12**:32

Sulfonamide
Pancreatitis from, **14**:161
In phototoxic dermatitis, **7**:189
For UTI, **2**:45
See also specific agents

L
4
92
MI

Sumatriptan
For chronic headache, **16**:135
For migraine, **15**:80

Surfactant
Loss of, in ARDS, **7**:252

Surgery
Avoidance of, in somatization disorder, **8**:194
Blood replacement
  Autologous transfusion for, **14**:73
  Packed red cells for, **5**:65
For body packer, **12**:207
Lighting for, reduction of glare from, **5**:50
Multiple organ failure in, **5**:216
O_2 use in, **12**:216
Vs observation, for indeterminate peritoneal lavage, **9**:111
Pneumothorax after, iatrogenic, **4**:208
Pulmonary embolism risk in, **14**:144
Wound infection in, **14**:87
See also specific disorders, procedures, sites

Swallowing
Difficulty in, after lye ingestion, **5**:195
Pain with, from esophageal foreign body, **3**:132
Proximal obstruction to, from esophageal motor dysfunction, **7**:192
See also *Dysphagia; Odynophagia*

Sweat
In cystic fibrosis, **13**:40
In diabetes, dysfunction of, **7**:322; **9**:86
In heat acclimatization, **7**:317
Heat dissipation by, **7**:180
In heatstroke, exertional vs classic, **7**:322
In *M. avium* complex infection, night, **13**:89
Tinea cruris encouraged by, **7**:180
In upper UTI, **6**:146
See also *Diaphoresis*

Symblepharon
From cyanoacrylate adhesive, **9**:62

Sympathectomy
After frostbite, **2**:137

Sympathomimetic
For asthma, **13**:20
MAO inhibitor interaction with, **12**:204

Symphysis pubis
Infection or neoplasm differentiated from stress injury of, **12**:238

Syncope
Cardiac causes of, **2**:163
In CO poisoning, **7**:257
In hypertrophic cardiomyopathy, during exercise, **8**:41
From hydrogen sulfide exposure, **7**:260
From methemoglobinemia, **7**:258
In orthostatic hypotension, history of, **15**:151
From sexual abuse , **6**:172
Vasovagal, anaphylaxis differentiated from, **12**:145

Syndrome of inappropriate antidiuretic hormone secretion
Misdiagnosis of, **2**:178; **8**:203

Synovial fluid
Aspiration and assessment of, **10**:67
  For ruptured Baker's cyst, **6**:169

Synovitis
In disseminated gonococcal infection, **14**:197
In hand injury, **15**:105

L

2

I

Toxic or nonspecific, in child, **3**:178

Syphilis
Arthritis with, **7**:230
In HIV, screening test for, **7**:143
Penile ulcer from, **6**:111
Risk for, in sexually active adolescents, **7**:229
Secondary
  Erosio interdigitalis blastomycetica
    differentiated from, **5**:152
  Tinea versicolor differentiated from, **9**:46
Serologic tests for, in gonorrhea, **10**:108
Treatment for, **4**:56
Treponema tests in, **4**:56
VDRL test for, **6**:112

T

T wave
Abnormalities, in heatstroke, **7**:322
Inversion, pericarditis differentiated from MI by, **8**:39

TAC
For suturing, in child, **2**:20 (letter)

Tachycardia
In air travel with CAD, **9**:75
From asthma treatment, **13**:21
Atrial
In digoxin toxicity, **11**:119
Paroxysmal, panic attack differentiated from, **8**:192
In HIV, **10**:179
In inspiration injury, **7**:257, 258, 259
In MI, **7**:110
In MAO inhibitor interactions, **12**:204
In neuroleptic malignant syndrome, **9**:54
Reflex, in unstable angina treatment, **9**:103, 104
In retroperitoneal hematoma, **15**:194
In sepsis syndrome, **1**:56, **4**:148
Sinus
In pericarditis, **8**:39
Persistent, in Kawasaki disease, **12**:213
Supraventricular
Adenosine for, **2**:139; **8**:107
Ventricular differentiated from, **8**:107
Ventricular
Cough cardioversion of, **12**:170
Harbingers of, **9**:76
Sudden death related to, **10**:62
Supraventricular differentiated from, **8**:107
Unstable, asystole from, **7**:69
Wide-QRS, emergency treatment of, **8**:107

Tachypnea
In asthma, **9**:107
In PCP, **10**:180
In pericardial tamponade, **8**:40
In sepsis syndrome, **1**:56, **4**:147

Talus
See *Ankle*

Tamoxifen
For breast cancer, **5**:205
Heart disease decrease with, **14**:35

Tamponade
Pericardial
Causes of, **8**:39
From penetrating cardiac injury, **8**:71
Tension pneumothorax differentiated from, **8**:40

Taping
For ankle sprain, **11**:167

Tarsorrhaphy
From cyanoacrylate adhesive in the eye, **9**:59

Tartrazine
In adverse food reactions, **5**:98

Taste
Loss of, in vitamin B_{12} deficiency, **10**:198
Metallic, in potassium iodide overdose, **8**:176

Tea bag

For hemostasis, after tooth extraction, **1**:119

Teicoplanin
For enterococci, in penicillin resistance, **10**:93

Telangiectasia
Hereditary hemorrhagic, **14**:265
From sun exposure, **7**:189

Temporal arteritis
Acute vision loss from, **8**:112, 118
Diagnosis and treatment of, **13**:64
Misdiagnosis of, blindness from, **4**:320

Temporal bone
Fracture, ear trauma from, **5**:147
Paget's disease of, **15**:174

Temporomandibular joint
Arthritis in, **14**:175
Inflammation of, otalgia from, **5**:140

Tendinitis
Localized, from jumping, **7**:214
Lower limb, **11**:156
Rotator cuff, **12**:133, 136

Tendons
Achilles, rupture of
  Digital palpation of, **9**:120, 121
  In skiing, **16**:74
  Tennis leg differentiated from, **11**:156
Biceps, rupture of, **9**:119, 121
Deep, reflexes of, in spinal cord injury, **15**:207; 211
In hand injury
  Function of, **15**:96
  Injuries to, **15**:91, 92, 95, 97, 105
Hamstring, tight
  In pars interarticularis stress fracture, **10**:27
  Stretching exercises for, **10**:36
  Toe-in gait caused by, **11**:171
Patellar, isolated tears of, **7**:214
Peroneal, subluxation of, **11**:168
Quadriceps, rupture of, **7**:214

Tenosynovitis
From gonococcal arthritis, **7**:230

Teratogenesis
From iodide in early pregnancy, **8**:179
From methotrexate, **11**:236
From vitamin A megadoses, **4**:280

Terazosin
For prostatic hyperplasia, **10**:147

Terbutaline
For asthma, **9**:108; **12**:56; **13**:39

Tests
For AIDS diagnosis, **10**:174
Arterial PO_2, for prediction of flying effects, **9**:81
In ascites, **14**:78, 80
For asthma, **12**:32, 37, 40
  Challenge, **4**:216, 227
  Exercise-induced, **13**:32
For bacteremia, occult, **16**:68
Confrontation-fields, for peripheral vision, **4**:246
For genital lacerations, to prove rape, **7**:311
In hand injury, **15**:96
For hepatitis C, **15**:126
For HIV, **7**:138, 141
  Tuberculosis in, **7**:143
For iodine toxicity, **8**:179
In malabsorption, **6**:128, 135
In mental status evaluation, **8**: 207, 214
In pancreatitis

Chronic, **14**:169
Serum lipase, **10**:171
For postural pulse, in Addison's disease, **9**:84
For preeclampsia detection, **8**:99
Preoperative screening, **14**:88
For rotavirus, **5**:109
In sleep disorders, **11**:140
Sperm motility, in rape victims, **7**:312
In spinal cord injury, **15**:211
Stool fat, quantitative measurement of, **6**:128
In vitamin B_{12} deficiency, **10**:200
See also specific tests

Testis
Cancer in
In cryptorchidism, **8**:144
Disseminated, **5**:206
Cryptorchid, **8**:137
Probable locations of, **8**:138
Retractile differentiated from, **8**:139
Torsion misdiagnosed as tumor of, **4**:317

Testosterone
For cryptorchidism, **8**:144
HCG stimulation of, cryptorchidism and anorchia differentiated by, **8**:139
Reduced production of, from, **10**:147

Tetanus
Neuroleptic malignant syndrome differentiated from, **9**:54
Prophylaxis
For cat bites, **4**:198
For chain saw wound, **13**:106
For electrical injury, **8**:167
For fishhook wounds, **5**:180
For hand injury, **15**:102
For high-pressure injection injury, **14**:183
For open fracture, **9**:114
For ruptured eye globe, **4**:259
For Scorpaenidae sting, **10**:210

Tetracaine
For epistaxis, **6**:26

Tetracycline
For asthma, contraindicated in pregnancy, **13**:39
For blepharitis, **7**:34
Esophagitis from, **6**:72
For intraluminal bacterial overgrowth, **6**:135
For legionnaires' disease, **5**:234
For meibomitis, **7**:34
Pancreatitis from, **14**:160
Pleurodesis with, **4**:208
Resistance to
Erythromycin as alternative for, **10**:105
Gonorrheal, **10**:101

Tetrodotoxin
Toxic reaction to, **5**:97

Thalassemia
Minor, **8**:78

Thalidomide
For aphthous stomatitis, **14**:259

Thallium
Function studies, for dilated cardiomyopathy, **8**:51
As substitute for stress test, **6**:48
See also *Scanning*

Theophylline
For asthma, **12**:56
Sustained-release, for nocturnal episodes, **13**:22, 39
For COPD, **3**:48; **11**:62

In drug interactions
In COPD therapy, **3**:48
In dipyridamole-thallium test, **6**:54
With erythromycin, **1**:31
For sleep apnea, **6**:87
With quinolone, **6**:156
Toxicity of, **3**:71, **4**:294; **13**:22
Seizure from, **11**:184
Status epilepticus from, **10**:141
In suicide attempt, **7**:69

Thiabendazole
For cutaneous larva migrans, **10**:194

Thiamine
For alcohol withdrawal, **8**:169

Thiazide
For isolated systolic hypertension, **14**:28
Pancreatitis caused by, **14**:161

Thigh
Abscess, percutaneous drainage for, **12**:95
Anterolateral, IM injection in, for febrile infant, **14**:255
Dressing for, trick for holding in place, **16**:46
Injury, **5**:248

Thimerosal
For otomycosis, **5**:139

Thiopental
For cerebral injury in refractory seizure, **8**:213
For head injury, **8**:221

Thiosulfate
For iodine toxicity, **8**:179

Thompson's test
For Achilles tendon rupture, **11**:156

Thoracostomy
Cancer pain from, **10**:118
Immediate
In gunshot or stab chest wound, **8**:71
For hemopericardium, **8**:40
Scar, as clue to heart valve rupture, **8**:84
For solitary pulmonary nodule, **9**:92, 97
Tube, for pneumothorax, **4**:207, 208

Throat
Foreign body in, **3**:135, **6**:44
Irritation, steroid as cause of, spacer device to minimize, **13**:22
Sore
Causes of, **6**:41
Epiglottitis signaled by, in adult, **14**:56
In guttate psoriasis, **15**:136
Lack of, in group A beta-hemolytic streptococci, **13**:110
Squamous carcinoma infiltration of, **10**:122
Trick for examining, **11**:99

Thrombocytopenia
In eclampsia, **8**:99
Hemorrhage in, **5**:66
In HIV, **10**:179
As complication of therapy, **10**:182
Unexplained, **7**:138
Interferon as cause of, **15**:130

Thrombocytosis
In Kawasaki disease, **12**:210

Thrombolysis
With angioplasty after
Indications for, **1**:240
In unstable angina, **9**:104

Back pain assessed by, **10**:35
In foot injury, **15**:34
For hand fracture, ray, **15**:102
Invasiveness of, **15**:13
For leg injury, athletic, **11**:155
For occult fracture from blunt cervical trauma, **8**:151
For stress fracture, **8**:131
CT
In abdominal trauma, vs lavage, **9**:112
Blunt, **15**:194
For abscess
Of head or neck, **6**:45
Percutaneous drainage of, guided by, **12**:86
Before anticoagulant therapy, **1**:169
For aortic dissection, **12**:67
Advantages and disadvantages of, **12**:68
For aortic occlusion, **14**:72
For ascites, physical exam vs, **14**:78
For branchial cyst, **13**:80
Calcification detected by, cranial, **9**:93
For cancer staging and treatment, **5**:200
In celiac sprue, **6**:139
For cerebral toxoplasmosis, **9**:128
For cervical spine trauma, **11**:145
In child abuse, **8**:223
In coma, **13**:69
For degenerative disk disease, **10**:43
In electrical injury, **8**:168
For epidural metastasis, **13**:78
For fracture diagnosis, **9**:125
For head trauma, **11**:52; **13**:111
Head injury differentiated by, **8**:222
Meningitis differentiated from, **8**:222
Vs observation, after head trauma, **1**:174
Orbital, **4**:265
In status epilepticus, **8**:182
Temporal bone, **5**:147
Utility of, **1**:173
Hepatomegaly diagnosed by, **7**:296
In humeral head dislocation, **12**:126
Of lumbosacral spine, **4**:188
For maxillofacial trauma, **6**:46
In meningitis, **5**:36
For migraine, **4**:297
For nasal papilloma, **13**:80
For neurologic deficit, **13**:62
For pancreatitis prognosis, **14**:166
For pneumoperitoneum detection after sigmoidoscopy, **12**:81
Postpartum, for acute fatty liver, **7**:296
In PCP, **15**:142
In pyelonephritis, **3**:33
Scapular, **12**:125, 126
Sequence of, for seizure in young vs elderly patient, **13**:75
Sinusitis diagnosed by, **6**:32
For testis detection, **8**:139
Of solitary pulmonary nodule, **9**:94
For tuboovarian abscess, **15**:163
Exercise thallium, for GI complaints, **4**:305
For FUO in child, **2**:88
Leukocyte, for osteomyelitis in diabetic foot lesions, **1**:80
MRI
In aortic dissection, advantages and disadvantages of, **12**:71
For cancer staging, **5**:200
For cerebral toxoplasmosis, **9**:128
In coma, **13**:69
For epidural masses, **13**:78
In head injury, **8**:223
Of knee, **7**:201
In ligament injury, **7**:207
In rotator cuff tears, **12**:133, 139
In seizure, **13**:76
Of shoulder, **12**:126
Spinal, **10**:43

Contraindications to, **7**:122
Aortic dissection as, **12**:67
Cough CPR compatible with, **12**:170
In MI, mortality reduction with, **7**:117
For pulmonary embolism, **14**:146
See also specific agents

Thrombophlebitis
Deep vein
Baker's cyst differentiated from, **6**:169
From prolonged sitting, **9**:76
Pulmonary embolism risk with, **14**:144
Estradiol for, transdermal vs oral, **14**:276
Penile, **12**:103

Thromboplastin
Sensitivity, in anticoagulation monitoring, **11**:69

Thrombosis
In aortic occlusion, **14**:72
Atrial fibrillation as risk for, **14**:213
Coronary, in silent ischemia, **2**:166
Hemorrhoidal, **10**:203, 208
Hypersplenism from, **8**:81
In unstable angina, **9**:101

Thromboxane
A_2, increased levels of, in unstable angina, **9**:100
In frostbite, **2**:131

Thrombus
At atherosclerotic plaque, **7**:109
Left-atrial, predictors for, **1**:111
In MI, from plaque rupture, **9**:100
Mural, calcified, in x-ray misdiagnosis of aortic dissection, **12**:68
In unstable angina
Aspirin to combat, **9**:103
Coronary after angioplasty, **1**:239
From plaque rupture, **9**:100

Thrush
In advanced HIV, **7**:138; **9**:127; **10**:179

Thumb
Bennett's fracture of, **15**:110
Gamekeeper's
From hyperextension injury, **15**:101
In skiing, **15**:110
Injuries to, in skiing, **16**:74, 75
Sign, of swollen epiglottis, **14**:61

Thyroid
Disease
Diagnosis and treatment of, **5**:67
Dysphagia from, **5**:186
From interferon, **15**:130
Function tests, **5**:68
Panic disorder and organic disease differentiated by, **14**:110
Hormone
In elderly, **5**:67, 73
In organ failure, **5**:216
Toxicity, iodide as cause of, **8**:179

Tibia
Articular cartilage, damage to, **7**:205
Avulsion of, ligament injury signaled by, **9**:121, 125
Bruises to, **7**:206
Fracture, **9**:119
Avulsion, **7**:213
Femoral with, **4**:310
Oblique, **16**:140
In skiing, **16**:74, 75
Stress, **4**:89
In adolescents, **3**:179
In infants, **3**:177

Protection of, by ski boots, **16**:73

Ticarcillin
For nosocomial pneumonia, **10**:91
For UTI, **6**:155

Tick
Ixodes, Lyme disease caused by, **11**:28
Removal, tricks for, **2**:141; **7**:265; **16**:46

Ticlopidine
Neutropenia caused by, **13**:67

Timolol
For central retinal artery occlusion, **8**:118
For MI, **16**:59

Tinea
Capitis
  Alopecia areata differentiated from, **7**:132
  Management of, **7**:185
Corporis
  Differential diagnosis of, **7**:185
  Management of, **7**:185
  Tinea versicolor differentiated from, **9**:46
Cruris
  Differential diagnosis of, **7**:180
  Management of, **7**:180
Cutaneous larva migrans differentiated from, **10**:194
Granuloma annulare differentiated from, **3**:88
Manus, erosio interdigitalis blastomycetica differentiated from, **5**:152
Pedis
  Differential diagnosis of, **7**:180
  Management of, **7**:179
Versicolor
  Differential diagnosis of, **9**:46

Tinel's sign
In neuritis or sciatica, **4**:187

Tinnitus
Aggravated by osteoarthritis, **15**:179
Causes of, **15**:166; 179
  Erythromycin as, **8**:232
In neurosensory hearing loss, **5**:146

Tissue plasminogen activator
After cough CPR, **12**:171
For pulmonary embolism prophylaxis, **14**:152
Recombinant, for stroke, **13**:68

Tobacco
Chewing, oral cancer risk from, **11**:170
See also *Smoking*

Tobramycin
Aminoglycoside resistance development with, **7**:303
For cystic fibrosis, **13**:42
Drops
  For corneal ulcer, **7**:235
  For draining ear, **5**:141
For nosocomial pneumonia, **10**:91; **16**:108

Toe
Aspiration of, **10**:71
Circulation, after bee sting, **4**:312
Deformities of, **15**:43, 44
Hair tightly wound around infant's, trick for removing, **7**:265
Pain
  Gouty, **12**:230
  Misdiagnosed as gout, **4**:299
Position sense of, test for, in vitamin B_{12} deficiency, **10**:201
Tendinitis in, **11**:162

Webs, tinea in, **7**:179
Wounds, trick for cleaning, **3**:163

Toenail
Basic care of, **15**:45
Bed, malformations of, from selenium megadoses, **4**:277
Fungal infection of, **7**:179; **15**:45
Hematoma beneath, tricks for draining, **1**:119; **11**:102
Ingrown, **11**:171; **15**:46
Removal of, **7**:265

Toluene diisocyanate
Asthma from, **13**:31
  Occupational, **4**:216

Toluidine blue
Test, for genital lacerations in rape, **7**:311

Tomography
In cancer staging and treatment, **5**:200
Myocardial ischemia diagnosed by, **5**:78
See also *Scanning*; CT

Tongue
Black hairy, **4**:50
Carcinoma of, **11**:182
Laceration, **5**:17 (letter)
Muscle spasm in, in dystonic reaction, **16**:91
Red, in vitamin B_{12} deficiency, 10:198
Ulcers, referred otalgia from, **5**:140

Tonsil
Abscess of, needle aspiration for, **2**:141
Hypertrophy, in sleep apnea, **6**:84
  Surgery for, **6**:87

Tonsillectomy
For peritonsillar abscess, **6**:46

Tonsillitis
Infectious mononucleosis as cause of, **6**:41

Tonsillolith
Foreign body sensation caused by, **6**:45

Torticollis
Paroxysmal, as migraine variant, **15**:71

Tourniquet
In anaphylaxis, **12**:148
Finger, improvised, **3**:159

Toxic shock syndrome
Kawasaki disease differentiated from, **12**:210

Toxicity
Drug
  Anaphylaxis differentiated from, **12**:145
  Violent behavior caused by, **7**:163
Through ear, **8**:8 (letter)
In smoke inhalation, **15**:50
Systemic, residual foreign body as cause of, in high-pressure injection injury, **14**:179
Whole-bowel irrigation as cause of, **10**:223
See also *Poisoning*; specific agents

Toxoplasmosis
AIDS-related, **9**:128
FUO in, **2**:88
In HIV, **7**:143
Prophylaxis for, **2**:199
Retinitis, **8**:120

Trachea
Disrupted, from blunt anterior neck trauma, **8**:151

Tracheobronchitis
From O_2 toxicity, 12:229
Purulent, protected-brush biopsy for, problems with, **10**:91

Tracheotomy
In anaphylaxis, **12**:146
Avoidance of, **5**:50
For epiglottitis, **14**:64
Cricothyrotomy preferred to, **6**:44
For obstructive sleep apnea, **6**:87
As risk factor for nosocomial pneumonia recurrence, **10**:90
In spinal cord injury, **15**:213

Tragi
Accessory, of external ear, differential diagnosis of, **8**:102

Transfusion
Autologous, indications and contraindications for, **14**:73
Guidelines for, **5**:59
Hepatitis C from, **12**:231; **15**:129, 131
HIV from, **5**:59; **7**:137; **10**:173
Massive, warming blood for, **5**:65
Platelet, unclear guidelines for, **5**:66
Preoperative, **5**:66
Whole vs packed red cells in, **5**:59

Transient ischemic attack
Low-dose aspirin for, **14**:33
See also *Syncope*

Transplant
Bone marrow, for myocarditis, **8**:51
Corneal
For chemical burns, **4**:257
For perforation, **7**:39
Risks and benefits of, **7**:52
For ulceration, **7**:235
Heart
For dilated cardiomyopathy, **8**:51
And liver, postpartum, **7**:296
And lung, in cystic fibrosis, **13**:45
Kidney, after exertional heatstroke, **7**:322
Liver, for hepatoma, **15**:124
Organ, history of, in AIDS screening, **7**:138

Trauma
Major, O_2 for, **12**:215
Multiple organ failure caused by, **5**:226
Psychogenic musculoskeletal pain from, **6**:76
Pulmonary embolism risk after, **14**:144
Rapid blood loss from, **5**:65
Status epilepticus caused by, **8**:181
See also *Fracture;* specific injuries and sites

Travel
Air, with CAD, **9**:76
Antibiotic prophylaxis vs its risks in, **5**:116
Cutaneous larva migrans associated with, **10**:194
Diarrhea in, **5**:90, 95, 110, 115; **9**:72
With endocrine disease, precautions for, **9**:83
With heart disease, precautions for, **9**:71
Hepatitis A risk in, **15**:115
Medical services during, IAMAT directory for, **7**:267
With respiratory disease, advanced planning for, **9**:77

Trazodone
Toxicity of, **11**:136

Treponema
Tests, **4**:56

L

2

1

Tretinoin
For pseudofolliculitis barbae, **15**:147

Triage
Risk of registering patients before, **7**:65

Triamcinolone
For asthma, contraindicated in pregnancy, **13**:39
For chalazion, **7**:34
For ear eczema, **5**:145

Trichiasis
Treatment of, **4**:251

Trichomonas
Detection of, in adolescent rape victim, **3**:103
Vaginalis, UTI from, **6**:145

Trichotillomania
Alopecia areata differentiated from, **7**:132

Tricyclic antidepressant
Overdose, ipecac contraindicated after, **10**:214
See also specific agents

Triglyceride levels
Elevated by alcohol, **7**:76
In pancreatitis, **14**:159

Trimethobenzamide
For nausea in traveling diabetic, **9**:86

Trimethoprim
For nosocomial pneumonia prophylaxis, **16**:102

Trimethoprim-sulfamethoxazole
For AIDS prophylaxis, **1**:217
For cystitis, **4**:44
For diarrhea, **5**:115, 116
Drug interactions with, **14**:138
For otitis media, **2**:67; **5**:134
For PCP, **7**:153; **9**:128
  Complications of, **10**:180, 182
For pyelonephritis, **3**:29
  And urosepsis, **7**:299
For sinusitis, **6**:32
For UTI, **2**:45; **11**:223
  Recurrent, **6**:158
  Single-dose or 10-day course, **6**:148, 150

Trimethylamine
Metabolic precursors of, in diet, **14**:235
Odor of, **14**:232

Triolein
Radiolabeled, test for malabsorption, **6**:128

Trypsin
Serum, as pancreatitis marker, **14**:159

Trypsinogen activation peptide
For pancreatitis prognosis, **14**:166

Tryptophan
MAO inhibitor interactions with, **12**:204

Tuberculosis
In HIV
  Extrapulmonary, **7**:142
  Rapid spread of, **8**:231
  Recurrent fever with, **10**:190
  Skin test for, **7**:143
    Unreliability of, **8**:231
Hemoptysis infrequent in, **8**:230
Miliary, adrenal insufficiency associated with, **4**:272
PCP mimicked by, on x-ray, **15**:142
Peripheral eosinophilia syndrome from, **1**:146

See also *Mycobacterium*

Tumor
Bone
  Cervical spine, **8**:155
  Stress fracture differentiated from, **4**:89
Brain
  Headache in, as only symptom, **13**:62
  Supratentorial, seizure in, **13**:75
Breast, phyllodes, detection of, **8**:226
Ear, **15**:169, 179
Eyelid, **7**:34
GI bleeding caused by, in HIV, **16**:60
Hoarseness caused by, **6**:44
Metastasis, genicity differentiated from, **5**:200
Necrotic, percutaneous drainage for, **12**:92
Pancoast
  Erosion of, referred shoulder pain from, **12**:134, 139
  Needle aspiration biopsy for, **9**:97
Penile ulcer caused by, **6**:112
Status epilepticus caused by, **8**:182
Testicular
  From inadequate treatment of cryptorchidism, **8**:137
  Torsion misdiagnosed as, **4**:317
  And Wilms', **5**:202
See also *Cancer; Carcinoma;* specific malignancies and sites

Tumor necrosis factor
CSF levels of, neurologic deficits correlated with, **8**:218
In organ failure, **5**:216
In sepsis, **1**:55
  First cytokine released, **4**:144
  And shock, **2**:184

Turbinometric assay
Lipase, for pancreatitis, **14**:159

Two-point discrimination test
In hand injury, **15**:96

Tympanic membrane
Examination of, before ear irrigation, **15**:169
Perforated, from ear trauma, **5**:147
  Repair of, **15**:173
Rupture, in electrical injury, **8**:168

Typhoid fever
Blood culture for suspected, **5**:110

Tyramine
MAO interactions with, **11**:216
  Treatment for hypertension from, **12**:204

Tzanck test
For genital herpes, **15**:190

U

Ulcer
Colon, in sigmoidoscopy rupture, **12**:77
Corneal
  From contact lens, **7**:235
  Extended-wear, **4**:256
  From rosacea keratitis, **7**:35
Decubitus, débridement of, **7**:265
Esophageal
  In dysphagia, **6**:69
  From lodged pills, **3**:132
  Peptic, **11**:105
Facial, in factitial dermatitis, **6**:107
  Stool guaiac test for, **12**:110
Gastric
  Enterocolonic fistula after surgery for, **6**:130

L

02

I

Genital
Herpes screening for, **15**:184
From infectious mononucleosis, **6**:112
GI bleeding caused by, in HIV, **16**:60
Oral
In aphthous stomatitis, **14**:259
From methotrexate, **12**:194
Penile, **6**:111
Pharyngeal, **6**:41
Skin, in phototoxic dermatitis, **7**:189
In Stevens-Johnson syndrome, **14**:259
Tongue, in disseminated histoplasmosis, **4**:272

Ultrasonography
Abdominal, postpartum, **7**:296
Abscess drainage guided by, **12**:86
In aortic occlusion, **14**:72
In ascites, physical exam, **14**:78
Of augmented breast, **6**:100
Of Baker's cyst, unruptured, **6**:169
Of branchial cyst, **13**:80
Duplex, in pulmonary embolism, **14**:146
In hepatitis B, **15**:124
In myofascial pain, **5**:171
In pregnancy, **11**:175,
Appendicitis, **9**:130
Ectopic, transabdominal vs transvaginal, **1**:94
In pyelonephritis, **2**:44
Renal screening, for recurrent cystitis, **4**:44
Scrotal, misleading results with, **4**:317
In splenomegaly, **7**:18
Of testis, impalpable, **8**:139
Transrectal, prostate cancer detection by, **9**:39
For tuboovarian abscess, **15**:163

Ultraviolet light
In herpes simplex
Photosensitivity reactions triggered by, **7**:189
Reactivation promoted by, **10**:81

Ureaplasma
Nongonococcal urethritis from, **10**:101
UTI from, **6**:145

Uremia
Pericardial tamponade with, **8**:39

Ureter
Carcinoma of, **10**:122
Obstruction of, **9**:35

Urethra
Anatomy of, **10**:144
Catheterization of
In rupture, **4**:351
Trick for painless, **3**:158
Damaged, in bladder injury, **4**:348
Discharge from
In gonococcal urethritis, **10**:101
In prostatitis, **9**:39
Obstruction of, **9**:35
Prolapsed, in child, misdiagnosed as rape, **4**:287
Prostatic, balloon divulsion of, **10**:147
Swabs of, for *N. gonorrhoeae* in penile ulcer, **6**:112

Urethritis
Gonococcal vs nongonococcal, **10**:101
Nongonococcal, **6**:155, 157

Urethrography
Retrograde, in bladder injury, **4**:348

Uric acid
Serum, elevation of, in alcohol abuse, **7**:75

Uridine triphosphate
In cystic fibrosis, **13**:46

Urinalysis
In aminoglycoside nephrotoxicity, **7**:307
In arsenic poisoning, **3**:83
In cystitis, **4**:30
For electrolyte pattern in self-induced vomiting, **7**:309
Gas chromatography, for fish-odor syndrome, **14**:235
In HIV, **10**:190
In pyelonephritis, **3**:26
In sickle cell crisis, **4**:108
In SLE, **12**:191
In UTI, **2**:220
  Vs dipstick testing, **2**:224

Urinary retention
After spinal shock, **15**:207

Urinary tract infection
Aminoglycosides for, **7**:299
Antibiotic choices for, **6**:149
Asymptomatic, serious effects of, **6**:146
Community-acquired, promiscuity, **6**:145
Diagnosis and management of, **6**:145
Dipstick testing for, **2**:224
Fever with, in HIV, **10**:190
Genital herpes screening in, **15**:184
Lower, **6**:146
  Recognition and management of, **11**:218
  Relapse rate of, **11**:226
Pathogens in, **6**:147
In pregnancy, tests for, in suspected appendicitis, **9**:130
Presumed, temporal arteritis diagnosis delayed because of, **4**:320
In pyelonephritis, **3**:25; **6**:146
Recurrent, **2**:30; **4**:43, **6**:158
Sickle cell crisis triggered by, **4**:108
Structural or functional abnormalities complicating, **6**:157
Upper
  With cystitis, missed diagnosis of, **4**:43
  Pyelonephritis in, **6**:146
From urine retention, in prostatic hypertrophy, **10**:144

Urine dipstick
In retroperitoneal hematoma, **15**:194
In UTI, **2**:224

Urinoma
Communicating, **12**:92

Urokinase
In hematoma drainage, **12**:92
Intracoronary, **9**:104
For pulmonary embolism, **14**:146
For unstable angina, **1**:239

Urosepsis
Pharmacotherapy for, **7**:299

Urticaria
Anaphylaxis
  Differentiated from, **12**:145
  Signaled by, **12**:142
In asthma, **12**:50
In erythema multiforme, **14**:259
In Hymenoptera sting, **7**:177
In photoallergy, **7**:191
In phototoxic dermatitis, **7**:189

Urushiol
In poison ivy, **7**:172

Uterus
Ruptured, error in diagnosis of, **12**:103

L

02

I

Tenderness of, in tuboovarian abscess, **15**:163

Uveitis
Posterior, **8**:112, 120

Uvulopalatopharyngoplasty
Sleep apnea treated by, **6**:87

V

Vaccination
For cystic fibrosis, **13**:46
Double, **11**:99
Flu and pneumococcal pneumonia prophylaxis yearly for COPD, **3**:48
Hepatitis B, recommendations for, **14**:116; **15**:119, 122
Hepatitis C, prospects for, **15**:131
For HIV, early trials of, **7**:154
Influenza
  In COPD, **3**:48
  In HIV, **7**:143
  Recommendations for, **14**:120
Measles, in HIV, **8**:124
N. meningitidis, **15**:162
Pneumococcal
  In COPD, **3**:48
  In elderly, **14**:53
  In HIV, **7**:143
  Polyvalent, efficacy of, **5**:173
  Recommendations for, **14**:119
Rabies, **15**:111
Varicella, recommendations for, **14**:120

Vagina
Atrophy of, mistaken for malignancy, **7**:96
Bleeding from, **3**:159
Cancer of, Pap smear in, **7**:88
Candidiasis of, sign of HIV, **7**:138
Discharge
  In gonococcal cervicitis, **10**:101
  In herpes simplex, **10**:77
Infection of, Pap smear contraindicated in, **7**:88
Injury to, as sign of child abuse, **4**:284
pH of, in UTI recurrence, **2**:34
Smear of, cervical cancer detected by, **7**:87

Vaginitis
In cystitis, **4**:43; **6**:146
Inflammation from, **7**:312
UTI ruled out by, **11**:220

Valproic acid
For migraine with epilepsy, **3**:54
Pancreatitis from, **5**:55; **14**:161
Phenytoin, interaction with, **1**:22
For seizure, **13**:76

Valsalva maneuver
Cardiomyopathy murmur elicited with, **1**:230
Lumbosacral spine pain assessed by, **4**:176
Schatzki's ring located by, **5**:191
Ventricular differentiated from supraventricular tachycardia by, **8**:111

Valve
See *Heart*

Vancomycin
For *C. difficile* colitis in pregnancy, **4**:85
For endocarditis, **15**:156
For enterococci, alternative in penicillin resistance, **10**:93
For Gram-positive infection in neutropenia with fever, **10**:84
For group A beta-hemolytic streptococcal erysipelas, **12**:62

L

02

I

For urosepsis, **7**:299

Varicella
Immunization against, **14**:120
Impetigo contagiosa in, **7**:177
Lupus ethrythematosus differentiated from, **8**:102
Management of, **16**:92
  Error in, **4**:300
Methotrexate danger in, **11**:236

Vasculitis
From electrical burn, **8**:168
In hepatitis A, **15**:116
Pulmonary dysfunction in, **2**:151

Vasoconstriction
For epistaxis, vs cautery, **6**:28
In frostbite, **2**:121
In referred pain, **5**:160
See also specific vasoconstrictors

Vasodilation
ACE inhibitor for, **10**:61
For diastolic dysfunction, **1**:231
In referred pain, **5**:160
See also specific vasodilators

Vasopressors
For septic shock, **2**:193

Vasospasm
In coronary artery with ruptured plaque, **9**:100
In fibromyalgia, **5**:159

VDRL test
In penile ulcer, **6**:112

Vecuronium
For head injury, **8**:221

Veins
Access to, trick for, **1**:119; **15**:183
Insufficiency of, elastic support stocking for, **9**:76
Trick for finding, in infants, **16**:46
See also *Thrombophlebitis*

Venography
For pulmonary embolism, **14**:146

Venom
Black widow spider, **14**:229
Hymenoptera, **7**:172
  Immunotherapy with, **11**:233
Scorpaenid, **10**:209
See also *Bites; Stings*

Ventilation
For ARDS, **7**:252
Assisted
  In anaphylaxis, **12**:146
  In COPD and respiratory failure, **4**:312
  In cyanotic infant, **8**:207
  In head injury, **8**:221
Mechanical
  In asthma, **9**:108
  Compression with, **7**:225
  Face mask, **2**:57
  Nosocomial pneumonia risk with, **10**:90; **16:98, 102**
  In penetrating chest injury, **8**:72
  Pneumothorax from, **4**:208
  In respiratory failure, **12**:217
Positive-pressure, for minimal postictal effort, **7**:69

Ventriculography
To differentiate MI from viral myocarditis,

L

2

I

14:188

Verapamil
For atrial fibrillation, **14**:214
After cough CPR, **12**:171
Digoxin interaction with, **1**:31
For migraine
  In asthma, **3**:54
  Posttraumatic, **1**:108
Overdose, **10**:142
Suicide attempt with, **7**:69
For unstable angina, **4**:138
In wide-complex tachycardia, avoidance of, **8**:107

Verruca vulgaris
From HPV, **14**:260

Vertigo
Hearing loss from ototoxic drug heralded by, **15**:166
In otitis interna, **5**:146
Paroxysmal, as migraine variant, **15**:71

Vesiculation
In phototoxic dermatitis, **7**:191

Vibramycin
For asthma, contraindicated in pregnancy, **13**:39

Vibrio
Cholerae, epidemic, **5**:92
Parahaemolyticus, diarrhea from, **5**:96

Vidarabine
For herpes simplex, **10**:81

Vincristine
For Hodgkin's disease and non-Hodgkin's lymphoma, motor neuropathy from, **10**:118

Violence
In ED or office, **7**:156
  Restraints for, **7**:163

Vision
Acuity of, **8**:112, 114
Assessment of, **4**:245
Blurred
  As danger sign, **7**:33
  In eclampsia, **8**:99
Central and peripheral, recording of, **4**:246
Double, in orbital fractures, **4**:265
Loss of
  At altitude, **9**:78
  In atopic dermatitis, **7**:35
  From blunt trauma, **4**:257; **5**:181
  From corneal ulceration, **7**:235
  Emergency care for, **8**:112
  From optic nerve damage, **7**:51; **8**:186
  In orthostatic hypotension, **15**:151
Preserving, in blowout fracture, **5**:185
Tests for
  In blowout fracture, **5**:182
  In children, **8**:207
Restored in blind, after corneal transplantation, **7**:52
See also *Blindness*

Vitamin
A
  For chemical burns to eye, **4**:257
  Deficiency in malabsorption, **6**:127
  Megadoses, effects of, **4**:278, 280
B
  For status epilepticus, **8**:182
  Deficiency in malabsorption, **6**:127

L

02

I

B_6 megadoses, peripheral neuropathy from, **4**:277
B_{12}
Absorption test, for intraluminal bacterial overgrowth, **6**:130
Deficiency of
Causes and symptoms of, **10**:198
Injections for, **10**:201
From malabsorption, **6**:124, 127
Memory loss from, Alzheimer's disease differentiated from, **10**:200
Myths about, **10**:200
Test for, **10**:201
Infusion of, in isoniazid overdose, **10**:142
C
Esophagitis from, **6**:72
Megadoses, effects of, **4**:277
For cystic fibrosis, **13**:45
D
Malabsorption of, in steatorrhea, **6**:127
Megadoses, hypercalcemia caused by, **4**:278
Sun exposure contraindicated with, **9**:83
Deficiency
In alcoholism, **8**:175
Drug-related, **12**:120
Drug interactions with, **1**:31
Fat-soluble, for celiac sprue, **6**:139
K, interference with, in malabsorption, **6**:127
K_1
For brodifacoum ingestion, **14**:125
For superwarfarin poisoning, **3**:70
Megadoses, dangers of, **4**:274
Niacin megadoses, symptoms of histamine release from, **4**:277

Vitiligo
Tinea versicolor differentiated from, **9**:46

Volkmann's contracture
From compartment syndrome, **15**:102

Vomiting
Abdominal pain with, **12**:103
From activated charcoal, **10**:222
From acute fatty liver of pregnancy, **7**:296
In alkaline corrosive ingestion, **14**:94
In appendicitis, **4**:342
In body packer, **12**:207
In cancer, **10**:131
During pregnancy, **9**:129
Cyclic, as migraine variant in young child, **15**:71
From cyclophosphamide, **12**:194
From erythromycin, **9**:49
Esophageal perforation from, **13**:54
In gamma-hydroxybutyrate overdose, **12**:203
Ipecac—induced, **10**:217
Benefits of and contraindications for, **10**:212, 214, 217
In button battery ingestion, contraindicated, **13**:52
Further treatment delayed by, **10**:221
In potassium overdose, **14**:126
Iron toxicity as cause of, **14**:99
In isoniazid overdose, **10**:142
In *M. avium* complex infection, **13**:89
In meningitis
Aseptic, **9**:127
Meningococcal, **15**:158
In migraine, **10**:72; **15**:71
Oral rehydration with, **16**:127
In pediatric concussion syndrome, **8**:223
Perforation signaled by, after sigmoidoscopy, **12**:81
From phenylpropanolamine ingestion, **12**:104
Self-induced, test for, **7**:309
In staph food poisoning, **5**:98
In upper UTI, **6**:146
Whole-bowel irrigation as cause of, **10**:223

L

92

11

Vulva
Herpes simplex shedding from, **10**:77

Vulvovaginitis
UTI similar to, **11**:218

L

2

I

W

Warfarin
In atrial fibrillation, **1**:167; **14**:219
Drug interactions with, **1**:31; **14**:138
After MI, **7**:122
For mitral stenosis, **1**:114
Monitoring of, **11**:69
In stroke, **13**:67
  Prevention of, **14**:28
Toxicity, **3**:70

Wart
Cervical cancer promoted by, **6**:115
Lip, **14**:260
Plantar, differential diagnosis and treatment of, **15**:38, 43

Waterhouse-Fridericksen syndrome
Symptoms of, **15**:158

Wegener's granulomatosis
Peripheral eosinophilia from, **1**:147
Pulmonary dysfunction in, **2**:151
Of sclera and cornea, **7**:39

Weight loss
In cystic fibrosis, **13**:41
In dysphagia
  Cancer indicated by, **6**:65
  From foreign body sensation, **6**:45
In HIV, **7**:142
In *M. avium* complex infection, **13**:89
In malabsorption, **6**:124,130
For obese with sleep apnea, **6**:86
Rapid, in athlete, **13**:85
From self-induced vomiting, **7**:309

Wernicke-Korsakoff syndrome
Psychotic behavior from, **7**:162
Thiamine for, **8**:169

Western blot test
For genital herpes, **15**:184
In HIV, **7**:141; **10**:174
For Lyme disease, **11**:41

Whiplash
Cause of and prognosis for, **8**:152

Wolff-Parkinson-White syndrome
In supraventricular tachycardia, **8**:107

Wood's light
For tinea versicolor, **9**:46

Wrist
Fracture, **12**:103
Splinting, **4**:310

X

Xanthogranuloma
Juvenile, xanthoma dissemination differentiated from, **12**:62

Xanthoma
Differential diagnosis of, **12**:62
Tuberosum, xanthoma dissemination differentiated from, **12**:62

L

92

11

Xeroform
For ingrown toenail, **15**:46

Xeromammography
For breast augmentation, **6**:100

Xerophthalmia
In malabsorption, **6**:127

Xerostomia
Oral cancer signaled by, **11**:181

Xylocaine
For embedded fishhook, **5**:180

Xylose
Tolerance test with, intraluminal maldigestion differentiated from mucosal disease by, **6**:129

Y

Yeast
Mucocutaneous infection, in HIV, **7**:142

Yersinia enterocolitica
Diarrhea from, **5**:92
Syndrome, **7**:230

Z

Zenker's diverticulum
In dysphagia, **6**:70
Foreign body sensation from, **6**:45
Oropharyngeal dysphagia from, **5**:186

Zidovudine
See *AZT*

Zinc
Toxic ingestion of, whole-bowel irrigation for, **10**:223

L

92

11

A

Abbott J 1:93
Acosta SC 8:131 (trick)
Adler L 11:99 (trick)
Adlerberg HM 7:265 (trick)
Ahn ST 16:46 (trick)
Anderson EG 1:246 (department)
Arena JM 1:99 (department)
Atkins H 9:3 (editorial)

B

Bacon JL 10:94 (trick)
Bajwa GN 15:13 (letter)
Bashore TM 1:218
Bayer MJ 3:61; 11:119
Beckerman B 15:49
Berman ML 7:87
Besdine RW 14:26
Bigelow B 4:191; 8:131 (tricks)
Billowitz EB 2:141; 4:191; 5:50; 14:96 (tricks)
Bingham RF 5:17 (letter)
Bitterman RA 3:131
Black CV 16:46 (trick)
Boggio NT 3:98
Bohman HR 10:203
Boller A 11:102; 15:183 (tricks)
Bone RC 14:144
Boruchoff SA 7:49
Boyce HW 6:65
Breaux J 6:165
Bresler MJ 8:35
Brody G 15:49
Brody SL 2:183
Bronczyk B 11:99 (trick)
Brookoff D 1:131
Burson L 10:94 (trick)

C

Callery C 16:46 (trick)
Carbajal EV 2:165
Carsons S 2:147
Cassem EH 8:191
Castell DO 5:186
Catalan PV 16:67
Catalana P 14:116
Caughlin J 16:8 (letter)
Cervenko PR 7:265 (trick)
Chalfin DB 4:143
Chandler JG 8:84
Chandramohan K 15:203
Chen MYM 12:122
Chin RL 2:141; 10:94 (tricks)

L

92

11

Cohall AT 7:229
Conces DJ, Jr 3:183; 13:118
Cooke DH 9:99
Corey M 15:183 (trick)
Corrao WM 7:192
Craven DE 16:97
Crumrine PK 15:69
Cunha BA 4:271; 5:227; 7:299; 12:209; 14:278
Cusack JR 7:71

D

Dachs R 10:94 (trick)
Dart RC 15:183 (trick)
Decter BM 2:141 (trick)
Deedwania PC 2:165
Denton JR 9:113; 15:13 (response to letter)
Desai V 5:207
DeVaul CA 11:99 (trick)
Dohlman C 7:33
Doku HC 5:17 (response to letter)
Doyle DJ 12:215
Drossman DA 6:171
Dupont HL 5:90

E

Eagle KA 7:108
Egen NB 15:183 (trick)
Ehrnstrom PG 14:259
Enzenauer SR 9:59

F

Fadem JJ 13:62
Faro S 6:145
Faulhaber T 1:119 (trick)
Fein AM 4:143; 13:30
Cardiopulmonary Problems in the Office
Acute Epiglottitis: Adult vs Pediatric, **14**:54
Anaphylaxis, **12**:142
A Chronic Productive Cough, **7**:192
Eosinophilic Pneumonia: A Slice of PIE, **1**:145
Pharmacotherapy for Chronic Obstructive Lung Disease, **2**:35
Rheumatoid Interstitial Lung Disease, **5**:117
Smoke Inhalation, **15**:49
The Solitary Pulmonary Nodule, **9**:91
Treatment of Cystic Fibrosis: Techniques and Horizons, **13**:40
Two Common Sleep Disorders, **11**:139
Fein SA 4:127
Feinsilver 6:83
Feldman AM 10:61
Ferris DG 6:115
Fiel SB 13:40
Finn AF 12:47
Fletcher WS 10:155
Fox KR 10:117
Fusco F 10:94 (trick)

L

92

11

G

Gambert SR 9:25

Garay S 9:77

Garcia GE 4:245

Gaston D 16:46 (trick)

Gerrish KE 15:183 (trick)

Giangobbe JP 1:119 (trick)

Giboa R 12:11 (letter)

Gilchrist JQ 12:11 (letter)

Glorius DV 5:50 (trick)

Goldberg MJ 3:172

Goldman L 5:235

Goodhill V 15:165

Grayzel J 4:191 (trick)

Greenberg MD 8:112

Griffin JP 4:191 (trick)

Gross ML 15:143

Groth ML 12:31; **13**:19

Guerci AD 7:223

H

Harding MB 1:218

Hargroder TG 1:119 (trick)

Harrison JK 1:218

Hayden JW 15:91

Hearn RF 11:99 (trick)

Henry GL

Legal Rounds

Who's in Charge?, **1**:35

Treating AIDS Patients, **3**:118

Keeping the Record Straight, **4**:154

Mental Status and the Patient's Rights, **11**:208

Hermiller JB 1:218

Hernandez-Graulau JM 10:144

Herzig WF 11:99 (trick)

Hill B 2:20 (letter)

Hindle WH 8:225

Hoffman RS 10:212; **14**:99

Toxic Emergency

8:176; **10**:141; **12**:203; **14**:125

Howes DS 5:35; **11**:218

Hurewitz AN 12:31; **13**:19

I

Idell S 4:203; **5**:117

Ilowite JS 1:209; **13**:30

Imseis MY 7:265 (trick)

Inaba A 4:191; **8**:131; **14**:96 (tricks)

Irvani A 2:33

J

Jachec ME 5:50 (trick)

Jacobs H 10:94 (trick)

Jacobson S 7:313; **12**:11; **16**:15 (replies to letters)

Avoidable Errors in Emergency Practice

L

92

11

1:183; **2**:178; **3**:147; **4**:293; **5**:210; **7**:65; **8**:203; **11**:175; **12**:103; **13**:197; **15**:82; **16**:94

Johnson JR 3:25

Justin RG 12:181 (department)

K

Karnholz SL 1:145

Keats TE 4:89

Emergency X-Ray

1:250; **4**:357; **5**:247; **7**:329; **8**:237; **10**:231; **11**:243; **12**:237; **14**:289; **16**:139

Keh RA 12:230 (trick)

Kellner SA 1:119 (trick)

Kennedy CS 1:119; **10**:94 (tricks)

Klerenia T 14:99

Kinsley E 1:204

Kirschner R 16:46 (trick)

Klein HG 5:59

Knight RA 8:84

Kogan SJ 8:137

Kohn SR 14:259

Kolenik III SA 14:246

Kottmeier PK 4:283

Kunkel DB 4:209; **11**:77

L

Lee TH 5:235

Lefall LD, Jr 5:199

Lerman B 8:131 (trick)

Leung AKC 14:155

Levin RI 9:71

Levy DB 5:13 (letter)

Lian G 15:34

Lim DW 14:96 (trick)

Linett LM 11:99 (trick)

Litt JZ 7:171

Diagnosis at a Glance

2:51; **3**:87; **4**:49; **5**:151; **7**:131; **9**:45; **11**:49; **12**:61; **13**:79; **15**:135; **16**:29

Lorber DL 9:113

Lucci JA III 7:87

M

Malcolm R 7:71

Marais GE 14:213

Marcus P 3:35

Marino C 10:67

Maschmeyer RH 2:141; **10**:94; **15**:183 (tricks)

Mathew NT 16:129

Mayer RA 3:98

McAuliffe K 5:50 (trick)

McConkey JP 4:324

McDonald E 10:101

McGeorge F 7:265 (trick)

McSwain NE, Jr

Trauma Rounds

Traumatic Diaphragmatic Hernia, **1**:204

L

92

I

Diagnosis of Aortic Shear Injuries, **6**:165
Middleton DS **2**:20; **8**:8; **15**:13 (replies to letters)
Millette KW **1**:119; **2**:141; **5**:50 (tricks)
Millikan LE **15**:143
Moffitt JE **11**:230
Moldwin RM **4**:30
Mulholland SG **4**:30
Murray R **5**:50 (trick)

N

Nadler JP **7**:133
Nord HJ **14**:238
Norris LH **5**:17 (reply to letter)

O

O'Boyle JE **9**:59
Ortiz EA **16**:46 (trick)

P

Pakula JL **5**:216
Petty CR **7**:265; **14**:96 (tricks)
Phillips JD **7**:71
Piziak VK **5**:67
Plantz S **1**:119 (trick)
Politi AF **8**:131 (trick)
Pope TL, Jr **7**:201; **12**:122
Powell D **15**:143
Pratt LW **13**:103
Pudupakkam SK **4**:191 (trick)

Q

Quarles RF **4**:191; **15**:183 (tricks)

R

Rendleman N **4**:191 (trick)
Rienzo RJ **15**:13 (letter)
Roberts JR
Emergency Tips from the Literature
1:11; **2**:23; **3**:6; **4**:8; **5**:20; **6**:16; **7**:8; **8**:13; **9**:16; **10**:11; **11**:13; **12**:12; **13**:9; **14**:13; **15**:17; **16**:18
Robson WLM **14**:155
Rodansky B **2**:141; **4**:191; **11**:102; **15**:183 (tricks)
Rosenberg SJ **13**:62
Russell FE **15**:8 (letter); **15**:183 (trick)

S

Sailer DW **11**:99 (trick)
Schell RE **16**:46 (trick)
Schirmer BD **2**:79
Schiff ER **15**:115
Schnur W **7**:265 (trick)
Schweizer E **14**:106
Scott MA **7**:229
Seibel MO **8**:131; **15**:183 (tricks)
Senula G **2**:141; **5**:50 (tricks)
Seward PN **8**:157
Shaftner K **2**:141 (trick)
Shaughnessy AF **1**:21

L

92

11

Sherman RA 14:96 (trick)
Shingleton B 4:257
Silverstein MJ 6:88
Singleton M 5:13 (letter)
Slomin G 1:119 (trick)
Smith M 1:119 (trick)
Smith W 7:265 (trick)
Snyder DA 8:149
Solomon J 2:201
Sonzogni JJ 4:169; **10**:27; **15**:13 (response to letter)
Stafford CT 11:230
Stemp LI 5:13 (reply to letter)
Steere AC 11:28
Stern R 12:191
Stiegler P 5:50 (trick)
Stout DT 11:99 (trick)
Strom JA 8:84

T

Taliaferro EH 7:155
Tarver RD
Misplaced Tube
3:183; **6**:181; **9**:135; **13**:117
Thier JS 6:123
Titus AF 11:99, 102 (tricks)
Tobin MJ 9:13 (department)
Toskes PP 14:159
Toups VJ 8:131 (trick)
Triadafilopoulos G 4:80

U, V

Vetrovec GW 1:237
Vega JM 7:108
Vinci RJ 10:173
Volger F 1:119 (trick)

W

Wagner MB 8:204; **8**:214
Wallerstein RO 8:73
Weber KJ 14:96 (trick)
Weil MH 5:207; **5**:216
Weimert, TA 5:134; **6**:26
Weinberg H 16:8 (letter)
Wells DR 8:131 (trick)
Werner K 2:141 (trick)
White CD 15:13 (letter)
White WG 8:8 (letter)
Williams J 5:13 (letter)
Williams MD 16:46 (trick)
Wood J 1:119 (trick)
Woodcock R 5:50 (trick)

X, Y

Yates AB 11:230

Z

Zenilman JM 10:101

L

4

92

11